

**MITCHELL LANDFILL  
RUN-ON AND RUN-OFF CONTROL SYSTEM PLAN**

**Prepared for:**



**KENTUCKY POWER COMPANY  
d/b/a AMERICAN ELECTRIC POWER SERVICE CORPORATION  
1 Riverside Plaza  
Columbus, Ohio 43215**

**Prepared By:**



**CIVIL & ENVIRONMENTAL CONSULTANTS, INC.  
5899 Montclair Blvd  
Cincinnati, OH 45150  
(513) 985-0226**

**CEC Project 195-858**

**INITIAL PLAN PREPARED: October 2016  
Revision No. 1 January 2020**



**Civil & Environmental Consultants, Inc.**

## TABLE OF CONTENTS

	<b>Page</b>
ENGINEER’S VERIFICATION STATEMENT .....	i
1.0 INTRODUCTION .....	1
2.0 RUN-ON CONTROLS .....	3
2.1 RUN-ON CONTROL OUTSIDE THE LANDFILL FOOTPRINT .....	3
2.1.1 Stormwater Channel and Culvert Design .....	4
2.1.2 Sediment Pond Design .....	5
2.2 RUN-ON CONTROL INSIDE THE LANDFILL FOOTPRINT .....	6
3.0 RUN-OFF CONTROLS .....	8
3.1 PERIMETER CONTAINMENT BERMS .....	8
3.2 LEACHATE COLLECTION SYSTEM .....	8
3.3 LEACHATE CONVEYANCE FEATURES .....	9
3.4 LEACHATE STORAGE POND .....	11
3.5 WASTE FILLING OPERATIONS .....	12
4.0 PLAN REVIEW AND CHANGES IN FACILITY CONFIGURATION .....	13

## LIST OF APPENDICES

Appendix A – Plan Review Log

Appendix B – Supporting Calculations

    Section 1 - Run-On Control Feature Supporting Calculations

    Section 2 - Run-Off Control Feature Supporting Calculations


Appendix C – Supporting Figures

\\Svr-cinci\projects\2019\195-858\Final Documents\R - 195-858 Mitchell LF Runoff-Runon Control Plan 1-2020.docx



## ENGINEER'S VERIFICATION STATEMENT

I hereby verify that the contents of this Run-On and Run-Off Control System Plan for the Mitchell Landfill owned by the Kentucky Power Company doing business as (d/b/a) American Electric Power Service Corporation meets the requirements of Federal Regulations Title 40, Part 257.81.



Anthony P. Amicon, P.E. - Principal  
Civil & Environmental Consultants, Inc.

## 1.0 INTRODUCTION

The Mitchell landfill (ML) is owned and operated by Kentucky Power Company, doing business as (d/b/a) American Electric Power Service Corporation (AEP). The landfill is located along Gatts Ridge Road (Marshall County Road 72), approximately 2 miles north of the intersection with County Road 74 (about 2 miles due east of the Mitchell Power Generation Plant) in Marshall County, West Virginia. The ML is regulated by the West Virginia Department of Environmental Protection (WVDEP) under Solid Waste Permit No. WV0116742, allowing construction and operation of the landfill.

Overall, ML has a maximum disposal capacity of about 10 million cubic yards for excess Coal Combustion Residuals (CCR) produced from the Mitchell Power Generating Plant that is not beneficially reused. The landfill boundary comprises about 169.6 acres with CCR being placed within a footprint of 57.6 acres. Construction of ML was initiated in 2013 and operation of the landfill began in May of 2014.

The United States Environmental Protection Agency (USEPA) established a Rule for CCR waste units, which has been published in the Federal Register and is an extension of the current Code Federal Rules (CFR) Title 40, Part 257 (Rule §257). In accordance with §257.81, the ML is required to prepare a Run-On and Run-Off Control System Plan (Plan) by October 17, 2016. The Plan is to be included with the facility's Operating Record and periodically updated as required by § 257.105(g)(3). As such, in order to comply with §257.81, AEP has contracted Civil & Environmental Consultants, Inc. (CEC) to update the Plan to include recent site modifications and the most recent construction activities. This Plan addresses the following requirements of Rule §257.81:

- A run-on control system to prevent flow onto the active portion of the CCR Unit during the peak discharge from a 24-hour, 25-year storm; and,
- A run-off control system from the active portion of the CCR Unit to collect and control at least the water volume resulting from a 24-hour, 25-year storm. Run-off from the active portion of the CCR Unit must be handled in accordance with the surface water requirements under §257.3-3.

Since the ML is an operating facility, this Plan describes the existing run-on and run-off control features as well as those planned as part of future phase construction. Generally, run-on control features address collection and conveyance features associated with non-contact stormwater (i.e., liquid not coming in contact with the waste). Run-off control features address collection, conveyance, and treatment features for contact stormwater (i.e., liquid coming in contact with the waste).

This Plan summarizes the run-on and run-off control features and provides supporting calculations and figures. Note that the supporting calculations and figures are similar to those submitted as part of the permit application process for the currently approved Solid Waste/National Pollutant Discharge Elimination System (NPDES) Permit from the WVDEP associated with the ML.

This Plan has been revised in January 2020 to reflect alterations to the run-on and run-off control features at ML since the initial Plan prepared in October 2016. The permanent sediment pond referred to herein as the North Pond was eliminated from the design. A new permanent sediment pond referred to herein as the East Pond near an Excess Soil Disposal Area was designed and constructed to replace the North Pond. All of the stormwater conveyance features for the North Pond were redesigned to route stormwater to the East Pond. All references to the North Pond in the Plan narrative have been removed and are shown with a strikethrough. The Plan Review Log in Appendix A has been revised to reference this Plan update. The Sediment Pond Calculations in Appendix B, have been revised to denote the North Pond calculations are “Not Applicable.” New HydroCAD calculations for the East Pond have been included at the end of the Sediment Pond Calculations in Appendix B. Additionally, the Plan drawings have been revised to eliminate the North Pond and show the location of the East Pond and associated stormwater conveyance features. Additionally, this Plan was revised to include recent changes (e.g., January 2019) to the Leachate Collection System.

## 2.0 RUN-ON CONTROLS

### 2.1 RUN-ON CONTROL OUTSIDE THE LANDFILL FOOTPRINT

Run-on control outside of the landfill footprint generally consist of stormwater surface controls, which prevent stormwater falling outside of the landfill footprint from running onto the active portions of the landfill. These stormwater surface controls have been developed in accordance with the Design and Construction Requirements contained in the WVDEP Solid Waste Regulations and meet the requirement for the ML NPDES Permit.

These stormwater surface controls are constructed in phases associated with landfill development. The ML has been subdivided into numbered phases (Phases 1 through 5) reflecting the order in which each partial area of the landfill will be constructed and filled. ML is currently placing waste in Phase 2 with Phase 3 base liner construction completed. As the landfill operations progress, a subsequent phase of the landfill is prepared and constructed. Sediment basin(s) and other associated surface water/erosion control structures (cover, diversion berms, channels, ditches, etc.) are then constructed as part of the phase development. A General Phasing Plan (Drawing No. 12-30110-13 in Appendix C) depicts an overview of the landfill sequencing. Drawing Nos. 12-30110-21 through 12-30110-26 in Appendix C provide detail regarding the individual phase development.

During operation of the landfill, regular maintenance and inspection of these structures is performed to ensure proper control of surface water and eroded sediments. Other standard operating procedures associated with control of surface water and eroded sediments are implemented on a regular as-needed basis and include:

- Construction of containment berms;
- Inspection of control structures;
- Maintenance and repair of channels and structures;
- Removal of accumulated sediment in sediment ponds;
- Placement of temporary and permanent protective cover and establishment of cover vegetation;

- Minimizing active fill areas within the phase;
- Installation and maintenance of silt fence and inlet protection; and,
- General best management practices as define in the Soil Erosion and Sediment Control Plan for the project.

A description of specific criteria used in the design of the stormwater surface controls, specifically stormwater channels, culverts, and sediment ponds, is included below.

### 2.1.1 Stormwater Channel and Culvert Design

Existing and/or future permanent drainage channels collect and convey non-contact water to three permanent sediment ponds. The surface water channels are designed such that the stormwater volumes and peak flows were calculated using the "Soil-Cover Complex" methodology presented in Soil Conservation Service Technical Release No. 55 ("TR-55", SCS 1986). Site soils were classified as Hydrologic Soil Groups "B" and "C", and all land covers were assumed to be in "good" condition. Since over 95% of the site consists of "C" type soils, type "C" soils curve numbers were used throughout the calculations. Times-of-concentration were computed using the "segmental" method in TR-55. Peak discharge factors were obtained from tables in TR-55.

The hydrologic design basis for surface water collection and conveyance structures is the 25-year, 24-hour storm. This design storm event is applicable to the site runoff collection channels and culverts. The Federal Highway Administration Hydraulic Engineering Circular No. 15 (HEC-15) was used as a guideline for channel linings and maximum velocities for drainage ditches. The 2-year, 24-hour; 10-year, 24-hour; 25-year, 24-hour; 50-year, 24-hour; 100-year, 24-hour storms were used to calculate the runoff detention volume, the flood storage volume, freeboard, and the emergency spillway discharge, respectively, for the South, West, and East Sediment Ponds.

The rainfall intensities at the location of the ML applicable to the design of surface water structures were obtained from the United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Marshall County, West Virginia. The historical rainfall distribution for each 2-hour storm is based on the Soil Conservation Service

(SCS) Type II rainfall distribution. Antecedent Moisture Condition II - Normal was assumed for design.

Several existing or future culverts are associated with ML development. Riprap outlet protection is used to prevent erosion at each culvert. Refer to Drawing Nos. 12-30110-18, 12-30110-21 through 12-30110-28, 12-30110-40, 12-30110-41, 12-30110-44, and 12-30110-45 in Appendix C for the locations, sizes, and outlet protection specifics for the culverts.

Supporting calculations showing size and capacity for the channels and culverts using the above-described methodology (i.e., 24-hour, 25-years storm event) are presented in Appendix B of this Plan.

### 2.1.2 Sediment Pond Design

Three permanent (all constructed) sediment ponds are associated with ML development. The primary sediment pond (South Pond) is located at the south end of the landfill and at the downstream end of the valley. The two other permanent sediment ponds (East and West Ponds) are located east and west of the landfill waste limits. These structures are used to collect stormwater and control sediment.

Current and future sediment ponds have been designed with outlet structures that control the discharge of stormwater through the basins. Each sediment control structure has sediment capacity of 0.125 acre-feet for each acre of disturbed area in the structures watershed. In addition to the sediment capacity, the sediment control structures have a detention capacity to store a 2-year, 24-hour frequency storm. The detained stormwater is then released through a non-clogging dewatering skimmer device that allows the stored volume of water to be evacuated within a 7-day to 8-day period.

The structures provide a combination of principal and emergency spillways that safely discharge the 25-year, 24-hour storm without overtopping of the structure. The structures are designed to

ensure no outflow through the emergency spillway during the passage of a 10-year, 24-hour frequency storm.

During the design storm, each structure provides a minimum difference in elevation of 1 foot between the crest of the principal spillway and the crest of the emergency spillway. Additionally, a minimum difference in elevation of 1 foot of freeboard is provided between the maximum design flow elevation in the emergency spillway and the top of the embankment.

Supporting calculations used to size the sediment ponds using the above-described methodology (i.e., 24-hour, 25-years storm event) are presented in Appendix B of this Plan. Refer to Drawings in Appendix C for the locations, design grades, and details associated with the Sediment Ponds and supporting structures.

## **2.2 RUN-ON CONTROL INSIDE THE LANDFILL FOOTPRINT**

Active waste operations will continue at the ML until final design grades are reached. As waste placement reaches the planned exterior grades of the landfill throughout the planned operation of the facility, the waste will be covered with a protective cover system or cap constructed with the on-site soils. Details related to the cap are shown on Drawing No. 12-30110-48 in Appendix C and specifics for the cover soils are described below.

The permanent cover for the ML will consist of a 2-foot thick layer of compacted cohesive soil meeting a minimum permeability of  $1 \times 10^{-6}$  cm/sec. Selected natural soils and highly weathered bedrock will meet this criteria. The recompacted soils and bedrock samples tested achieved permeability values ranging between  $1 \times 10^{-5}$  cm/sec to  $1 \times 10^{-7}$  cm/sec (compacted to 95% of the Standard Proctor).

Lime, fertilizer and mulch will be provided as necessary to promote vegetative growth within the top 6 inches of the cover. The natural soil cover material will be generated from excavations required to achieve the landfill liner, sediment ponds, Leachate Storage Pond, and haul road grades.

Similar to the run-on control features, stormwater control features atop of the permanent cover (i.e., benches, downchutes, etc.) have a hydrologic design basis of the 25-year, 24-hour storm event. Refer to the supporting calculations in Appendix B of this Plan for design calculations associated with the run-on control features within the landfill footprint.



## **3.0 RUN-OFF CONTROLS**

### **3.1 PERIMETER CONTAINMENT BERMS**

Generally, the working surface of the active landfill remains relatively level with the active fill area being sloped towards the interior of the landfill, such that the successive waste fill lifts increase the elevation within the phase. This is accomplished by constructing a containment berm at the planned exterior limits of the interim or final slope of the phase followed by placement of successive waste fill lifts within the phase until the approximate top of the containment berm is reached. This process is continued by shifting the outside edge of each subsequent containment berm to create a maximum exterior slope of 3 horizontal to 1 vertical (3H:1V) until the design grade of the phase is reached. These containment berms serve the purpose to separate run-off (contact water) from flowing outside of the waste placement area.

The initial containment berm for waste placement, positioned at the toe of the first three phases in the valley bottom, has a minimum height of 10 feet, a crest width of 6 feet and side slopes of 3H:1V or flatter on the exterior side. The initial containment berm for Phase 4 will be increased to 15 feet in height. Subsequent containment berms have a maximum height of 5 feet and a crest width of 6 feet. The internal and external slopes have a minimum 2H:1V and 3H:1V, respectively.

### **3.2 LEACHATE COLLECTION SYSTEM**

Contaminated runoff (“contact water”) is collected as part of the leachate collection system and is conveyed to the Leachate Storage Pond via the vertical chimney drains, the leachate collection system, and associated lift station. The surface of the active fill area is sloped towards the interior of the landfill, graded to minimize ponding of water, and directs excess surface water to chimney drain locations.

The Hydrologic Evaluation of Landfill Performance (HELP) model was used to calculate the average daily leachate flow and the average annual leachate volume for the ML. The average daily

leachate flow for the ML, as estimated by the HELP model, is 560 gallons per acre per day for active landfill operation areas, and 180 gallons per acre per day after landfill closure.

The maximum average annual leachate volume will occur when a majority of the site is closed and a portion of the landfill remains active, and can be computed assuming the maximum area of the active phase is 15 acres with the remaining 42.6 acres of landfill area being closed. Using the above estimated daily leachate flows for active and closed conditions, the maximum average annual leachate volume for the entire 57.6-acre lined landfill area is expected to be 6,000,000 gallons per year. These volume estimates are based on steady-state flow conditions. Supporting calculations are contained in Appendix B of this Plan.

Note that the HELP Model calculations included in Appendix B include evaluations where the peak precipitation event is 4.44 inches, which corresponds to the 24-hour, 25-year storm event. Therefore, design aspects of ML which rely on the above described leachate generation estimates are designed for the 24-hour, 25-year storm event per §257.81. Drawing Nos. 12-30110-15 and 12-30110-16 in Appendix C identify the location of the leachate collection system.

### **3.3 LEACHATE CONVEYANCE FEATURES**

The leachate collection system consists of three main components:

- Geocomposite Drainage Net (GDN) [Phases 1 and 2 only] - comprised of an HDPE geonet with nonwoven, needle-punched geotextiles heat-bonded to its upper and lower surfaces. GDN covers the entire bottom of the landfill within Phases 1 and 2 and collects and conveys leachate to pipe/aggregate envelopes located along the landfill side slopes and valley axes.
- Granular Drainage Material - constructed atop the GDN [Phases 1 and 2] or atop of a cushion geotextile [Phases 3 and 4] with a minimum thickness of 18-inches across the bottom of the landfill (within the main valley axis).
- Leachate collection system piping –comprised of perforated HDPE pipes, non-calcareous, free draining aggregate, and a nonwoven, needle-punched geotextile. The leachate collection system piping collects and conveys leachate out of the landfill via gravity flow and into a lift station for conveyance to the Leachate Storage Pond.

For Phases 1 and 2, GDN was selected as the primary leachate collection/conveyance layer due to its reduced thickness (results in additional landfill airspace), ease of installation (as compared to an aggregate layer), and high hydraulic conductivity (minimizes development of leachate head atop the composite liner). The GDN also acts as a cushion layer to protect the PVC geomembrane from damage during protective cover placement. Coarse aggregate envelopes the leachate collection pipes to provide high hydraulic conductivity. A non-carbonate stone is used to prevent degradation of the collection envelope over time. HDPE pipe was specified to withstand the landfill loads while being compatible with the anticipated leachate. The leachate collection system piping was also designed with cleanouts to facilitate maintenance.

For Phases 3 and 4, a geotextile cushion was installed directly above the PVC geomembrane to protect it from damage during leachate collection material placement. Bottom ash material serves as the primary leachate collection/conveyance layer in the leachate management system for the Phase 3 and 4 landfill valley bottom and side slopes areas. Additionally, leachate collection pipes enveloped with aggregate provide a flow path for leachate to be conveyed from the facility. HDPE pipe was specified to withstand the landfill loads while being compatible with the anticipated leachate. The leachate collection system piping was also designed with cleanouts to facilitate maintenance.

Leachate and contaminated stormwater (stormwater that has come in contact with waste) is collected by the leachate conveyance features and conveyed to a lift station. The lift station structure receives leachate via gravity flow from the landfill and transfers the leachate via a force main to the Leachate Storage Pond. The lift station structure is sealed and lined to prevent leakage and leachate pipes located outside of the landfill limits of waste are comprised of dual walled pipes. The capacity of the pump station is established based on the anticipated peak leachate flow rates from the leachate collection system and the operational efficiency requirements of the selected pump(s). The pump station structure is lined and the associated force main is comprised of a dual walled HDPE pipe. The pump station is equipped with an automated control system to operate the pumps, provide alerts to the operator and monitor the leachate volumes pumped to the storage pond. The emergency overflow for the lift station is directed to a pipe that bypasses the South Pond and discharges to an unnamed tributary to Fish Creek.

The location and design details for the lift station and Leachate Storage Pond are included on Drawing Nos. 12-30110-15, 12-30110-16, 12-30110-45, 12-30110-47, and 12-30110-50, and DR-4 in Appendix C.

### **3.4 LEACHATE STORAGE POND**

A Leachate Storage Pond has been established as part of the initial landfill construction and will remain in service throughout the operational life of the landfill and during the post-closure period. The Leachate Storage Pond is located at the high point of the valley ridge west of the landfill such that the pond bottom is well above the seasonal high groundwater at the site. This pond has a composite liner comprised of a 4-foot thick geologic isolation layer, a 45-mil polypropylene geomembrane constructed atop a geosynthetic clay liner (GCL). The maximum holding capacity of the Leachate Storage Pond is 6.9 acre-feet (ac-ft.). The design holding capacity is sufficient to contain the anticipated leachate volume for a 30-day period, as required by the West Virginia Solid Waste Regulations. The 30-day storage capacity is calculated using the average annual leachate volume of 6,000,000 gallons per year adjusted to 30 days to get a required storage capacity of 500,000 gallons (1.5 ac-ft.). In addition, the storage pond has excess holding capacity (about 5.4 ac-ft.) to store contact runoff generated from heavy precipitation events. The additional holding capacity, in excess of the 30-day storage capacity, allows for storage of leachate that is generated from a 100-year 24-hour storm applied over 15 acres of active disposal area draining to the leachate collection system.

The Leachate Storage Pond pool elevation is monitored and managed on a regular basis by the landfill operator. Leachate is removed from the storage pond on an as needed basis to maintain sufficient storage capacity. The leachate removed from the pond is beneficially reused (dust suppression within the landfill, moisture conditioning of fly ash to facilitate compaction or moisture conditioning of fly ash at the storage silo) or treated at the wastewater treatment bottom ash pond complex at the Mitchell Plant. No overflow discharge will occur from the pond except on an emergency basis. Design details for the Leachate Storage Pond are included on Drawings DR-4 and DR-5 in Appendix C.

### 3.5 WASTE FILLING OPERATIONS

Generally, waste materials are spread and graded in 12-inch thick loose lifts. If necessary, the material is moisture conditioned to prior to compaction. Each lift is compacted using a smooth drum vibratory roller to achieve an in-situ density of at least 95 percent of the maximum laboratory dry density as determined by ASTM D-698. The smooth drum roller has a minimum dynamic force of 500 pounds per linear inch and a static weight of 125 pounds per lineal inch. The compaction units shall travel at a speed not exceeding 2.5 miles per hour with a minimum of six passes. Each pass of the vibratory roller overlaps the adjacent pass. The compaction equipment, lift thickness and number of passes are subject to change based on verification that the in-place density of the waste is achieved using alternative methods. Within the distance of 8 feet from any structure, the use of the above-specified roller shall be discontinued and hand-operated compactors shall be used. In addition, the fly ash, bottom ash and gypsum is commingled in normal waste placement operational areas without any specified segregation.

To assure an environmentally sound operation, the ML site waste hauling procedures require the following:

- Trucks shall be tarped while traveling to and from the landfill;
- Trucks shall maintain posted speed limits; and
- Upon trucks leaving the landfill site on their return trip, the disposal contractor must make certain that the truck body and wheels are free of all ash and/or mud before entering roads. A truck washing facility may be established at the landfill site, if necessary, to safeguard against these conditions occurring.

#### **4.0 PLAN REVIEW AND CHANGES IN FACILITY CONFIGURATION**

In accordance with §257.81, this Run-On and Run-Off Control Plan shall be reviewed periodically, at a minimum of every 5 years. During such reviews, this Plan will be updated as needed to reflect the current design and operation of the ML. A Plan Review Log to record periodic Plan reviews and revisions is included in Appendix A.

---

**APPENDIX A**  
**PLAN REVIEW LOG**

---

**MITCHELL LANDFILL  
RUN-ON, RUN-OFF CONTROL PLAN**

**PLAN REVIEW LOG**

<b>Action</b>	<b>Performed by:</b>	<b>Date</b>
Prepare Initial Run-On, Run-Off Control Plan	CEC	10/11/2016
Revision No. 1 – Elimination of North Sediment Pond and Addition of the East Sediment Pond; Updated Water balance Calculations	CEC	1/7/2020

Note:

1. In accordance with §257.81, this Run-On and Run-Off Control Plan shall be reviewed periodically, at a minimum of every 5 years.



---

**APPENDIX B**

**SUPPORTING CALCULATIONS**

---

---

**APPENDIX B; SECTION 1**

**RUN-ON CONTROL FEATURE SUPPORTING CALCULATIONS**

---

---

## **SURFACE WATER CONTROL CALCULATIONS**

**(Taken from the Solid Waste/NPDES Permit  
Application for the Mitchell Landfill)**

---

---

**SURFACE WATER CONTROL CALCULATIONS**  
**Original Permit Design**

**Note that Stormwater controls associated with the North Pond are now routed to the East Pond. Text revisions to the Surface Water Control Calculations have not been made. Instead a separate calculation brief for only those features near the East Pond was prepared and is presented immediately after this calculation brief.**

---



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>1</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**OBJECTIVE:**

To design the proposed surface water control structures for the Mitchell Landfill which divert all stormwater runoff from the disturbed area to the South, West, and North Ponds. All calculations for the South, West and North Sedimentation Ponds can be found in the calculation entitled “**Sediment Pond Design Calculations**”. The calculations for all surface water control structures satisfy the regulations for residual waste landfills as follows:

**33CSR1 3.16.c.4.**

An application to conduct transfer station activities must include a plan to manage surface storm water soil erosion and sedimentation control during the various phases of construction and operation on the permit area. Calculations indicating water quantities must be based on the twenty-five (25)-year, twenty-four (24)-hour storm event. The plan must include fully dimensioned diversion ditches and indicate length, gradient, and cross-section for configuration by reach and capacities for ditch volume by reach. Calculations that are necessary to support design and siting must be included in the plan.

The design is based upon accepted engineering design equations, methodologies and assumptions. Where applicable, design references have been made. Calculations have been performed using the software package, HydroCAD Version 10, Copyright 2012.

**METHOD:**

Peak flows have been estimated with SCS TR-55 by calculating the time of concentration (Tc) of each channel reach, the composite runoff curve number describing the reach's watershed and the total area of the reach's watershed. A computer software package entitled “HydroCAD” Version 10, Copyright 2012, was utilized to perform the SCS TR-55 calculations.

The rainfall values for this site are listed below. The United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia, provided the estimated rainfall depths and is presented in “Sediment Ponds Design Calculations”.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>2</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

<b>RAINFALL DATA</b>		
<b>Frequency</b>	<b>Duration</b>	<b>Depth (in)</b>
2 yr	24 hr	2.54
10 yr	24 hr	3.81
25 yr	24 hr	4.44
100 yr	24 hr	5.10

According to the TR-55 methods, times of concentration were estimated as the sum of sheet flow, shallow concentrated flow, and channel flow. Flow calculations utilized a Curve Number (CN) representative of the post construction surface conditions. Maximum sheet flow length used was 200 feet. Shallow concentrated flow time of concentration as estimated based upon the condition of the flow path.

This site is located in an area of hydrologic soil groups B & C. Since over 95 percent of the site consists of type C soils, hydrologic soil group C was used throughout. Based on the existing and proposed site conditions the following runoff coefficients have been determined and will be utilized.

<b>CN DATA</b>	
<b>Description</b>	<b>CN</b>
Existing (Woods Grass Combination, Fair)	76
Newly Graded Areas (Ditches)	91
Landfill (50-75% Grass Cover, Fair)	91
Impervious Areas (Paved Haul Road)	98

Utilizing a series of downchutes, perimeter channels, pipe culverts, and basins, all stormwater runoff is directed to the South, West, or North Ponds. The outboard perimeter channels collect all runoff outside of the landfill limits, within clearing limits, and direct the stormwater into the sediment ponds. The perimeter channel and downchute then convey all runoff from within the drainage area to the sedimentation pond via a pipe culvert. The locations of the channels are shown within the permit documents.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>3</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**CALCULATIONS:**

With the peak discharge known for each channel, the channel cross section is sized and a channel lining material is selected (from the channel lining design options, included below). Flow properties within the channels are estimates from the HydroCAD output and hydrographs utilizing Manning’s Equation (EQ. 1):

$$V = \frac{Q}{A} = 1.49 \frac{R^{2/3} \sqrt{S_f}}{n} = 1.49 \frac{\left[ \frac{A}{WP} \right]^{2/3} \sqrt{S_f}}{n}$$

Where:

V = Velocity, fps

Q = Flowrate, cfs

A = Cross – Sectional area of flow, sf

R = Hydraulic Radius, ft

WP = Wetted Perimeter, ft

S<sub>f</sub> = Slope of channel, ft / ft

n = Manning's roughness coefficient

See Local Drainage Map for the drainage areas utilized. “S” designation throughout HydroCAD reports and drainage maps are Sub-Areas. “R” designation throughout HydroCAD reports and tables are Channel designations. The tables below show the drainage watershed identification, length, inlet and outlet invert elevations, contributing area, and peak flow for each channel based on the 25-year/24-hour storm event:



Civil & Environmental Consultants, Inc.

SUBJECT		Surface Water Control Structures				PROJECT NO.		110-416	
APPLICABLE RULE		33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan							
PROJECT		American Electric Power – Mitchell Landfill				PAGE	4	OF	9
LOCATION		Gatts Ridge Road, Marshall County, West Virginia							
MADE BY	MTF	DATE	04/03/12	CHECKED BY	JDM	DATE	04/03/12		

**Channels:**

Channel	Drainage Area ID	Invert Elevations		Length (ft)	Slope (%)	Drainage Area (acres)	Peak Flow (cfs)	Max. Velocity (fps)	(R)Riprap Class/ (G)Grout Class
		Inlet	Outlet						
South	CH-1	1205.0	1038.4	708	23.54	9.8	36.7	13.7	G-6
East	CH-2	1298.3	1170.5	1,402	9.12	2.4	11.6	5.1	R-6
East	CH-3	1298.7	1205.0	1,235	7.59	2.5	9.0	4.0	R-5
South	CH-4	1230.0	1040.0	772	24.61	6.0	29.8	13.2	G-6
South	CH-5	1224.0	1036.0	1,793	10.48	6.1	26.1	7.8	G-6
South	CH-6	1067.0	1037.0	1,028	2.92	35.7	171.4	6.6	R-7
South	CH-7	1222.6	1041.9	1,908	9.47	1.4	6.2	4.2	R-5
South	CH-9	1383.0	1050.0	1,368	24.34	33.3	96.7	14.1	G-6
North	CH-10	1301.0	1223.9	1,579	4.88	3.8	11.9	4.1	R-5
West	CH-11	1370.0	1130.0	683	35.16	13.9	51.6	16.4	G-7
North	CH-12	1301.0	1256.4	904	4.94	1.2	4.7	3.1	R-4
North	CH-13	1298.7	1255.0	846	5.17	2.7	13.2	3.8	R-5
North	CH-14	1380.0	1257.8	602	20.31	3.8	16.3	9.5	G-6
West	CH-15	1244.6	1224.8	876	2.26	3.8	15.8	3.0	R-4
West	CH-16	1253.6	1224.8	1,407	2.05	4.5	16.8	2.9	R-4
West	CH-17	1241.3	1226.5	780	1.89	4.1	13.0	2.7	R-3
West	CH-18	1233.2	1224.5	421	2.05	0.9	4.1	2.2	R-3
West	CH-19	1215.2	1201.0	175	8.11	27.9	100.9	11.9	G-6

For channel details and schedule, see details sheet of the Permit to Install application drawing set.

CH-8 has been eliminated.





Civil & Environmental Consultants, Inc.

SUBJECT		<b>Surface Water Control Structures</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>5</b>	OF	<b>9</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

The riprap class was chosen dependent upon the velocity for lining of the channels. Channel lining sizes are provided in the following table:

<b>CHANNEL LININGS</b>	
<b>Riprap Class</b>	<b>D50 (in)</b>
R-3	3
R-4	6
R-5	9
R-6	15
R-7	18

For channel slopes between 2% and 10%:

$$D50 = [q (S)^{1.5} / 4.75(10)^{-3}]^{0.53}$$

For channel slopes between 10% and 40%:

$$D50 = [q (S)^{0.58} / 3.93(10)^{-2}]^{0.53}$$

D50 = Particle size for which 50% (by weight) of the sample is finer, in.

S = Bed slope, ft./ft.

q = Unit discharge, ft<sup>3</sup>/s/ft

<b>CHANNEL LININGS</b>	
<b>Grout Class</b>	<b>D50 (in)</b>
G-5	9
G-6	15
G-7	18

For channel velocities below 7.5 fps, use G-5.

For channel velocities between 7.5 fps and 15 fps, use G-6.

For channel velocities between 15 fps and 17.5 fps, use G-7.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>6</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**Pipes:**

Pipe	Tributary to Pond	Invert Elevations		Length (ft)	Pipe Dia. (in.)	Slope (%)	Drainage Area (acres)	Peak Flow (cfs)	Max. Velocity (fps)
		Inlet	Outlet						
4	South	1036.0	1034.0	92.2	2-42	2.17	47.8	223.9	16.9
5	South	1045.0	1035.3	388.3	36	2.49	17.9	89.6	16.7
6	South	1070.0	1045.0	147.5	12	16.95	3.0	15.0	21.3
8	West	1218.0	1214.0	183.2	24	2.18	5.8	17.1	10.7
9	West	1223.9	1219.0	243.9	18	2.01	2.8	11.8	9.4
10	West	1217.0	1215.2	106.0	42	1.74	27.2	98.7	15.1
11	West	1220.0	1218.0	98.7	18	2.03	4.1	13.0	9.5
12	West	1218.0	1217.0	68.0	36	1.47	22.2	84.0	13.0
13	North	1240.0	1238.9	90.8	12	1.19	0.3	1.9	4.9
15	North	1247.4	1245.0	160.8	30	1.50	7.7	33.5	11.0
16	North	1248.0	1247.4	57.4	30	1.01	6.5	29.2	9.1

Pipes 1-3, 7 and 14 are shown within Sediment Pond Design Calculations.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>7</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**Pipe Outlet Protection:**

Pipe	Tributary to Pond	Pipe Dia. (in.)	Peak Flow (cfs)	Max. Velocity (fps)	Width Outlet (ft)	Width at End (ft)	Length (ft)	D50 (in)	(R)Riprap Class/ (G)Grout Class
1	South Outlet	48	205.09	16.3	12	44	40	18	G-7
4	South	2-42	223.9	16.9	10.5	48.5	45	24	G-7
5	South	36	89.6	16.7	9	33	30	15	G-6
7	West Outlet	36	88.4	12.5	9	23	20	9	R-5
8	West	24	17.1	10.7	6	17	15	6	R-4
10	West	42	98.7	15.1	10.5	33.5	30	15	G-6
13	North	12	1.9	4.9	3	6	5	6	R-4
14	North Outlet	24	13.2	4.2	6	12	10	6	R-4
15	North	30	29.2	9.1	7.5	22.5	20	6	R-4

**CONCLUSIONS:**

All surface water control structures were designed based on the drainage area, flow rate, channel slope, and channel lining based on the peak flows resulting from the 25-year, 24-hour storm event. Utilizing a series of surface water diversion berms, downchutes, perimeter channels, pipe culverts, and ponds all stormwater runoff from landfill will be directed to the three Sedimentation Ponds in order to control runoff as well as meet applicable regulations. All surface water channels will be lined with riprap, the type depending on flow velocity. See Drawings for the channel schedules and details. The Surface Water Channel Design HydroCAD output and hydrograph files are attached.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>8</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**REFERENCES:**




1. United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia.
2. National Resources Conservation Service, LINED WATERWAY OR OUTLET, September 2010. [http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs143\\_026310.pdf](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs143_026310.pdf)
3. HydroCAD Software Solutions LLC, HYDROCAD, Version 10, 2012, Computer Software Program.
4. U.S. Department of Transportation, Federal Highway Administration. Hydraulic Engineering Circular No. 15, Third Edition: Design of Roadside Channels with Flexible Linings.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>9</b>	OF	<b>9</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		

**SURFACE WATER CHANNEL DESIGN HYDROCAD  
OUTPUT AND HYDROGRAPH FILES**



**Routing Diagram for South Channels**  
 Prepared by Microsoft, Printed 4/4/2012  
 HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/4/2012

Page 2

### Area Listing (all nodes)

Area (acres)	CN	Description (subcatchment-numbers)
10.934	91	(C-1, C-4)
7.508	94	(C-5, C-7)
4.902	94	Fallow, bare soil, HSG C (C-2, C-3)
53.604	91	Newly graded area, HSG C (C-6, CP-5, CP-6)
33.275	91	Urban industrial, 72% imp, HSG C (C-10)
<b>110.223</b>	<b>91</b>	<b>TOTAL AREA</b>

## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/4/2012

Page 3

### Soil Listing (all nodes)

Area (acres)	Soil Group	Subcatchment Numbers
0.000	HSG A	
0.000	HSG B	
91.781	HSG C	C-10, C-2, C-3, C-6, CP-5, CP-6
0.000	HSG D	
18.442	Other	C-1, C-4, C-5, C-7
<b>110.223</b>		<b>TOTAL AREA</b>



## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/4/2012

Page 4

### Ground Covers (all nodes)

HSG-A (acres)	HSG-B (acres)	HSG-C (acres)	HSG-D (acres)	Other (acres)	Total (acres)	Ground Cover	Subcatchment Numbers
0.000	0.000	0.000	0.000	18.442	18.442		C-1, C-4, C-5, C-7
0.000	0.000	4.902	0.000	0.000	4.902	Fallow, bare soil	C-2, C-3
0.000	0.000	53.604	0.000	0.000	53.604	Newly graded area	C-6, CP-5, CP-6
0.000	0.000	33.275	0.000	0.000	33.275	Urban industrial, 72% imp	C-10
<b>0.000</b>	<b>0.000</b>	<b>91.781</b>	<b>0.000</b>	<b>18.442</b>	<b>110.223</b>	<b>TOTAL AREA</b>	

## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/4/2012

Page 5

### Pipe Listing (all nodes)

Line#	Node Number	In-Invert (feet)	Out-Invert (feet)	Length (feet)	Slope (ft/ft)	n	Diam/Width (inches)	Height (inches)	Inside-Fill (inches)
1	P-4	1,036.00	1,034.00	92.2	0.0217	0.013	42.0	0.0	0.0
2	P-5	1,045.00	1,035.33	388.2	0.0249	0.013	36.0	0.0	0.0
3	P-6	1,070.00	1,045.00	147.5	0.1695	0.013	12.0	0.0	0.0

## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 6

Time span=0.00-30.00 hrs, dt=0.01 hrs, 3001 points  
Runoff by SCS TR-20 method, UH=SCS  
Reach routing by Dyn-Stor-Ind method - Pond routing by Dyn-Stor-Ind method

<b>Subcatchment C-1: Southeast Swale</b>	Runoff Area=215,218 sf 0.00% Impervious Runoff Depth=3.44" Tc=20.0 min CN=91 Runoff=18.34 cfs 1.416 af
<b>Subcatchment C-10: South Downchute</b>	Runoff Area=1,449,459 sf 72.00% Impervious Runoff Depth=3.44" Tc=30.0 min CN=91 Runoff=97.39 cfs 9.539 af
<b>Subcatchment C-2: East Outboard</b>	Runoff Area=106,050 sf 0.00% Impervious Runoff Depth=3.76" Tc=10.0 min CN=94 Runoff=12.92 cfs 0.762 af
<b>Subcatchment C-3: East Inboard Drainage</b>	Runoff Area=107,478 sf 0.00% Impervious Runoff Depth=3.76" Tc=20.0 min CN=94 Runoff=9.74 cfs 0.772 af
<b>Subcatchment C-4: Southwest Swale</b>	Runoff Area=261,060 sf 0.00% Impervious Runoff Depth=3.44" Tc=10.0 min CN=91 Runoff=30.09 cfs 1.718 af
<b>Subcatchment C-5: South Inboard Swale</b>	Runoff Area=264,718 sf 0.00% Impervious Runoff Depth=3.76" Tc=15.0 min CN=94 Runoff=27.55 cfs 1.902 af
<b>Subcatchment C-6: South CH-6 Drainage</b>	Runoff Area=1,556,393 sf 0.00% Impervious Runoff Depth=3.44" Tc=10.0 min CN=91 Runoff=179.38 cfs 10.243 af
<b>Subcatchment C-7: South Outboard Swale</b>	Runoff Area=62,327 sf 0.00% Impervious Runoff Depth=3.76" Tc=10.0 min CN=94 Runoff=7.59 cfs 0.448 af
<b>Subcatchment CP-5: South P-5 Drainage</b>	Runoff Area=648,574 sf 0.00% Impervious Runoff Depth=3.44" Tc=10.0 min CN=91 Runoff=74.75 cfs 4.268 af
<b>Subcatchment CP-6: South P-6 Drainage</b>	Runoff Area=130,036 sf 0.00% Impervious Runoff Depth=3.44" Tc=10.0 min CN=91 Runoff=14.99 cfs 0.856 af
<b>Reach CH-1: Southeast Channel</b>	Avg. Flow Depth=0.67' Max Vel=13.70 fps Inflow=36.85 cfs 2.951 af n=0.030 L=707.7' S=0.2354 '/' Capacity=1,072.94 cfs Outflow=36.77 cfs 2.951 af
<b>Reach CH-2: East Outboard Channel</b>	Avg. Flow Depth=0.74' Max Vel=5.06 fps Inflow=12.92 cfs 0.762 af n=0.055 L=1,401.9' S=0.0912 '/' Capacity=85.61 cfs Outflow=11.63 cfs 0.762 af
<b>Reach CH-3: East Inboard Channel</b>	Avg. Flow Depth=0.60' Max Vel=3.99 fps Inflow=9.74 cfs 0.772 af n=0.055 L=1,235.0' S=0.0759 '/' Capacity=332.24 cfs Outflow=9.03 cfs 0.772 af
<b>Reach CH-4: Southwest Channel</b>	Avg. Flow Depth=0.60' Max Vel=13.16 fps Inflow=30.09 cfs 1.718 af n=0.030 L=772.0' S=0.2461 '/' Capacity=1,097.00 cfs Outflow=29.84 cfs 1.718 af
<b>Reach CH-5: South Inboard Channel</b>	Avg. Flow Depth=0.67' Max Vel=7.78 fps Inflow=27.55 cfs 1.902 af n=0.040 L=1,792.9' S=0.1048 '/' Capacity=194.25 cfs Outflow=26.10 cfs 1.902 af
<b>Reach CH-6: Southwest Channel</b>	Avg. Flow Depth=3.03' Max Vel=6.62 fps Inflow=179.38 cfs 10.243 af n=0.055 L=1,028.0' S=0.0292 '/' Capacity=307.58 cfs Outflow=171.40 cfs 10.243 af

## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 7

**Reach CH-7: South Outboard Channel** Avg. Flow Depth=0.51' Max Vel=4.21 fps Inflow=7.59 cfs 0.448 af  
n=0.055 L=1,908.0' S=0.0947 '/' Capacity=96.11 cfs Outflow=6.20 cfs 0.448 af

**Reach CH-9: South Downchute** Avg. Flow Depth=0.99' Max Vel=14.05 fps Inflow=97.39 cfs 9.539 af  
n=0.040 L=1,368.0' S=0.2434 '/' Capacity=414.20 cfs Outflow=96.74 cfs 9.539 af

**Reach P-4: P-4** Avg. Flow Depth=2.27' Max Vel=16.93 fps Inflow=223.94 cfs 13.863 af  
42.0" Round Pipe x 2.00 n=0.013 L=92.2' S=0.0217 '/' Capacity=296.36 cfs Outflow=223.92 cfs 13.863 af

**Reach P-5: P-5** Avg. Flow Depth=2.13' Max Vel=16.72 fps Inflow=89.72 cfs 5.124 af  
36.0" Round Pipe n=0.013 L=388.2' S=0.0249 '/' Capacity=105.27 cfs Outflow=89.54 cfs 5.124 af

**Reach P-6: P-6** Avg. Flow Depth=0.84' Max Vel=21.29 fps Inflow=14.99 cfs 0.856 af  
12.0" Round Pipe n=0.013 L=147.5' S=0.1695 '/' Capacity=14.67 cfs Outflow=14.98 cfs 0.856 af

**Total Runoff Area = 110.223 ac Runoff Volume = 31.926 af Average Runoff Depth = 3.48"**  
**78.26% Pervious = 86.265 ac 21.74% Impervious = 23.958 ac**

**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 8

**Summary for Subcatchment C-1: Southeast Swale Drainage**

Runoff = 18.34 cfs @ 12.11 hrs, Volume= 1.416 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 215,218	91	
215,218		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
20.0					Direct Entry,

**Subcatchment C-1: Southeast Swale Drainage**

**Hydrograph**



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 9

## Summary for Subcatchment C-10: South Downchute Drainage

Runoff = 97.39 cfs @ 12.23 hrs, Volume= 9.539 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
1,449,459	91	Urban industrial, 72% imp, HSG C
405,849		28.00% Pervious Area
1,043,610		72.00% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
30.0					Direct Entry,

## Subcatchment C-10: South Downchute Drainage

### Hydrograph



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 10

**Summary for Subcatchment C-2: East Outboard Drainage**

Runoff = 12.92 cfs @ 12.01 hrs, Volume= 0.762 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 106,050	94	Fallow, bare soil, HSG C
106,050		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-2: East Outboard Drainage**

**Hydrograph**



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 11

**Summary for Subcatchment C-3: East Inboard Drainage**

Runoff = 9.74 cfs @ 12.11 hrs, Volume= 0.772 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 107,478	94	Fallow, bare soil, HSG C
107,478		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
20.0					Direct Entry,

**Subcatchment C-3: East Inboard Drainage**

**Hydrograph**





**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 12

**Summary for Subcatchment C-4: Southwest Swale Drainage**

Runoff = 30.09 cfs @ 12.01 hrs, Volume= 1.718 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 261,060	91	
261,060		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-4: Southwest Swale Drainage**

**Hydrograph**



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 13

**Summary for Subcatchment C-5: South Inboard Swale**

Runoff = 27.55 cfs @ 12.06 hrs, Volume= 1.902 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 264,718	94	
264,718		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
15.0					Direct Entry,

**Subcatchment C-5: South Inboard Swale**

**Hydrograph**



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 14

**Summary for Subcatchment C-6: South CH-6 Drainage**

Runoff = 179.38 cfs @ 12.01 hrs, Volume= 10.243 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
1,556,393	91	Newly graded area, HSG C
1,556,393		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-6: South CH-6 Drainage**

**Hydrograph**



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 15

## Summary for Subcatchment C-7: South Outboard Swale

Runoff = 7.59 cfs @ 12.01 hrs, Volume= 0.448 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 62,327	94	
62,327		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

## Subcatchment C-7: South Outboard Swale

### Hydrograph



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 16

**Summary for Subcatchment CP-5: South P-5 Drainage**

Runoff = 74.75 cfs @ 12.01 hrs, Volume= 4.268 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
648,574	91	Newly graded area, HSG C
648,574		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment CP-5: South P-5 Drainage**

**Hydrograph**



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 17

**Summary for Subcatchment CP-6: South P-6 Drainage**

Runoff = 14.99 cfs @ 12.01 hrs, Volume= 0.856 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
130,036	91	Newly graded area, HSG C
130,036		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment CP-6: South P-6 Drainage**

**Hydrograph**



## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 18

### Summary for Reach CH-1: Southeast Channel

[62] Hint: Exceeded Reach CH-2 OUTLET depth by 34.59' @ 12.29 hrs


[62] Hint: Exceeded Reach CH-3 OUTLET depth by 0.13' @ 12.02 hrs

Inflow Area = 9.843 ac, 0.00% Impervious, Inflow Depth = 3.60" for 25-Year event  
Inflow = 36.85 cfs @ 12.10 hrs, Volume= 2.951 af  
Outflow = 36.77 cfs @ 12.11 hrs, Volume= 2.951 af, Atten= 0%, Lag= 0.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 13.70 fps, Min. Travel Time= 0.9 min  
Avg. Velocity = 4.08 fps, Avg. Travel Time= 2.9 min


Peak Storage= 1,899 cf @ 12.11 hrs  
Average Depth at Peak Storage= 0.67'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 1,072.94 cfs

2.00' x 3.00' deep channel, n= 0.030 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 707.7' Slope= 0.2354 '/'  
Inlet Invert= 1,204.98', Outlet Invert= 1,038.36'



Reach CH-1: Southeast Channel

Hydrograph





# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 20


## Summary for Reach CH-2: East Outboard Channel

Inflow Area = 2.435 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 12.92 cfs @ 12.01 hrs, Volume= 0.762 af  
Outflow = 11.63 cfs @ 12.05 hrs, Volume= 0.762 af, Atten= 10%, Lag= 2.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 5.06 fps, Min. Travel Time= 4.6 min  
Avg. Velocity = 1.27 fps, Avg. Travel Time= 18.4 min


Peak Storage= 3,220 cf @ 12.05 hrs  
Average Depth at Peak Storage= 0.74'  
Bank-Full Depth= 2.00' Flow Area= 10.0 sf, Capacity= 85.61 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 1.0 2.0 '/' Top Width= 8.00'  
Length= 1,401.9' Slope= 0.0912 '/'  
Inlet Invert= 1,298.32', Outlet Invert= 1,170.53'



## Reach CH-2: East Outboard Channel

### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 21


## Summary for Reach CH-3: East Inboard Channel

Inflow Area = 2.467 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 9.74 cfs @ 12.11 hrs, Volume= 0.772 af  
Outflow = 9.03 cfs @ 12.17 hrs, Volume= 0.772 af, Atten= 7%, Lag= 3.7 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.99 fps, Min. Travel Time= 5.2 min  
Avg. Velocity = 1.21 fps, Avg. Travel Time= 17.0 min


Peak Storage= 2,796 cf @ 12.17 hrs  
Average Depth at Peak Storage= 0.60'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 332.24 cfs

2.00' x 3.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 1,235.0' Slope= 0.0759 '/'  
Inlet Invert= 1,298.69', Outlet Invert= 1,204.98'



### Reach CH-3: East Inboard Channel

#### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 22


## Summary for Reach CH-4: Southwest Channel

Inflow Area = 5.993 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 30.09 cfs @ 12.01 hrs, Volume= 1.718 af  
Outflow = 29.84 cfs @ 12.02 hrs, Volume= 1.718 af, Atten= 1%, Lag= 0.7 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 13.16 fps, Min. Travel Time= 1.0 min  
Avg. Velocity = 3.78 fps, Avg. Travel Time= 3.4 min


Peak Storage= 1,750 cf @ 12.02 hrs  
Average Depth at Peak Storage= 0.60'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 1,097.00 cfs

2.00' x 3.00' deep channel, n= 0.030 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 772.0' Slope= 0.2461 '/'  
Inlet Invert= 1,230.00', Outlet Invert= 1,040.00'



## Reach CH-4: Southwest Channel

### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 23

## Summary for Reach CH-5: South Inboard Channel

Inflow Area = 6.077 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 27.55 cfs @ 12.06 hrs, Volume= 1.902 af  
Outflow = 26.10 cfs @ 12.10 hrs, Volume= 1.902 af, Atten= 5%, Lag= 2.4 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 7.78 fps, Min. Travel Time= 3.8 min  
Avg. Velocity = 1.84 fps, Avg. Travel Time= 16.2 min


Peak Storage= 6,013 cf @ 12.10 hrs  
Average Depth at Peak Storage= 0.67'  
Bank-Full Depth= 2.00' Flow Area= 14.0 sf, Capacity= 194.25 cfs

4.00' x 2.00' deep channel, n= 0.040 Grouted Riprap  
Side Slope Z-value= 1.0 2.0 '/' Top Width= 10.00'  
Length= 1,792.9' Slope= 0.1048 '/'  
Inlet Invert= 1,223.96', Outlet Invert= 1,036.00'



### Reach CH-5: South Inboard Channel

#### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 24


## Summary for Reach CH-6: Southwest Channel

Inflow Area = 35.730 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 179.38 cfs @ 12.01 hrs, Volume= 10.243 af  
Outflow = 171.40 cfs @ 12.04 hrs, Volume= 10.243 af, Atten= 4%, Lag= 1.7 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 6.62 fps, Min. Travel Time= 2.6 min  
Avg. Velocity = 1.74 fps, Avg. Travel Time= 9.8 min


Peak Storage= 26,605 cf @ 12.04 hrs  
Average Depth at Peak Storage= 3.03'  
Bank-Full Depth= 4.00' Flow Area= 40.0 sf, Capacity= 307.58 cfs

4.00' x 4.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.0 1.0 '/' Top Width= 16.00'  
Length= 1,028.0' Slope= 0.0292 '/'  
Inlet Invert= 1,067.00', Outlet Invert= 1,037.00'



### Reach CH-6: Southwest Channel

#### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 25


## Summary for Reach CH-7: South Outboard Channel

Inflow Area = 1.431 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 7.59 cfs @ 12.01 hrs, Volume= 0.448 af  
Outflow = 6.20 cfs @ 12.07 hrs, Volume= 0.448 af, Atten= 18%, Lag= 3.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 4.21 fps, Min. Travel Time= 7.6 min  
Avg. Velocity = 1.06 fps, Avg. Travel Time= 30.1 min


Peak Storage= 2,810 cf @ 12.07 hrs  
Average Depth at Peak Storage= 0.51'  
Bank-Full Depth= 2.00' Flow Area= 11.0 sf, Capacity= 96.11 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.5 1.0 '/' Top Width= 9.00'  
Length= 1,908.0' Slope= 0.0947 '/'  
Inlet Invert= 1,222.59', Outlet Invert= 1,041.85'



## Reach CH-7: South Outboard Channel

### Hydrograph



# South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 26

## Summary for Reach CH-9: South Downchute Channel

Inflow Area = 33.275 ac, 72.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 97.39 cfs @ 12.23 hrs, Volume= 9.539 af  
Outflow = 96.74 cfs @ 12.25 hrs, Volume= 9.539 af, Atten= 1%, Lag= 1.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 14.05 fps, Min. Travel Time= 1.6 min  
Avg. Velocity = 4.28 fps, Avg. Travel Time= 5.3 min


Peak Storage= 9,417 cf @ 12.25 hrs  
Average Depth at Peak Storage= 0.99'  
Bank-Full Depth= 2.00' Flow Area= 20.0 sf, Capacity= 414.20 cfs

4.00' x 2.00' deep channel, n= 0.040 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 16.00'  
Length= 1,368.0' Slope= 0.2434 '/'  
Inlet Invert= 1,382.95', Outlet Invert= 1,050.03'



### Reach CH-9: South Downchute Channel

#### Hydrograph



## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 27

### Summary for Reach P-4: P-4

[52] Hint: Inlet/Outlet conditions not evaluated

[62] Hint: Exceeded Reach CH-5 OUTLET depth by 1.65' @ 12.03 hrs


[61] Hint: Exceeded Reach CH-6 outlet invert by 1.27' @ 12.04 hrs

Inflow Area = 47.800 ac, 0.00% Impervious, Inflow Depth = 3.48" for 25-Year event  
Inflow = 223.94 cfs @ 12.04 hrs, Volume= 13.863 af  
Outflow = 223.92 cfs @ 12.04 hrs, Volume= 13.863 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 16.93 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 4.64 fps, Avg. Travel Time= 0.3 min

Peak Storage= 1,220 cf @ 12.04 hrs  
Average Depth at Peak Storage= 2.27'  
Bank-Full Depth= 3.50' Flow Area= 19.2 sf, Capacity= 296.36 cfs

A factor of 2.00 has been applied to the storage and discharge capacity  
42.0" Round Pipe  
n= 0.013  
Length= 92.2' Slope= 0.0217 '/'  
Inlet Invert= 1,036.00', Outlet Invert= 1,034.00'





**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 28

**Reach P-4: P-4**

**Hydrograph**



## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 29

### Summary for Reach P-5: P-5

[52] Hint: Inlet/Outlet conditions not evaluated

[62] Hint: Exceeded Reach P-6 OUTLET depth by 1.29' @ 12.02 hrs

Inflow Area = 17.874 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 89.72 cfs @ 12.01 hrs, Volume= 5.124 af  
Outflow = 89.54 cfs @ 12.02 hrs, Volume= 5.124 af, Atten= 0%, Lag= 0.3 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 16.72 fps, Min. Travel Time= 0.4 min  
Avg. Velocity = 5.24 fps, Avg. Travel Time= 1.2 min


Peak Storage= 2,079 cf @ 12.02 hrs  
Average Depth at Peak Storage= 2.13'  
Bank-Full Depth= 3.00' Flow Area= 7.1 sf, Capacity= 105.27 cfs

36.0" Round Pipe

n= 0.013

Length= 388.2' Slope= 0.0249 '/'

Inlet Invert= 1,045.00', Outlet Invert= 1,035.33'



**South Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 30

**Reach P-5: P-5**

**Hydrograph**



## South Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/4/2012

Page 31

### Summary for Reach P-6: P-6

[52] Hint: Inlet/Outlet conditions not evaluated


[55] Hint: Peak inflow is 102% of Manning's capacity

Inflow Area = 2.985 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 14.99 cfs @ 12.01 hrs, Volume= 0.856 af  
Outflow = 14.98 cfs @ 12.01 hrs, Volume= 0.856 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 21.29 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 7.00 fps, Avg. Travel Time= 0.4 min


Peak Storage= 104 cf @ 12.01 hrs  
Average Depth at Peak Storage= 0.84'  
Bank-Full Depth= 1.00' Flow Area= 0.8 sf, Capacity= 14.67 cfs







12.0" Round Pipe  
n= 0.013  
Length= 147.5' Slope= 0.1695 '/'  
Inlet Invert= 1,070.00', Outlet Invert= 1,045.00'



Reach P-6: P-6

Hydrograph





**Routing Diagram for North Channels**  
 Prepared by Microsoft, Printed 4/3/2012  
 HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

## North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 2

### Area Listing (all nodes)

Area (acres)	CN	Description (subcatchment-numbers)
2.677	94	(C-16)
3.825	91	(C-17)
5.544	91	Newly graded area, HSG C (C-10, C-15, CP-13, CP-8)
<b>12.045</b>	<b>92</b>	<b>TOTAL AREA</b>

## North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 3

### Soil Listing (all nodes)

Area (acres)	Soil Group	Subcatchment Numbers
0.000	HSG A	
0.000	HSG B	
5.544	HSG C	C-10, C-15, CP-13, CP-8
0.000	HSG D	
6.501	Other	C-16, C-17
<b>12.045</b>		<b>TOTAL AREA</b>



## North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 4

### Ground Covers (all nodes)

HSG-A (acres)	HSG-B (acres)	HSG-C (acres)	HSG-D (acres)	Other (acres)	Total (acres)	Ground Cover	Subcatchment Numbers
0.000	0.000	0.000	0.000	6.501	6.501		C-16, C-17
0.000	0.000	5.544	0.000	0.000	5.544	Newly graded area	C-10, C-15, CP-13, CP-8
<b>0.000</b>	<b>0.000</b>	<b>5.544</b>	<b>0.000</b>	<b>6.501</b>	<b>12.045</b>	<b>TOTAL AREA</b>	

## North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 5

### Pipe Listing (all nodes)

Line#	Node Number	In-Invert (feet)	Out-Invert (feet)	Length (feet)	Slope (ft/ft)	n	Diam/Width (inches)	Height (inches)	Inside-Fill (inches)
1	P-13	1,240.00	1,238.92	90.8	0.0119	0.013	12.0	0.0	0.0
2	P-15	1,247.42	1,245.00	160.8	0.0150	0.013	30.0	0.0	0.0
3	P-16	1,248.00	1,247.42	57.4	0.0101	0.013	30.0	0.0	0.0
4	P-8	1,218.00	1,214.00	183.2	0.0218	0.013	24.0	0.0	0.0
5	P-9	1,223.90	1,219.00	243.9	0.0201	0.013	18.0	0.0	0.0

**North Channels**

Type II 24-hr 25-Year Rainfall=4.44"

Prepared by Microsoft

Printed 4/3/2012

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Page 6

Time span=0.00-30.00 hrs, dt=0.01 hrs, 3001 points  
 Runoff by SCS TR-20 method, UH=SCS  
 Reach routing by Dyn-Stor-Ind method - Pond routing by Dyn-Stor-Ind method

**Subcatchment C-10: North Outboard** Runoff Area=122,478 sf 0.00% Impervious Runoff Depth=3.44"  
 Tc=10.0 min CN=91 Runoff=14.12 cfs 0.806 af

**Subcatchment C-15: North Outboard** Runoff Area=52,658 sf 0.00% Impervious Runoff Depth=3.44"  
 Flow Length=200' Slope=0.2460 '/' Tc=15.4 min CN=91 Runoff=5.11 cfs 0.347 af

**Subcatchment C-16: North Inboard Swale** Runoff Area=116,589 sf 0.00% Impervious Runoff Depth=3.76"  
 Tc=10.0 min CN=94 Runoff=14.21 cfs 0.838 af

**Subcatchment C-17: North Downchute** Runoff Area=166,599 sf 0.00% Impervious Runoff Depth=3.44"  
 Tc=15.0 min CN=91 Runoff=16.35 cfs 1.096 af

**Subcatchment CP-13: North P-13 Drainage** Runoff Area=14,236 sf 0.00% Impervious Runoff Depth=3.44"  
 Tc=5.0 min CN=91 Runoff=1.93 cfs 0.094 af

**Subcatchment CP-8: North Outboard** Runoff Area=52,138 sf 0.00% Impervious Runoff Depth=3.44"  
 Tc=10.0 min CN=91 Runoff=6.01 cfs 0.343 af

**Reach CH-10: North Outboard Channel** Avg. Flow Depth=0.88' Max Vel=4.06 fps Inflow=14.12 cfs 0.806 af  
 n=0.055 L=1,579.0' S=0.0488 '/' Capacity=62.66 cfs Outflow=11.85 cfs 0.806 af

**Reach CH-12: North Outboard Channel** Avg. Flow Depth=0.53' Max Vel=3.14 fps Inflow=5.11 cfs 0.347 af  
 n=0.055 L=904.0' S=0.0494 '/' Capacity=63.00 cfs Outflow=4.71 cfs 0.347 af

**Reach CH-13: North Inboard Channel** Avg. Flow Depth=0.79' Max Vel=3.83 fps Inflow=14.21 cfs 0.838 af  
 n=0.055 L=846.0' S=0.0517 '/' Capacity=274.13 cfs Outflow=13.15 cfs 0.838 af

**Reach CH-14: North Downchute** Avg. Flow Depth=0.34' Max Vel=9.51 fps Inflow=16.35 cfs 1.096 af  
 n=0.030 L=602.0' S=0.2031 '/' Capacity=504.48 cfs Outflow=16.29 cfs 1.096 af

**Reach P-13: P-13** Avg. Flow Depth=0.50' Max Vel=4.94 fps Inflow=1.93 cfs 0.094 af  
 12.0" Round Pipe n=0.013 L=90.8' S=0.0119 '/' Capacity=3.89 cfs Outflow=1.93 cfs 0.094 af

**Reach P-15: P-15** Avg. Flow Depth=1.49' Max Vel=10.97 fps Inflow=33.53 cfs 2.281 af  
 30.0" Round Pipe n=0.013 L=160.8' S=0.0150 '/' Capacity=50.32 cfs Outflow=33.52 cfs 2.281 af

**Reach P-16: P-16** Avg. Flow Depth=1.55' Max Vel=9.11 fps Inflow=29.19 cfs 1.934 af  
 30.0" Round Pipe n=0.013 L=57.4' S=0.0101 '/' Capacity=41.23 cfs Outflow=29.19 cfs 1.934 af

**Reach P-8: P-8** Avg. Flow Depth=1.01' Max Vel=10.70 fps Inflow=17.12 cfs 1.149 af  
 24.0" Round Pipe n=0.013 L=183.2' S=0.0218 '/' Capacity=33.43 cfs Outflow=17.11 cfs 1.149 af

**Reach P-9: P-9** Avg. Flow Depth=1.01' Max Vel=9.35 fps Inflow=11.85 cfs 0.806 af  
 18.0" Round Pipe n=0.013 L=243.9' S=0.0201 '/' Capacity=14.89 cfs Outflow=11.84 cfs 0.806 af

**Total Runoff Area = 12.045 ac Runoff Volume = 3.524 af Average Runoff Depth = 3.51"**  
**100.00% Pervious = 12.045 ac 0.00% Impervious = 0.000 ac**

# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 7

## Summary for Subcatchment C-10: North Outboard Drainage

Runoff = 14.12 cfs @ 12.01 hrs, Volume= 0.806 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 122,478	91	Newly graded area, HSG C
122,478		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

## Subcatchment C-10: North Outboard Drainage

### Hydrograph



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 8

**Summary for Subcatchment C-15: North Outboard Drainage - Phase 4**

Runoff = 5.11 cfs @ 12.07 hrs, Volume= 0.347 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
 Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
52,658	91	Newly graded area, HSG C
52,658		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
15.4	200	0.2460	0.22		<b>Sheet Flow,</b> Woods: Light underbrush n= 0.400 P2= 2.54"

**Subcatchment C-15: North Outboard Drainage - Phase 4**

**Hydrograph**



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 9

**Summary for Subcatchment C-16: North Inboard Swale**

Runoff = 14.21 cfs @ 12.01 hrs, Volume= 0.838 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 116,589	94	
116,589		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-16: North Inboard Swale**

**Hydrograph**



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 10

**Summary for Subcatchment C-17: North Downchute Drainage**

Runoff = 16.35 cfs @ 12.06 hrs, Volume= 1.096 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 166,599	91	
166,599		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
15.0					Direct Entry,

**Subcatchment C-17: North Downchute Drainage**

**Hydrograph**



# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 11

## Summary for Subcatchment CP-13: North P-13 Drainage

Runoff = 1.93 cfs @ 11.96 hrs, Volume= 0.094 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
14,236	91	Newly graded area, HSG C
14,236		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
5.0					Direct Entry,

## Subcatchment CP-13: North P-13 Drainage

### Hydrograph





**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 12

**Summary for Subcatchment CP-8: North Outboard Drainage-West**

Runoff = 6.01 cfs @ 12.01 hrs, Volume= 0.343 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
52,138	91	Newly graded area, HSG C
52,138		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment CP-8: North Outboard Drainage-West**

**Hydrograph**



# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 13


## Summary for Reach CH-10: North Outboard Channel

Inflow Area = 2.812 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 14.12 cfs @ 12.01 hrs, Volume= 0.806 af  
Outflow = 11.85 cfs @ 12.07 hrs, Volume= 0.806 af, Atten= 16%, Lag= 3.3 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 4.06 fps, Min. Travel Time= 6.5 min  
Avg. Velocity = 1.02 fps, Avg. Travel Time= 25.8 min


Peak Storage= 4,612 cf @ 12.07 hrs  
Average Depth at Peak Storage= 0.88'  
Bank-Full Depth= 2.00' Flow Area= 10.0 sf, Capacity= 62.66 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.0 1.0 '/' Top Width= 8.00'  
Length= 1,579.0' Slope= 0.0488 '/'  
Inlet Invert= 1,301.00', Outlet Invert= 1,223.90'



Reach CH-10: North Outboard Channel

### Hydrograph



# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 14


## Summary for Reach CH-12: North Outboard Channel

Inflow Area = 1.209 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 5.11 cfs @ 12.07 hrs, Volume= 0.347 af  
Outflow = 4.71 cfs @ 12.12 hrs, Volume= 0.347 af, Atten= 8%, Lag= 3.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.14 fps, Min. Travel Time= 4.8 min  
Avg. Velocity = 0.82 fps, Avg. Travel Time= 18.4 min


Peak Storage= 1,354 cf @ 12.12 hrs  
Average Depth at Peak Storage= 0.53'  
Bank-Full Depth= 2.00' Flow Area= 10.0 sf, Capacity= 63.00 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.0 1.0 '/' Top Width= 8.00'  
Length= 904.0' Slope= 0.0494 '/'  
Inlet Invert= 1,301.00', Outlet Invert= 1,256.38'



Reach CH-12: North Outboard Channel

### Hydrograph



# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 15


## Summary for Reach CH-13: North Inboard Channel

Inflow Area = 2.677 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 14.21 cfs @ 12.01 hrs, Volume= 0.838 af  
Outflow = 13.15 cfs @ 12.05 hrs, Volume= 0.838 af, Atten= 7%, Lag= 2.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.83 fps, Min. Travel Time= 3.7 min  
Avg. Velocity = 1.09 fps, Avg. Travel Time= 12.9 min


Peak Storage= 2,906 cf @ 12.05 hrs  
Average Depth at Peak Storage= 0.79'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 274.13 cfs

2.00' x 3.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 846.0' Slope= 0.0517 '/'  
Inlet Invert= 1,298.69', Outlet Invert= 1,254.99'



## Reach CH-13: North Inboard Channel

### Hydrograph



# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 16

## Summary for Reach CH-14: North Downchute Channel

Inflow Area = 3.825 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 16.35 cfs @ 12.06 hrs, Volume= 1.096 af  
Outflow = 16.29 cfs @ 12.08 hrs, Volume= 1.096 af, Atten= 0%, Lag= 0.7 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 9.51 fps, Min. Travel Time= 1.1 min  
Avg. Velocity = 2.47 fps, Avg. Travel Time= 4.1 min


Peak Storage= 1,031 cf @ 12.08 hrs  
Average Depth at Peak Storage= 0.34'  
Bank-Full Depth= 2.00' Flow Area= 20.0 sf, Capacity= 504.48 cfs

4.00' x 2.00' deep channel, n= 0.030 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 16.00'  
Length= 602.0' Slope= 0.2031 '/'  
Inlet Invert= 1,380.00', Outlet Invert= 1,257.75'



## Reach CH-14: North Downchute Channel

### Hydrograph



# North Channels

Prepared by Microsoft  
HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 17

## Summary for Reach P-13: P-13


[52] Hint: Inlet/Outlet conditions not evaluated

Inflow Area = 0.327 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 1.93 cfs @ 11.96 hrs, Volume= 0.094 af  
Outflow = 1.93 cfs @ 11.96 hrs, Volume= 0.094 af, Atten= 0%, Lag= 0.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 4.94 fps, Min. Travel Time= 0.3 min  
Avg. Velocity = 1.43 fps, Avg. Travel Time= 1.1 min


Peak Storage= 36 cf @ 11.96 hrs  
Average Depth at Peak Storage= 0.50'  
Bank-Full Depth= 1.00' Flow Area= 0.8 sf, Capacity= 3.89 cfs

12.0" Round Pipe  
n= 0.013  
Length= 90.8' Slope= 0.0119 '/'  
Inlet Invert= 1,240.00', Outlet Invert= 1,238.92'



### Reach P-13: P-13

#### Hydrograph



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 18

**Summary for Reach P-15: P-15**

[52] Hint: Inlet/Outlet conditions not evaluated


[62] Hint: Exceeded Reach P-16 OUTLET depth by 0.03' @ 12.26 hrs

Inflow Area = 7.710 ac, 0.00% Impervious, Inflow Depth = 3.55" for 25-Year event  
Inflow = 33.53 cfs @ 12.07 hrs, Volume= 2.281 af  
Outflow = 33.52 cfs @ 12.07 hrs, Volume= 2.281 af, Atten= 0%, Lag= 0.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 10.97 fps, Min. Travel Time= 0.2 min  
Avg. Velocity = 3.17 fps, Avg. Travel Time= 0.8 min

Peak Storage= 491 cf @ 12.07 hrs  
Average Depth at Peak Storage= 1.49'  
Bank-Full Depth= 2.50' Flow Area= 4.9 sf, Capacity= 50.32 cfs

30.0" Round Pipe  
n= 0.013  
Length= 160.8' Slope= 0.0150 '/'  
Inlet Invert= 1,247.42', Outlet Invert= 1,245.00'



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 19

**Reach P-15: P-15**

**Hydrograph**





# North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 20

## Summary for Reach P-16: P-16


[52] Hint: Inlet/Outlet conditions not evaluated

Inflow Area = 6.501 ac, 0.00% Impervious, Inflow Depth = 3.57" for 25-Year event  
Inflow = 29.19 cfs @ 12.06 hrs, Volume= 1.934 af  
Outflow = 29.19 cfs @ 12.06 hrs, Volume= 1.934 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 9.11 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 2.68 fps, Avg. Travel Time= 0.4 min


Peak Storage= 184 cf @ 12.06 hrs  
Average Depth at Peak Storage= 1.55'  
Bank-Full Depth= 2.50' Flow Area= 4.9 sf, Capacity= 41.23 cfs

30.0" Round Pipe  
n= 0.013  
Length= 57.4' Slope= 0.0101 '/'  
Inlet Invert= 1,248.00', Outlet Invert= 1,247.42'



### Reach P-16: P-16

#### Hydrograph



## North Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 21

### Summary for Reach P-8: P-8

[52] Hint: Inlet/Outlet conditions not evaluated


[61] Hint: Exceeded Reach P-9 outlet invert by 0.01' @ 12.05 hrs

Inflow Area = 4.009 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 17.12 cfs @ 12.05 hrs, Volume= 1.149 af  
Outflow = 17.11 cfs @ 12.05 hrs, Volume= 1.149 af, Atten= 0%, Lag= 0.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 10.70 fps, Min. Travel Time= 0.3 min  
Avg. Velocity = 2.92 fps, Avg. Travel Time= 1.0 min

Peak Storage= 293 cf @ 12.05 hrs  
Average Depth at Peak Storage= 1.01'  
Bank-Full Depth= 2.00' Flow Area= 3.1 sf, Capacity= 33.43 cfs

24.0" Round Pipe  
n= 0.013  
Length= 183.2' Slope= 0.0218 '/'  
Inlet Invert= 1,218.00', Outlet Invert= 1,214.00'



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 22

**Reach P-8: P-8**

**Hydrograph**



**North Channels**

Type II 24-hr 25-Year Rainfall=4.44"

Prepared by Microsoft

Printed 4/3/2012

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Page 23

**Summary for Reach P-9: P-9**

[52] Hint: Inlet/Outlet conditions not evaluated


[62] Hint: Exceeded Reach CH-10 OUTLET depth by 0.13' @ 12.08 hrs

Inflow Area =	2.812 ac,	0.00% Impervious,	Inflow Depth = 3.44"	for 25-Year event
Inflow =	11.85 cfs @	12.07 hrs,	Volume=	0.806 af
Outflow =	11.84 cfs @	12.07 hrs,	Volume=	0.806 af, Atten= 0%, Lag= 0.4 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
 Max. Velocity= 9.35 fps, Min. Travel Time= 0.4 min  
 Avg. Velocity = 2.64 fps, Avg. Travel Time= 1.5 min

Peak Storage= 309 cf @ 12.07 hrs  
 Average Depth at Peak Storage= 1.01'  
 Bank-Full Depth= 1.50' Flow Area= 1.8 sf, Capacity= 14.89 cfs

18.0" Round Pipe  
 n= 0.013  
 Length= 243.9' Slope= 0.0201 '/'  
 Inlet Invert= 1,223.90', Outlet Invert= 1,219.00'



**North Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"


Printed 4/3/2012

Page 24

**Reach P-9: P-9**

**Hydrograph**





**Routing Diagram for West Channels**  
 Prepared by Microsoft, Printed 4/3/2012  
 HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 2

### Area Listing (all nodes)

Area (acres)	CN	Description (subcatchment-numbers)
14.806	91	(C-11, C-18)
0.722	94	(C-19)
8.956	94	Fallow, bare soil, HSG C (C-15, C-16, C-17)
3.444	76	Woods/grass comb., Fair, HSG C (C-17)
<b>27.928</b>	<b>90</b>	<b>TOTAL AREA</b>

## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 3

### Soil Listing (all nodes)

Area (acres)	Soil Group	Subcatchment Numbers
0.000	HSG A	
0.000	HSG B	
12.400	HSG C	C-15, C-16, C-17
0.000	HSG D	
15.528	Other	C-11, C-18, C-19
<b>27.928</b>		<b>TOTAL AREA</b>



## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 4

### Ground Covers (all nodes)

HSG-A (acres)	HSG-B (acres)	HSG-C (acres)	HSG-D (acres)	Other (acres)	Total (acres)	Ground Cover	Subcatchment Numbers
0.000	0.000	0.000	0.000	15.528	15.528		C-11, C-18, C-19
0.000	0.000	8.956	0.000	0.000	8.956	Fallow, bare soil	C-15, C-16, C-17
0.000	0.000	3.444	0.000	0.000	3.444	Woods/grass comb., Fair	C-17
<b>0.000</b>	<b>0.000</b>	<b>12.400</b>	<b>0.000</b>	<b>15.528</b>	<b>27.928</b>	<b>TOTAL AREA</b>	

## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Printed 4/3/2012

Page 5

### Pipe Listing (all nodes)

Line#	Node Number	In-Invert (feet)	Out-Invert (feet)	Length (feet)	Slope (ft/ft)	n	Diam/Width (inches)	Height (inches)	Inside-Fill (inches)
1	P-10	1,217.00	1,215.16	106.0	0.0174	0.013	42.0	0.0	0.0
2	P-11	1,220.00	1,218.00	98.7	0.0203	0.013	18.0	0.0	0.0
3	P-12	1,218.00	1,217.00	68.0	0.0147	0.013	36.0	0.0	0.0

## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 6

Time span=0.00-30.00 hrs, dt=0.01 hrs, 3001 points  
Runoff by SCS TR-20 method, UH=SCS  
Reach routing by Dyn-Stor-Ind method - Pond routing by Dyn-Stor-Ind method

<b>Subcatchment C-11: West Downchute</b>	Runoff Area=607,281 sf 0.00% Impervious Runoff Depth=3.44" Tc=20.0 min CN=91 Runoff=51.75 cfs 3.997 af
<b>Subcatchment C-15: West Inboard</b>	Runoff Area=165,799 sf 0.00% Impervious Runoff Depth=3.76" Tc=15.0 min CN=94 Runoff=17.26 cfs 1.191 af
<b>Subcatchment C-16: West Inboard</b>	Runoff Area=193,911 sf 0.00% Impervious Runoff Depth=3.76" Tc=15.0 min CN=94 Runoff=20.18 cfs 1.393 af
<b>Subcatchment C-17: West Outboard</b>	Runoff Area=180,428 sf 0.00% Impervious Runoff Depth=2.33" Tc=10.0 min CN=79 Runoff=14.84 cfs 0.803 af
<b>Subcatchment C-18: West Outboard Swale</b>	Runoff Area=37,647 sf 0.00% Impervious Runoff Depth=3.44" Tc=10.0 min CN=91 Runoff=4.34 cfs 0.248 af
<b>Subcatchment C-19: West Swale</b>	Runoff Area=31,468 sf 0.00% Impervious Runoff Depth=3.76" Tc=10.0 min CN=94 Runoff=3.83 cfs 0.226 af
<b>Reach CH-11: West Downchute</b>	Avg. Flow Depth=0.55' Max Vel=16.43 fps Inflow=51.75 cfs 3.997 af n=0.030 L=682.6' S=0.3516 '/' Capacity=3,164.65 cfs Outflow=51.62 cfs 3.997 af
<b>Reach CH-15: West Inboard Channel</b>	Avg. Flow Depth=1.04' Max Vel=2.96 fps Inflow=17.26 cfs 1.191 af n=0.055 L=876.4' S=0.0226 '/' Capacity=181.34 cfs Outflow=15.75 cfs 1.191 af
<b>Reach CH-16: West Inboard Channel</b>	Avg. Flow Depth=1.09' Max Vel=2.90 fps Inflow=20.18 cfs 1.393 af n=0.055 L=1,407.0' S=0.0205 '/' Capacity=172.53 cfs Outflow=16.75 cfs 1.393 af
<b>Reach CH-17: West Outboard</b>	Avg. Flow Depth=1.01' Max Vel=2.68 fps Inflow=14.84 cfs 0.803 af n=0.055 L=780.0' S=0.0189 '/' Capacity=311.13 cfs Outflow=13.01 cfs 0.803 af
<b>Reach CH-18: West Outboard</b>	Avg. Flow Depth=0.63' Max Vel=2.21 fps Inflow=4.34 cfs 0.248 af n=0.055 L=421.0' S=0.0205 '/' Capacity=40.60 cfs Outflow=4.09 cfs 0.248 af
<b>Reach CH-19: West Swale</b>	Avg. Flow Depth=1.25' Max Vel=11.91 fps Inflow=100.94 cfs 7.858 af n=0.030 L=174.6' S=0.0811 '/' Capacity=278.74 cfs Outflow=100.92 cfs 7.858 af
<b>Reach P-10: P-10</b>	Avg. Flow Depth=2.25' Max Vel=15.10 fps Inflow=98.73 cfs 7.632 af 42.0" Round Pipe n=0.013 L=106.0' S=0.0174 '/' Capacity=132.55 cfs Outflow=98.73 cfs 7.632 af
<b>Reach P-11: P-11</b>	Avg. Flow Depth=1.08' Max Vel=9.53 fps Inflow=13.01 cfs 0.803 af 18.0" Round Pipe n=0.013 L=98.7' S=0.0203 '/' Capacity=14.95 cfs Outflow=13.01 cfs 0.803 af
<b>Reach P-12: P-12</b>	Avg. Flow Depth=2.58' Max Vel=13.04 fps Inflow=84.00 cfs 6.582 af 36.0" Round Pipe n=0.013 L=68.0' S=0.0147 '/' Capacity=80.88 cfs Outflow=84.00 cfs 6.582 af

**Total Runoff Area = 27.928 ac Runoff Volume = 7.858 af Average Runoff Depth = 3.38"**  
**100.00% Pervious = 27.928 ac 0.00% Impervious = 0.000 ac**

**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 7

**Summary for Subcatchment C-11: West Downchute**

Runoff = 51.75 cfs @ 12.11 hrs, Volume= 3.997 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 607,281	91	
607,281		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
20.0					Direct Entry,

**Subcatchment C-11: West Downchute**

**Hydrograph**



**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 8

**Summary for Subcatchment C-15: West Inboard Drainage - South**

Runoff = 17.26 cfs @ 12.06 hrs, Volume= 1.191 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 165,799	94	Fallow, bare soil, HSG C
165,799		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
15.0					Direct Entry,

**Subcatchment C-15: West Inboard Drainage - South**

**Hydrograph**



**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 9

**Summary for Subcatchment C-16: West Inboard Drainage - North**

Runoff = 20.18 cfs @ 12.06 hrs, Volume= 1.393 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 193,911	94	Fallow, bare soil, HSG C
193,911		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
15.0					Direct Entry,

**Subcatchment C-16: West Inboard Drainage - North**

**Hydrograph**



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 10

## Summary for Subcatchment C-17: West Outboard Swale-South

Runoff = 14.84 cfs @ 12.02 hrs, Volume= 0.803 af, Depth= 2.33"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 30,428	94	Fallow, bare soil, HSG C
150,000	76	Woods/grass comb., Fair, HSG C
180,428	79	Weighted Average
180,428		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

## Subcatchment C-17: West Outboard Swale-South

### Hydrograph



**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 11

**Summary for Subcatchment C-18: West Outboard Swale - North**

Runoff = 4.34 cfs @ 12.01 hrs, Volume= 0.248 af, Depth= 3.44"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 37,647	91	
37,647		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-18: West Outboard Swale - North**

**Hydrograph**





**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 12

**Summary for Subcatchment C-19: West Swale**

Runoff = 3.83 cfs @ 12.01 hrs, Volume= 0.226 af, Depth= 3.76"


Runoff by SCS TR-20 method, UH=SCS, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
* 31,468	94	
31,468		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.0					Direct Entry,

**Subcatchment C-19: West Swale**

**Hydrograph**



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 13

## Summary for Reach CH-11: West Downchute

Inflow Area = 13.941 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 51.75 cfs @ 12.11 hrs, Volume= 3.997 af  
Outflow = 51.62 cfs @ 12.12 hrs, Volume= 3.997 af, Atten= 0%, Lag= 0.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 16.43 fps, Min. Travel Time= 0.7 min  
Avg. Velocity = 4.81 fps, Avg. Travel Time= 2.4 min


Peak Storage= 2,144 cf @ 12.12 hrs  
Average Depth at Peak Storage= 0.55'  
Bank-Full Depth= 4.00' Flow Area= 64.0 sf, Capacity= 3,164.65 cfs

4.00' x 4.00' deep channel, n= 0.030 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 28.00'  
Length= 682.6' Slope= 0.3516 '/'  
Inlet Invert= 1,370.00', Outlet Invert= 1,130.00'



## Reach CH-11: West Downchute

### Hydrograph



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 14


## Summary for Reach CH-15: West Inboard Channel - South

Inflow Area = 3.806 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 17.26 cfs @ 12.06 hrs, Volume= 1.191 af  
Outflow = 15.75 cfs @ 12.12 hrs, Volume= 1.191 af, Atten= 9%, Lag= 3.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.96 fps, Min. Travel Time= 4.9 min  
Avg. Velocity = 0.88 fps, Avg. Travel Time= 16.7 min


Peak Storage= 4,668 cf @ 12.12 hrs  
Average Depth at Peak Storage= 1.04'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 181.34 cfs

2.00' x 3.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 876.4' Slope= 0.0226 '/'  
Inlet Invert= 1,244.62', Outlet Invert= 1,224.81'



## Reach CH-15: West Inboard Channel - South

### Hydrograph



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 15


## Summary for Reach CH-16: West Inboard Channel - North

Inflow Area = 4.452 ac, 0.00% Impervious, Inflow Depth = 3.76" for 25-Year event  
Inflow = 20.18 cfs @ 12.06 hrs, Volume= 1.393 af  
Outflow = 16.75 cfs @ 12.14 hrs, Volume= 1.393 af, Atten= 17%, Lag= 4.5 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.90 fps, Min. Travel Time= 8.1 min  
Avg. Velocity = 0.87 fps, Avg. Travel Time= 27.1 min


Peak Storage= 8,141 cf @ 12.14 hrs  
Average Depth at Peak Storage= 1.09'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 172.53 cfs

2.00' x 3.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 20.00'  
Length= 1,407.0' Slope= 0.0205 '/'  
Inlet Invert= 1,253.60', Outlet Invert= 1,224.81'



## Reach CH-16: West Inboard Channel - North

### Hydrograph



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 16


## Summary for Reach CH-17: West Outboard Channel-South

Inflow Area = 4.142 ac, 0.00% Impervious, Inflow Depth = 2.33" for 25-Year event  
Inflow = 14.84 cfs @ 12.02 hrs, Volume= 0.803 af  
Outflow = 13.01 cfs @ 12.06 hrs, Volume= 0.803 af, Atten= 12%, Lag= 2.8 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.68 fps, Min. Travel Time= 4.9 min  
Avg. Velocity = 0.83 fps, Avg. Travel Time= 15.8 min


Peak Storage= 3,791 cf @ 12.06 hrs  
Average Depth at Peak Storage= 1.01'  
Bank-Full Depth= 4.00' Flow Area= 52.0 sf, Capacity= 311.13 cfs

2.00' x 4.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.5 3.0 '/' Top Width= 24.00'  
Length= 780.0' Slope= 0.0189 '/'  
Inlet Invert= 1,241.26', Outlet Invert= 1,226.53'



## Reach CH-17: West Outboard Channel-South

### Hydrograph



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 17


## Summary for Reach CH-18: West Outboard Channel-North

Inflow Area = 0.864 ac, 0.00% Impervious, Inflow Depth = 3.44" for 25-Year event  
Inflow = 4.34 cfs @ 12.01 hrs, Volume= 0.248 af  
Outflow = 4.09 cfs @ 12.04 hrs, Volume= 0.248 af, Atten= 6%, Lag= 2.0 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.21 fps, Min. Travel Time= 3.2 min  
Avg. Velocity = 0.56 fps, Avg. Travel Time= 12.6 min


Peak Storage= 779 cf @ 12.04 hrs  
Average Depth at Peak Storage= 0.63'  
Bank-Full Depth= 2.00' Flow Area= 10.0 sf, Capacity= 40.60 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.0 1.0 '/' Top Width= 8.00'  
Length= 421.0' Slope= 0.0205 '/'  
Inlet Invert= 1,233.15', Outlet Invert= 1,224.52'



Reach CH-18: West Outboard Channel-North

### Hydrograph



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 18

## Summary for Reach CH-19: West Swale

[61] Hint: Exceeded Reach P-10 outlet invert by 1.25' @ 12.11 hrs

Inflow Area = 27.928 ac, 0.00% Impervious, Inflow Depth = 3.38" for 25-Year event  
Inflow = 100.94 cfs @ 12.11 hrs, Volume= 7.858 af  
Outflow = 100.92 cfs @ 12.11 hrs, Volume= 7.858 af, Atten= 0%, Lag= 0.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 11.91 fps, Min. Travel Time= 0.2 min  
Avg. Velocity = 3.21 fps, Avg. Travel Time= 0.9 min


Peak Storage= 1,480 cf @ 12.11 hrs  
Average Depth at Peak Storage= 1.25'  
Bank-Full Depth= 2.00' Flow Area= 18.0 sf, Capacity= 278.74 cfs

3.00' x 2.00' deep channel, n= 0.030 Grouted Riprap  
Side Slope Z-value= 3.0 '/' Top Width= 15.00'  
Length= 174.6' Slope= 0.0811 '/'  
Inlet Invert= 1,215.16', Outlet Invert= 1,201.00'



### Reach CH-19: West Swale

#### Hydrograph



## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 19

### Summary for Reach P-10: P-10

[52] Hint: Inlet/Outlet conditions not evaluated

[62] Hint: Exceeded Reach P-11 OUTLET depth by 0.31' @ 12.16 hrs

[61] Hint: Exceeded Reach P-12 outlet invert by 2.25' @ 12.11 hrs

Inflow Area = 27.205 ac, 0.00% Impervious, Inflow Depth = 3.37" for 25-Year event  
Inflow = 98.73 cfs @ 12.11 hrs, Volume= 7.632 af  
Outflow = 98.73 cfs @ 12.11 hrs, Volume= 7.632 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 15.10 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 4.28 fps, Avg. Travel Time= 0.4 min


Peak Storage= 693 cf @ 12.11 hrs  
Average Depth at Peak Storage= 2.25'  
Bank-Full Depth= 3.50' Flow Area= 9.6 sf, Capacity= 132.55 cfs

42.0" Round Pipe

n= 0.013

Length= 106.0' Slope= 0.0174 1/100'

Inlet Invert= 1,217.00', Outlet Invert= 1,215.16'





**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 20

**Reach P-10: P-10**

**Hydrograph**



# West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 21

## Summary for Reach P-11: P-11


[52] Hint: Inlet/Outlet conditions not evaluated

Inflow Area = 4.142 ac, 0.00% Impervious, Inflow Depth = 2.33" for 25-Year event  
Inflow = 13.01 cfs @ 12.06 hrs, Volume= 0.803 af  
Outflow = 13.01 cfs @ 12.07 hrs, Volume= 0.803 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 9.53 fps, Min. Travel Time= 0.2 min  
Avg. Velocity = 2.98 fps, Avg. Travel Time= 0.6 min


Peak Storage= 135 cf @ 12.07 hrs  
Average Depth at Peak Storage= 1.08'  
Bank-Full Depth= 1.50' Flow Area= 1.8 sf, Capacity= 14.95 cfs

18.0" Round Pipe  
n= 0.013  
Length= 98.7' Slope= 0.0203 '/'  
Inlet Invert= 1,220.00', Outlet Invert= 1,218.00'



### Reach P-11: P-11

#### Hydrograph



## West Channels

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012

Page 22

### Summary for Reach P-12: P-12

[52] Hint: Inlet/Outlet conditions not evaluated

[55] Hint: Peak inflow is 104% of Manning's capacity

[62] Hint: Exceeded Reach CH-11 OUTLET depth by 90.02' @ 12.13 hrs

Inflow Area = 22.199 ac, 0.00% Impervious, Inflow Depth = 3.56" for 25-Year event  
Inflow = 84.00 cfs @ 12.13 hrs, Volume= 6.582 af  
Outflow = 84.00 cfs @ 12.13 hrs, Volume= 6.582 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 13.04 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 3.93 fps, Avg. Travel Time= 0.3 min


Peak Storage= 439 cf @ 12.13 hrs  
Average Depth at Peak Storage= 2.58'  
Bank-Full Depth= 3.00' Flow Area= 7.1 sf, Capacity= 80.88 cfs

36.0" Round Pipe

n= 0.013

Length= 68.0' Slope= 0.0147 '/'

Inlet Invert= 1,218.00', Outlet Invert= 1,217.00'



**West Channels**

Prepared by Microsoft

HydroCAD® 10.00 s/n 01566 © 2012 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 4/3/2012





Page 23

**Reach P-12: P-12**

**Hydrograph**





**LEGEND:**

- DRAINAGE AREA 
- DRAINAGE BERM/  
CHANNEL 
- DRAINAGE AREA  
NAME DRAINAGE NAME
- EXISTING  
CONTOURS  1000
- PROPOSED TOP  
OF LINER/FILL  
GRADING  1000

**NOTES:**

1. REFER TO HYDROCAD OUTPUT FOR DETAILED INFORMATION REGARDING TIME OF CONCENTRATIONS, FLOW LENGTHS AND CN NUMBERS.



NORTH  
SCALE IN FEET



**Civil & Environmental Consultants, Inc.**

4274 Glendale-Milford Road - Cincinnati, OH 45242  
513-985-0226 · 800-759-5614  
www.cecinc.com

American Electric Power  
Mitchell Landfill  
Gatts Ridge Road  
Marshall County, West Virginia

LOCAL DRAINAGE MAP

DRAWN BY:	MTF	CHECKED BY:	JDM	APPROVED BY:	FIGURE NO.:
DATE:	APRIL 3, 2012	DWG SCALE:	1"=300'	PROJECT NO:	110-416

P:\2011\110-416\CADD\DWG\Xrefs\110-416\_XR-HYD-Post-Channels.dwg (POST-CHANNELS - PHASE-1) LS:(05/04/2012 - tford) - LP: 4/5/2012 9:58 AM





**LEGEND:**

- DRAINAGE AREA
- DRAINAGE BERM/  
CHANNEL
- DRAINAGE AREA  
NAME DRAINAGE NAME
- EXISTING  
CONTOURS 1000
- PROPOSED TOP  
OF LINER/FILL  
GRADING 1000

**NOTES:**

1. REFER TO HYDROCAD OUTPUT FOR DETAILED INFORMATION REGARDING TIME OF CONCENTRATIONS, FLOW LENGTHS AND CN NUMBERS.



NORTH  
SCALE IN FEET



**Civil & Environmental Consultants, Inc.**

4274 Glendale-Milford Road - Cincinnati, OH 45242  
513-985-0226 · 800-759-5614  
www.cecinc.com

American Electric Power  
Mitchell Landfill  
Gatts Ridge Road  
Marshall County, West Virginia

LOCAL DRAINAGE MAP

DRAWN BY: MTF	CHECKED BY: JDM	APPROVED BY:	FIGURE NO.:
DATE: APRIL 3, 2012	DWG SCALE: 1"=300'	PROJECT NO: 110-416	<b>J</b>

---

## **SURFACE WATER CONTROL CALCULATIONS**

### **Excess Soil Area**

---



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>1</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**OBJECTIVE:**

To design proposed surface water control structures for the Mitchell Landfill Excess Soil Area. These structures will capture surface water flow from the disturbed area of this project, portions of the existing Mitchell Landfill, and 4.4 acres of offsite area, and divert it to the East and Northeast Sediment Ponds. All Sediment Pond calculations can be found in the PTI calculation entitled “**Sediment Pond Design Calculations**”. The calculations for all surface water control structures satisfy the regulations for residual waste landfills as follows:

**33CSR1 3.16.c.4.**

An application to conduct transfer station activities must include a plan to manage surface storm water soil erosion and sedimentation control during the various phases of construction and operation on the permit area. Calculations indicating water quantities must be based on the twenty-five (25)-year, twenty-four (24)-hour storm event. The plan must include fully dimensioned diversion ditches and indicate length, gradient, and cross-section for configuration by reach and capacities for ditch volume by reach. Calculations that are necessary to support design and siting must be included in the plan.

The design is based upon accepted engineering design equations, methodologies and assumptions. Where applicable, design references have been made. Calculations have been performed using the software package, HydroCAD Version 10.00-14, Copyright 2015.

**METHOD:**

Peak flows have been estimated with SCS TR-55 by calculating the time of concentration (Tc) of each channel reach, the composite runoff curve number describing the reach's watershed and the total area of the reach's watershed. A computer software package entitled “HydroCAD” Version 10.00-14, Copyright 2015, was utilized to perform the SCS TR-55 calculations.

The rainfall values for this site are listed below. The United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia, provided the estimated rainfall depths and is presented in “Sediment Ponds Design Calculations”.





Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>2</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

<b>RAINFALL DATA</b>		
<b>Frequency</b>	<b>Duration</b>	<b>Depth (in)</b>
25 yr	24 hr	4.44

According to the TR-55 methods, times of concentration were estimated as the sum of sheet flow, shallow concentrated flow, and channel flow. Flow calculations utilized a Curve Number (CN) representative of the post construction surface conditions. Maximum sheet flow length used was 200 feet. Shallow concentrated flow time of concentration as estimated based upon the condition of the flow path.

This site is located in an area of hydrologic soil groups B & C. Since over 95 percent of the site consists of type C soils, hydrologic soil group C was used throughout. Based on the existing and proposed site conditions the following runoff coefficients have been determined and will be utilized.

<b>CN DATA</b>	
<b>Description</b>	<b>CN</b>
Existing (Woods Grass Combination, Fair)	76
Newly Graded Areas (Including Ditches)	91
Landfill (50-75% Grass Cover, Fair)	91
Impervious Areas (Access Road and Pond)	98

Utilizing a series of downchutes, roadside channels, pipe culverts, and basins, all stormwater runoff from disturbed areas is directed to the East Sediment Pond. At the western portion of the site, the access road channel collects runoff from the north slope of Mitchell Landfill, a portion of the existing haul road, and both off- and on-site areas upslope from the access road. At the northern portion of the site, a downchute conveys runoff from off-site and from the benched excess soil fill slope to the Northeast Sediment Pond. These flows from the western and northern areas collect in the East Sediment Pond before being released below the impoundment. Cutoff trenches and/or berms will be constructed along site boundaries downslope from existing terrain, and will bypass off-site stormwater runoff around the East Sediment Pond and ultimately to the toe of the impoundment. The locations of the channels, culverts, ponds, and cutoff trenches/berms are shown within the permit documents.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>3</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**CALCULATIONS:**

With the peak discharge known for each channel, the channel cross section is sized and a channel lining material is selected (from the channel lining design options, included below). Flow properties within the channels are estimates from the HydroCAD output and hydrographs utilizing Manning’s Equation (EQ. 1):

$$V = \frac{Q}{A} = 1.49 \frac{R^{2/3} \sqrt{S_f}}{n} = 1.49 \frac{\left[ \frac{A}{WP} \right]^{2/3} \sqrt{S_f}}{n}$$

Where:

V = Velocity, fps

Q = Flowrate, cfs

A = Cross – Sectional area of flow, sf

R = Hydraulic Radius, ft

WP = Wetted Perimeter, ft

S<sub>f</sub> = Slope of channel, ft / ft

n = Manning's roughness coefficient

See Local Drainage Map for the drainage areas utilized. “S” designation throughout HydroCAD reports and drainage maps are Sub-Areas. “CH” designation throughout HydroCAD reports and tables are Channel designations. The tables below show the drainage watershed identification, length, inlet and outlet invert elevations, contributing area, and peak flow for each channel based on the 25-year/24-hour storm event:



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>4</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**Channels:**

Channel	Drainage Area ID	Invert Elevations		Length (ft)	Slope (%)	Drainage Area (acres)	Peak Flow (cfs)	Max. Velocity (fps)	(R)Riprap Class/ (G)Grout Class
		Inlet	Outlet						
CH-1	S-1	1281.3	1138.9	1070	13.31	4.56	22.53	6.10	R-5
CH-2	S-1,4,6,7	1145.6	1117.3	97	29.20	15.68	82.47	12.60	G-6
CH-3	S-3	1232.7	1120.9	462	24.20	12.48	64.34	11.02	G-6
CH-4	S-4	1276.4	1153.5	1037	11.85	11.12	60.75	8.34	G-6
CH-5	S-5	1118.8	1055.9	222	28.36	10.33	25.67	9.17	G-6
CH-6	S-6	1118.7	1055.9	274	22.89	10.07	23.39	8.27	G-6
CH-8	S-8	1269.2	1118.7	935	16.11	5.01	11.02	5.91	R-5
CH-9A	S-9A	1148.8	1129.6	129	14.90	3.70	9.13	5.45	R-5
CH-9B	S-9B	1129.6	1118.8	372	2.91	8.40	20.74	3.75	R-3

For channel details and schedule, see Details sheet of the Permit to Install application drawing set.

Channel protection was designed using NRCS guidance referenced at the end of this report. The riprap class was selected after the D50 was determined using empirical formulas based on unit discharge and channel slope. Channels requiring larger than R-7 riprap were designed with grouted riprap according to channel velocity. Minimum depth of protection must be 2 x D50. Channel lining sizes are provided in the following table:

<b>CHANNEL LININGS</b>	
<b>Riprap Class</b>	<b>D50 (in)</b>
R-3	3
R-4	6
R-5	9
R-6	15
R-7	18



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>5</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

For channel slopes and outlet protection between 2% and 10%:

$$D50 = [q (S)^{1.5}/4.75(10)^{-3}]^{0.53}$$

For channel slopes between 10% and 40%:

$$D50 = [q (S)^{0.58}/3.93(10)^{-2}]^{0.53}$$

D50 = Particle size for which 50% (by weight) of the sample is finer, in.

S = Bed slope, ft./ft.

q = Unit discharge, ft<sup>3</sup>/s/ft

For channels and outlet protection requiring larger than R-7 rip rap:

For flow velocities below 7.5 fps, use G-5.

For flow velocities between 7.5 fps and 15 fps, use G-6.

For flow velocities between 15 fps and 17.5 fps, use G-7.

<b>CHANNEL LININGS</b>	
<b>Grout Class</b>	<b>D50 (in)</b>
G-5	9
G-6	15
G-7	18



**Civil & Environmental Consultants, Inc.**

SUBJECT		<b>Surface Water Control Structures</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>6</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**Pipes:** (Pipes 1 and 2 are shown within Sediment Pond Design Calculations)

Pipe	HydroCAD I.D.	Invert Elevations		Length (ft)	Pipe Dia. (in.)	Slope (%)	Drainage Area (acres)	Peak Flow (cfs)	Max. Velocity (fps)
		Inlet	Outlet						
1	P-6	1268.63	1266.77	175.4	36	1.06	5.89	29.10	4.12
2	P-1	1146.16	1145.69	47	36	1.0	11.12	50.84	7.19

**Pipe Outlet Protection:**

Pipe	Pipe Dia. (in.)	Peak Flow (cfs)	Max. Velocity (fps)	Width Outlet (ft)	Width at End (ft)	Length (ft)	D50 (in)	Depth (in)	(R)Riprap Class/ (G)Grout Class
P-6	36	34.02	4.81	10	10	10	15	30	G-6
P-1	36	60.68	8.59	10	10	10	18	36	G-7
1P	24	31.88*	3.31	10	10	10	15	30	G-6
2P	42	57.59	6.92	10	10	10	15	30	G-6

\* Peak flow and velocity controlled by upstream riser wier.

\*\* Plan dimensions governed by receiving rock-lined channel.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>7</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**CONCLUSIONS:**

All surface water control structures were designed based on peak flows resulting from the 25-year, 24-hour storm event. A series of channels, pipe culverts, downchutes, diversion berms, and ponds divert all stormwater runoff from the Excess Soil Disposal Area, a portion of the existing Mitchell Landfill, and 4.4 offsite acres to the East and Northeast Sedimentation Ponds. Runoff will be controlled in a manner that satisfies applicable regulations. See Drawings for complete construction details. See attachments for Surface Water Channel Design HydroCAD output and hydrograph files.

**REFERENCES:**





1. United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia.
2. National Resources Conservation Service, LINED WATERWAY OR OUTLET, September 2010. [http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs143\\_026310.pdf](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs143_026310.pdf)
3. HydroCAD Software Solutions LLC, HYDROCAD, Version 10.00-14, 2015, Computer Software Program.
4. U.S. Department of Transportation, Federal Highway Administration. Hydraulic Engineering Circular No. 15, Third Edition: Design of Roadside Channels with Flexible Linings.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Surface Water Control Structures</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 3.16.c.4. Stormwater, Soil Erosion, and Sedimentation Control Plan</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill Excess Soil</b>				PAGE	<b>8</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE			

**SURFACE WATER CHANNEL DESIGN HYDROCAD  
OUTPUT AND HYDROGRAPH FILES**



**Routing Diagram for East Basin Excess Soil**  
 Prepared by CEC, Inc., Printed 5/12/2016  
 HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC



## East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Printed 5/12/2016

Page 2

### Area Listing (all nodes)

Area (acres)	CN	Description (subcatchment-numbers)
0.485	98	Impervious (Gravel Road), HSG C (S-1, S-4, S-5)
1.242	98	Impervious (Pond Surface) (S-1, S-2)
5.393	91	Landfill (50-75% grass cover, fair), HSG C (S-7)
19.847	91	Newly graded area, HSG C (S-1, S-2, S-3, S-4, S-5, S-6, S-7, S-8B, S-9D)
0.500	98	Paved haul road, HSG C (S-7)
25.376	76	Woods/grass comb., Fair, HSG C (S-3, S-4, S-5, S-6, S-8A, S-8B, S-9A, S-9B, S-9C, S-9D)
<b>52.843</b>	<b>84</b>	<b>TOTAL AREA</b>

# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Printed 5/12/2016

Page 3

## Soil Listing (all nodes)

Area (acres)	Soil Group	Subcatchment Numbers
0.000	HSG A	
0.000	HSG B	
51.601	HSG C	S-1, S-2, S-3, S-4, S-5, S-6, S-7, S-8A, S-8B, S-9A, S-9B, S-9C, S-9D
0.000	HSG D	
1.242	Other	S-1, S-2
<b>52.843</b>		<b>TOTAL AREA</b>

## East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Printed 5/12/2016

Page 4

### Ground Covers (all nodes)

HSG-A (acres)	HSG-B (acres)	HSG-C (acres)	HSG-D (acres)	Other (acres)	Total (acres)	Ground Cover	Subcatchment Numbers
0.000	0.000	0.485	0.000	0.000	0.485	Impervious (Gravel Road)	
0.000	0.000	0.000	0.000	1.242	1.242	Impervious (Pond Surface)	
0.000	0.000	5.393	0.000	0.000	5.393	Landfill (50-75% grass cover, fair)	
0.000	0.000	19.847	0.000	0.000	19.847	Newly graded area	
0.000	0.000	0.500	0.000	0.000	0.500	Paved haul road	
0.000	0.000	25.376	0.000	0.000	25.376	Woods/grass comb., Fair	
<b>0.000</b>	<b>0.000</b>	<b>51.601</b>	<b>0.000</b>	<b>1.242</b>	<b>52.843</b>	<b>TOTAL AREA</b>	

## East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Printed 5/12/2016

Page 5

### Pipe Listing (all nodes)

Line#	Node Number	In-Invert (feet)	Out-Invert (feet)	Length (feet)	Slope (ft/ft)	n	Diam/Width (inches)	Height (inches)	Inside-Fill (inches)
1	1P	1,073.25	1,056.45	224.0	0.0750	0.013	24.0	0.0	0.0
2	2P	1,127.00	1,126.04	96.4	0.0100	0.013	36.0	0.0	0.0
3	P-1	1,147.82	1,147.58	47.7	0.0050	0.013	36.0	0.0	0.0
4	P-2	1,269.40	1,269.16	49.0	0.0049	0.013	15.0	0.0	0.0
5	P-3	1,248.43	1,247.06	254.5	0.0054	0.013	36.0	0.0	0.0
6	P-4	1,249.40	1,248.43	195.0	0.0050	0.013	36.0	0.0	0.0
7	P-5	1,249.95	1,249.40	109.4	0.0050	0.013	36.0	0.0	0.0
8	P-6	1,250.39	1,249.95	44.2	0.0100	0.013	30.0	0.0	0.0
9	P-7	1,125.92	1,123.94	35.0	0.0566	0.013	30.0	0.0	0.0

**East Basin\_ Excess Soil**

Type II 24-hr 25-Year Rainfall=4.44"

Prepared by CEC, Inc.

Printed 5/12/2016

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Page 6

Time span=0.00-30.00 hrs, dt=0.01 hrs, 3001 points  
 Runoff by SCS TR-20 method, UH=SCS, Weighted-CN  
 Reach routing by Dyn-Stor-Ind method - Pond routing by Dyn-Stor-Ind method

<b>SubcatchmentS-1: S-1</b>	Runoff Area=235,251 sf 19.89% Impervious Runoff Depth=3.54" Flow Length=588' Slope=0.2200 '/' Tc=8.7 min CN=92 Runoff=28.85 cfs 1.595 af
<b>SubcatchmentS-2: S-2</b>	Runoff Area=1.730 ac 15.61% Impervious Runoff Depth=3.54" Flow Length=457' Tc=8.0 min CN=92 Runoff=9.46 cfs 0.511 af
<b>SubcatchmentS-3: S-3</b>	Runoff Area=12.481 ac 0.00% Impervious Runoff Depth=3.14" Flow Length=1,021' Tc=14.3 min CN=88 Runoff=50.89 cfs 3.266 af
<b>SubcatchmentS-4: S-4</b>	Runoff Area=227,818 sf 6.76% Impervious Runoff Depth=2.95" Flow Length=991' Tc=10.0 min CN=86 Runoff=23.28 cfs 1.285 af
<b>SubcatchmentS-5: S-5</b>	Runoff Area=28,663 sf 4.41% Impervious Runoff Depth=2.33" Flow Length=212' Tc=4.1 min CN=79 Runoff=2.92 cfs 0.128 af
<b>SubcatchmentS-6: S-6</b>	Runoff Area=32,588 sf 0.00% Impervious Runoff Depth=2.41" Flow Length=688' Tc=14.0 min CN=80 Runoff=2.42 cfs 0.150 af
<b>SubcatchmentS-7: S-7</b>	Runoff Area=275,376 sf 7.91% Impervious Runoff Depth=3.54" Flow Length=580' Tc=10.1 min CN=92 Runoff=32.25 cfs 1.867 af
<b>SubcatchmentS-8A: S-8A</b>	Runoff Area=5.010 ac 0.00% Impervious Runoff Depth=2.08" Flow Length=784' Tc=17.9 min CN=76 Runoff=12.31 cfs 0.869 af
<b>SubcatchmentS-8B: S-8B</b>	Runoff Area=5.004 ac 0.00% Impervious Runoff Depth=2.16" Flow Length=751' Tc=11.4 min CN=77 Runoff=15.86 cfs 0.902 af
<b>SubcatchmentS-9A: S-9A</b>	Runoff Area=3.700 ac 0.00% Impervious Runoff Depth=2.08" Flow Length=772' Tc=13.1 min CN=76 Runoff=10.63 cfs 0.642 af
<b>SubcatchmentS-9B: S-9B</b>	Runoff Area=3.670 ac 0.00% Impervious Runoff Depth=2.08" Flow Length=860' Tc=13.3 min CN=76 Runoff=10.47 cfs 0.637 af
<b>SubcatchmentS-9C: S-9C</b>	Runoff Area=1.030 ac 0.00% Impervious Runoff Depth=2.08" Flow Length=630' Tc=13.8 min CN=76 Runoff=2.89 cfs 0.179 af
<b>SubcatchmentS-9D: S-9D</b>	Runoff Area=1.860 ac 0.00% Impervious Runoff Depth=2.16" Flow Length=925' Tc=13.5 min CN=77 Runoff=5.48 cfs 0.335 af
<b>Reach CH-08A: DR-08</b>	Avg. Flow Depth=1.03' Max Vel=2.89 fps Inflow=12.31 cfs 0.869 af n=0.055 L=275.0' S=0.0209 '/' Capacity=26.52 cfs Outflow=12.16 cfs 0.869 af
<b>Reach CH-08B: DR-08B</b>	Avg. Flow Depth=0.83' Max Vel=8.50 fps Inflow=25.95 cfs 1.771 af n=0.055 L=262.0' S=0.2292 '/' Capacity=37.54 cfs Outflow=25.92 cfs 1.771 af
<b>Reach CH-09A: DR-09A</b>	Avg. Flow Depth=0.57' Max Vel=5.96 fps Inflow=10.63 cfs 0.642 af n=0.055 L=152.0' S=0.1694 '/' Capacity=32.27 cfs Outflow=10.62 cfs 0.642 af

**East Basin\_ Excess Soil**

Type II 24-hr 25-Year Rainfall=4.44"

Prepared by CEC, Inc.

Printed 5/12/2016

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Page 7

<b>Reach CH-09B: DR-09B</b>	Avg. Flow Depth=1.32' Max Vel=3.43 fps Inflow=21.09 cfs 1.279 af n=0.055 L=166.0' S=0.0226 ' ' Capacity=27.57 cfs Outflow=21.00 cfs 1.279 af
<b>Reach CH-09C: DR-09C</b>	Avg. Flow Depth=1.32' Max Vel=3.88 fps Inflow=23.89 cfs 1.457 af n=0.055 L=159.0' S=0.0289 ' ' Capacity=31.20 cfs Outflow=23.81 cfs 1.457 af
<b>Reach CH-09D: DR-09D</b>	Avg. Flow Depth=0.83' Max Vel=9.69 fps Inflow=29.23 cfs 1.793 af n=0.055 L=192.0' S=0.3006 ' ' Capacity=42.99 cfs Outflow=29.21 cfs 1.793 af
<b>Reach CH-1: Excess Soil Ditch to NE</b>	Avg. Flow Depth=1.14' Max Vel=11.31 fps Inflow=55.46 cfs 3.430 af n=0.055 L=100.0' S=0.2882 ' ' Capacity=185.07 cfs Outflow=55.45 cfs 3.430 af
<b>Reach CH-2: Culvert to East Pond</b>	Avg. Flow Depth=1.13' Max Vel=9.28 fps Inflow=44.76 cfs 3.772 af n=0.055 L=34.0' S=0.1959 ' ' Capacity=152.58 cfs Outflow=44.76 cfs 3.772 af
<b>Reach CH-3: Fill Downchute</b>	Avg. Flow Depth=1.16' Max Vel=10.11 fps Inflow=50.89 cfs 3.266 af n=0.055 L=375.0' S=0.2266 ' ' Capacity=164.12 cfs Outflow=50.73 cfs 3.266 af
<b>Reach CH-4: Roadside Ditch</b>	Avg. Flow Depth=1.41' Max Vel=8.18 fps Inflow=56.40 cfs 3.430 af n=0.055 L=779.6' S=0.1202 ' ' Capacity=119.52 cfs Outflow=55.46 cfs 3.430 af
<b>Reach CH-5: Top of Access Road</b>	Avg. Flow Depth=0.26' Max Vel=3.45 fps Inflow=2.23 cfs 0.150 af n=0.055 L=163.7' S=0.1350 ' ' Capacity=126.67 cfs Outflow=2.23 cfs 0.150 af
<b>Reach CH-6: North Outboard Channel</b>	Avg. Flow Depth=0.35' Max Vel=2.37 fps Inflow=2.42 cfs 0.150 af n=0.055 L=604.0' S=0.0455 ' ' Capacity=73.56 cfs Outflow=2.23 cfs 0.150 af
<b>Reach CH-7: North Inboard Channel</b>	Avg. Flow Depth=1.16' Max Vel=4.77 fps Inflow=32.25 cfs 1.867 af n=0.055 L=844.0' S=0.0518 ' ' Capacity=274.48 cfs Outflow=30.53 cfs 1.867 af
<b>Pond 1P: East Sediment Pond</b>	Peak Elev=1,117.59' Storage=323,191 cf Inflow=119.15 cfs 8.796 af Primary=20.78 cfs 4.347 af Secondary=0.00 cfs 0.000 af Outflow=20.78 cfs 4.347 af
<b>Pond 2P: NE Sediment Pond</b>	Peak Elev=1,130.23' Storage=40,265 cf Inflow=57.54 cfs 3.777 af 36.0" Round Culvert n=0.013 L=96.4' S=0.0100 ' ' Outflow=44.76 cfs 3.772 af
<b>Pond P-1: P-1 Lower Culvert</b>	Peak Elev=1,152.34' Inflow=55.46 cfs 3.430 af 36.0" Round Culvert n=0.013 L=47.7' S=0.0050 ' ' Outflow=55.46 cfs 3.430 af
<b>Pond P-2: P-2</b>	Peak Elev=1,270.28' Inflow=2.23 cfs 0.150 af 15.0" Round Culvert n=0.013 L=49.0' S=0.0049 ' ' Outflow=2.23 cfs 0.150 af
<b>Pond P-3: P-3</b>	Peak Elev=1,251.02' Inflow=31.72 cfs 1.994 af 36.0" Round Culvert n=0.013 L=254.5' S=0.0054 ' ' Outflow=31.72 cfs 1.994 af
<b>Pond P-4: P-4</b>	Peak Elev=1,252.34' Inflow=31.72 cfs 1.994 af 36.0" Round Culvert n=0.013 L=195.0' S=0.0050 ' ' Outflow=31.72 cfs 1.994 af
<b>Pond P-5: P-5</b>	Peak Elev=1,253.20' Inflow=31.72 cfs 1.994 af 36.0" Round Culvert n=0.013 L=109.4' S=0.0050 ' ' Outflow=31.72 cfs 1.994 af

**East Basin\_Excess Soil**

*Type II 24-hr 25-Year Rainfall=4.44"*

Prepared by CEC, Inc.

Printed 5/12/2016

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Page 8

**Pond P-6: P-6 Under Haul Road**

Peak Elev=1,254.86' Inflow=30.53 cfs 1.867 af  
30.0" Round Culvert n=0.013 L=44.2' S=0.0100 '/' Outflow=30.53 cfs 1.867 af

**Pond P-7: P-7 Turnaround Culvert**

Peak Elev=1,127.97' Inflow=21.00 cfs 1.279 af  
30.0" Round Culvert n=0.013 L=35.0' S=0.0566 '/' Outflow=21.00 cfs 1.279 af

**Total Runoff Area = 52.843 ac Runoff Volume = 12.364 af Average Runoff Depth = 2.81"**  
**95.78% Pervious = 50.616 ac 4.22% Impervious = 2.227 ac**

**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 9

**Summary for Subcatchment S-1: S-1**

Runoff = 28.85 cfs @ 12.00 hrs, Volume= 1.595 af, Depth= 3.54"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
188,449	91	Newly graded area, HSG C
* 42,362	98	Impervious (Pond Surface)
* 4,440	98	Impervious (Gravel Road), HSG C
235,251	92	Weighted Average
188,449		80.11% Pervious Area
46,802		19.89% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
7.3	200	0.2200	0.45		<b>Sheet Flow, L-1</b> Grass: Short n= 0.150 P2= 2.54"
1.4	388	0.2200	4.69		<b>Shallow Concentrated Flow, L-2</b> Nearly Bare & Untilled Kv= 10.0 fps
8.7	588	Total			

**Subcatchment S-1: S-1**

Hydrograph





**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 10

**Summary for Subcatchment S-2: S-2**

Runoff = 9.46 cfs @ 11.99 hrs, Volume= 0.511 af, Depth= 3.54"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (ac)	CN	Description
1.460	91	Newly graded area, HSG C
* 0.270	98	Impervious (Pond Surface)
1.730	92	Weighted Average
1.460		84.39% Pervious Area
0.270		15.61% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
7.2	200	0.2310	0.46		<b>Sheet Flow, L-1</b> Grass: Short n= 0.150 P2= 2.54"
0.8	257	0.3000	5.48		<b>Shallow Concentrated Flow, L-2</b> Nearly Bare & Untilled Kv= 10.0 fps
8.0	457	Total			

**Subcatchment S-2: S-2**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 11

**Summary for Subcatchment S-3: S-3**

Runoff = 50.89 cfs @ 12.06 hrs, Volume= 3.266 af, Depth= 3.14"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
9.675	91	Newly graded area, HSG C
2.806	76	Woods/grass comb., Fair, HSG C
12.481	88	Weighted Average
12.481		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.8	138	0.2840	0.21		<b>Sheet Flow, L-1</b> Woods: Light underbrush n= 0.400 P2= 2.54"
1.5	365	0.1680	4.10		<b>Shallow Concentrated Flow, L-3</b> Nearly Bare & Untilled Kv= 10.0 fps
1.0	143	0.0290	2.46	10.33	<b>Channel Flow, L-4</b> Area= 4.2 sf Perim= 42.5' r= 0.10' n= 0.022 Earth, clean & straight
1.0	375	0.2350	6.13	24.51	<b>Channel Flow, L-5</b> Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.055
14.3	1,021	Total			

**Subcatchment S-3: S-3**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 12

**Summary for Subcatchment S-4: S-4**

Runoff = 23.28 cfs @ 12.01 hrs, Volume= 1.285 af, Depth= 2.95"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
133,696	91	Newly graded area, HSG C
* 15,407	98	Impervious (Gravel Road), HSG C
78,715	76	Woods/grass comb., Fair, HSG C
227,818	86	Weighted Average
212,411		93.24% Pervious Area
15,407		6.76% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
7.8	200	0.1860	0.42		<b>Sheet Flow, L-1</b> Grass: Short n= 0.150 P2= 2.54"
1.0	161	0.1350	2.57		<b>Shallow Concentrated Flow, L-2</b> Short Grass Pasture Kv= 7.0 fps
1.2	630	0.1200	9.09	181.77	<b>Channel Flow, L-3</b> Area= 20.0 sf Perim= 20.9' r= 0.96' n= 0.055
10.0	991	Total			

**Subcatchment S-4: S-4**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 13

**Summary for Subcatchment S-5: S-5**

Runoff = 2.92 cfs @ 11.95 hrs, Volume= 0.128 af, Depth= 2.33"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
22,651	76	Woods/grass comb., Fair, HSG C
4,749	91	Newly graded area, HSG C
* 1,263	98	Impervious (Gravel Road), HSG C
28,663	79	Weighted Average
27,400		95.59% Pervious Area
1,263		4.41% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
3.7	103	0.3160	0.46		<b>Sheet Flow, L-1</b> Grass: Short n= 0.150 P2= 2.54"
0.4	109	0.0620	4.65	55.77	<b>Channel Flow, L-2</b> Area= 12.0 sf Perim= 20.9' r= 0.57' n= 0.055
4.1	212	Total			

**Subcatchment S-5: S-5**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 14

**Summary for Subcatchment S-6: S-6**

Runoff = 2.42 cfs @ 12.06 hrs, Volume= 0.150 af, Depth= 2.41"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (sf)	CN	Description
23,793	76	Woods/grass comb., Fair, HSG C
8,795	91	Newly graded area, HSG C
32,588	80	Weighted Average
32,588		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
11.5	84	0.0890	0.12		<b>Sheet Flow, L-1</b>
					Woods: Light underbrush n= 0.400 P2= 2.54"
2.5	604	0.0455	3.98	47.77	<b>Channel Flow, L-2</b>
					Area= 12.0 sf Perim= 20.9' r= 0.57' n= 0.055
14.0	688	Total			

**Subcatchment S-6: S-6**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 15

**Summary for Subcatchment S-7: S-7**

Runoff = 32.25 cfs @ 12.01 hrs, Volume= 1.867 af, Depth= 3.54"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

	Area (sf)	CN	Description
*	21,792	98	Paved haul road, HSG C
	18,668	91	Newly graded area, HSG C
*	234,916	91	Landfill (50-75% grass cover, fair), HSG C
	275,376	92	Weighted Average
	253,584		92.09% Pervious Area
	21,792		7.91% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
8.5	200	0.0170	0.39		<b>Sheet Flow, L-1</b> Fallow n= 0.050 P2= 2.54"
1.3	218	0.0790	2.81		<b>Shallow Concentrated Flow, L-2</b> Nearly Bare & Untilled Kv= 10.0 fps
0.3	162	0.2120	8.98	179.64	<b>Channel Flow, L-3</b> Area= 20.0 sf Perim= 32.6' r= 0.61' n= 0.055
10.1	580	Total			

**Subcatchment S-7: S-7**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 16

**Summary for Subcatchment S-8A: S-8A**

Runoff = 12.31 cfs @ 12.11 hrs, Volume= 0.869 af, Depth= 2.08"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
5.010	76	Woods/grass comb., Fair, HSG C
5.010		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
14.3	200	0.2960	0.23		<b>Sheet Flow, L-1</b>
					Woods: Light underbrush n= 0.400 P2= 2.54"
1.6	382	0.3380	4.07		<b>Shallow Concentrated Flow, L-2</b>
					Short Grass Pasture Kv= 7.0 fps
2.0	202	0.0170	1.65	6.59	<b>Channel Flow, L-3</b>
					Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.055
17.9	784	Total			

**Subcatchment S-8A: S-8A**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 17

**Summary for Subcatchment S-8B: S-8B**

Runoff = 15.86 cfs @ 12.03 hrs, Volume= 0.902 af, Depth= 2.16"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
4.590	76	Woods/grass comb., Fair, HSG C
0.414	91	Newly graded area, HSG C
5.004	77	Weighted Average
5.004		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
9.5	200	0.2950	0.35		<b>Sheet Flow, L-1</b> Grass: Dense n= 0.240 P2= 2.54"
1.2	261	0.2870	3.75		<b>Shallow Concentrated Flow, L-2</b> Short Grass Pasture Kv= 7.0 fps
0.3	157	0.4220	7.53	30.11	<b>Channel Flow, L-3</b> Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.060
0.4	133	0.2160	5.87	23.50	<b>Channel Flow, L-4</b> Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.055
11.4	751	Total			

**Subcatchment S-8B: S-8B**

Hydrograph





**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 18

**Summary for Subcatchment S-9A: S-9A**

Runoff = 10.63 cfs @ 12.05 hrs, Volume= 0.642 af, Depth= 2.08"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
3.700	76	Woods/grass comb., Fair, HSG C
3.700		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.4	200	0.2350	0.32		<b>Sheet Flow, L-1</b> Grass: Dense n= 0.240 P2= 2.54"
2.4	482	0.2210	3.29		<b>Shallow Concentrated Flow, L-2</b> Short Grass Pasture Kv= 7.0 fps
0.3	90	0.1790	5.35	21.39	<b>Channel Flow, L-3</b> Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.055
13.1	772	Total			

**Subcatchment S-9A: S-9A**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 19

**Summary for Subcatchment S-9B: S-9B**

Runoff = 10.47 cfs @ 12.05 hrs, Volume= 0.637 af, Depth= 2.08"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
3.670	76	Woods/grass comb., Fair, HSG C
3.670		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
9.6	200	0.2900	0.35		<b>Sheet Flow, L-1</b>
					Grass: Dense n= 0.240 P2= 2.54"
2.3	495	0.2560	3.54		<b>Shallow Concentrated Flow, L-2</b>
					Short Grass Pasture Kv= 7.0 fps
1.4	165	0.0220	1.97	9.85	<b>Channel Flow, L-3</b>
					Area= 5.0 sf Perim= 14.5' r= 0.34' n= 0.055
13.3	860	Total			

**Subcatchment S-9B: S-9B**

Hydrograph



**East Basin\_ Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 20

**Summary for Subcatchment S-9C: S-9C**

Runoff = 2.89 cfs @ 12.06 hrs, Volume= 0.179 af, Depth= 2.08"


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"

Area (ac)	CN	Description
1.030	76	Woods/grass comb., Fair, HSG C
1.030		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
11.3	200	0.1910	0.29		<b>Sheet Flow, L-1</b> Grass: Dense n= 0.240 P2= 2.54"
1.3	271	0.2460	3.47		<b>Shallow Concentrated Flow, L-2</b> Short Grass Pasture Kv= 7.0 fps
1.2	159	0.0280	2.22	11.12	<b>Channel Flow, L-3</b> Area= 5.0 sf Perim= 14.5' r= 0.34' n= 0.055
13.8	630	Total			

**Subcatchment S-9C: S-9C**

Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 21

**Summary for Subcatchment S-9D: S-9D**

Runoff = 5.48 cfs @ 12.06 hrs, Volume= 0.335 af, Depth= 2.16"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Type II 24-hr 25-Year Rainfall=4.44"


Area (ac)	CN	Description
1.697	76	Woods/grass comb., Fair, HSG C
0.163	91	Newly graded area, HSG C
1.860	77	Weighted Average
1.860		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
10.4	200	0.2330	0.32		<b>Sheet Flow, L-1</b> Grass: Dense n= 0.240 P2= 2.54"
2.8	590	0.2560	3.54		<b>Shallow Concentrated Flow, L-2</b> Short Grass Pasture Kv= 7.0 fps
0.3	135	0.3590	7.57	30.29	<b>Channel Flow, L-3</b> Area= 4.0 sf Perim= 12.5' r= 0.32' n= 0.055
13.5	925	Total			

**Subcatchment S-9D: S-9D**

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 22

## Summary for Reach CH-08A: DR-08

Inflow Area = 5.010 ac, 0.00% Impervious, Inflow Depth = 2.08" for 25-Year event  
Inflow = 12.31 cfs @ 12.11 hrs, Volume= 0.869 af  
Outflow = 12.16 cfs @ 12.13 hrs, Volume= 0.869 af, Atten= 1%, Lag= 1.0 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.89 fps, Min. Travel Time= 1.6 min  
Avg. Velocity = 0.92 fps, Avg. Travel Time= 5.0 min


Peak Storage= 1,158 cf @ 12.13 hrs  
Average Depth at Peak Storage= 1.03'  
Bank-Full Depth= 1.50' Flow Area= 7.5 sf, Capacity= 26.52 cfs

2.00' x 1.50' deep channel, n= 0.055  
Side Slope Z-value= 2.0 ' ' Top Width= 8.00'  
Length= 275.0' Slope= 0.0209 ' '  
Inlet Invert= 1,124.75', Outlet Invert= 1,119.00'



## Reach CH-08A: DR-08

### Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 23

## Summary for Reach CH-08B: DR-08B

[62] Hint: Exceeded Reach CH-08A OUTLET depth by 0.01' @ 9.20 hrs

Inflow Area = 10.014 ac, 0.00% Impervious, Inflow Depth = 2.12" for 25-Year event  
Inflow = 25.95 cfs @ 12.06 hrs, Volume= 1.771 af  
Outflow = 25.92 cfs @ 12.07 hrs, Volume= 1.771 af, Atten= 0%, Lag= 0.4 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 8.50 fps, Min. Travel Time= 0.5 min  
Avg. Velocity = 2.58 fps, Avg. Travel Time= 1.7 min


Peak Storage= 799 cf @ 12.07 hrs  
Average Depth at Peak Storage= 0.83'  
Bank-Full Depth= 1.00' Flow Area= 4.0 sf, Capacity= 37.54 cfs

2.00' x 1.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 6.00'  
Length= 262.0' Slope= 0.2292 '/'  
Inlet Invert= 1,119.00', Outlet Invert= 1,058.95'



Reach CH-08B: DR-08B

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 24

## Summary for Reach CH-09A: DR-09A

Inflow Area = 3.700 ac, 0.00% Impervious, Inflow Depth = 2.08" for 25-Year event  
Inflow = 10.63 cfs @ 12.05 hrs, Volume= 0.642 af  
Outflow = 10.62 cfs @ 12.06 hrs, Volume= 0.642 af, Atten= 0%, Lag= 0.3 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 5.96 fps, Min. Travel Time= 0.4 min  
Avg. Velocity = 1.78 fps, Avg. Travel Time= 1.4 min


Peak Storage= 271 cf @ 12.06 hrs  
Average Depth at Peak Storage= 0.57'  
Bank-Full Depth= 1.00' Flow Area= 4.0 sf, Capacity= 32.27 cfs

2.00' x 1.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 ' / ' Top Width= 6.00'  
Length= 152.0' Slope= 0.1694 ' / '  
Inlet Invert= 1,155.42', Outlet Invert= 1,129.67'



## Reach CH-09A: DR-09A

### Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 25

## Summary for Reach CH-09B: DR-09B

[62] Hint: Exceeded Reach CH-09A OUTLET depth by 0.75' @ 12.08 hrs

Inflow Area = 7.370 ac, 0.00% Impervious, Inflow Depth = 2.08" for 25-Year event  
Inflow = 21.09 cfs @ 12.06 hrs, Volume= 1.279 af  
Outflow = 21.00 cfs @ 12.07 hrs, Volume= 1.279 af, Atten= 0%, Lag= 0.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.43 fps, Min. Travel Time= 0.8 min  
Avg. Velocity = 1.11 fps, Avg. Travel Time= 2.5 min


Peak Storage= 1,017 cf @ 12.07 hrs  
Average Depth at Peak Storage= 1.32'  
Bank-Full Depth= 1.50' Flow Area= 7.5 sf, Capacity= 27.57 cfs

2.00' x 1.50' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 8.00'  
Length= 166.0' Slope= 0.0226 '/'  
Inlet Invert= 1,129.67', Outlet Invert= 1,125.92'



### Reach CH-09B: DR-09B

#### Hydrograph





# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 26

## Summary for Reach CH-09C: DR-09C

Inflow Area = 8.400 ac, 0.00% Impervious, Inflow Depth = 2.08" for 25-Year event  
Inflow = 23.89 cfs @ 12.07 hrs, Volume= 1.457 af  
Outflow = 23.81 cfs @ 12.07 hrs, Volume= 1.457 af, Atten= 0%, Lag= 0.5 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.88 fps, Min. Travel Time= 0.7 min  
Avg. Velocity = 1.25 fps, Avg. Travel Time= 2.1 min


Peak Storage= 976 cf @ 12.07 hrs  
Average Depth at Peak Storage= 1.32'  
Bank-Full Depth= 1.50' Flow Area= 7.5 sf, Capacity= 31.20 cfs

2.00' x 1.50' deep channel, n= 0.055  
Side Slope Z-value= 2.0 ' ' Top Width= 8.00'  
Length= 159.0' Slope= 0.0289 ' '  
Inlet Invert= 1,123.94', Outlet Invert= 1,119.34'



## Reach CH-09C: DR-09C

### Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 27

## Summary for Reach CH-09D: DR-09D

[61] Hint: Exceeded Reach CH-09C outlet invert by 0.82' @ 12.08 hrs

Inflow Area = 10.260 ac, 0.00% Impervious, Inflow Depth = 2.10" for 25-Year event  
Inflow = 29.23 cfs @ 12.07 hrs, Volume= 1.793 af  
Outflow = 29.21 cfs @ 12.08 hrs, Volume= 1.793 af, Atten= 0%, Lag= 0.2 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 9.69 fps, Min. Travel Time= 0.3 min  
Avg. Velocity = 2.89 fps, Avg. Travel Time= 1.1 min


Peak Storage= 578 cf @ 12.08 hrs  
Average Depth at Peak Storage= 0.83'  
Bank-Full Depth= 1.00' Flow Area= 4.0 sf, Capacity= 42.99 cfs

2.00' x 1.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 6.00'  
Length= 192.0' Slope= 0.3006 '/'  
Inlet Invert= 1,119.34', Outlet Invert= 1,061.62'



Reach CH-09D: DR-09D

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 28

## Summary for Reach CH-1: Excess Soil Ditch to NE Pond

Inflow Area = 12.958 ac, 6.81% Impervious, Inflow Depth = 3.18" for 25-Year event  
Inflow = 55.46 cfs @ 12.05 hrs, Volume= 3.430 af  
Outflow = 55.45 cfs @ 12.05 hrs, Volume= 3.430 af, Atten= 0%, Lag= 0.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 11.31 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 2.87 fps, Avg. Travel Time= 0.6 min


Peak Storage= 490 cf @ 12.05 hrs  
Average Depth at Peak Storage= 1.14'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 185.07 cfs

2.00' x 2.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 10.00'  
Length= 100.0' Slope= 0.2882 '/'  
Inlet Invert= 1,147.82', Outlet Invert= 1,119.00'



## Reach CH-1: Excess Soil Ditch to NE Pond

Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 29

## Summary for Reach CH-2: Culvert to East Pond

Inflow Area = 14.211 ac, 1.90% Impervious, Inflow Depth > 3.19" for 25-Year event  
Inflow = 44.76 cfs @ 12.14 hrs, Volume= 3.772 af  
Outflow = 44.76 cfs @ 12.14 hrs, Volume= 3.772 af, Atten= 0%, Lag= 0.0 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 9.28 fps, Min. Travel Time= 0.1 min  
Avg. Velocity = 2.62 fps, Avg. Travel Time= 0.2 min


Peak Storage= 164 cf @ 12.14 hrs  
Average Depth at Peak Storage= 1.13'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 152.58 cfs

2.00' x 2.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 ' ' Top Width= 10.00'  
Length= 34.0' Slope= 0.1959 ' '  
Inlet Invert= 1,125.66', Outlet Invert= 1,119.00'



## Reach CH-2: Culvert to East Pond

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 30


## Summary for Reach CH-3: Fill Downchute

Inflow Area = 12.481 ac, 0.00% Impervious, Inflow Depth = 3.14" for 25-Year event  
Inflow = 50.89 cfs @ 12.06 hrs, Volume= 3.266 af  
Outflow = 50.73 cfs @ 12.07 hrs, Volume= 3.266 af, Atten= 0%, Lag= 0.4 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 10.11 fps, Min. Travel Time= 0.6 min  
Avg. Velocity = 3.07 fps, Avg. Travel Time= 2.0 min


Peak Storage= 1,881 cf @ 12.07 hrs  
Average Depth at Peak Storage= 1.16'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 164.12 cfs

2.00' x 2.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 10.00'  
Length= 375.0' Slope= 0.2266 '/'  
Inlet Invert= 1,213.99', Outlet Invert= 1,129.00'



## Reach CH-3: Fill Downchute

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 31

## Summary for Reach CH-4: Roadside Ditch

[62] Hint: Exceeded Reach CH-5 OUTLET depth by 1.18' @ 12.03 hrs

Inflow Area = 12.958 ac, 6.81% Impervious, Inflow Depth = 3.18" for 25-Year event  
Inflow = 56.40 cfs @ 12.03 hrs, Volume= 3.430 af  
Outflow = 55.46 cfs @ 12.05 hrs, Volume= 3.430 af, Atten= 2%, Lag= 1.1 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 8.18 fps, Min. Travel Time= 1.6 min  
Avg. Velocity = 2.01 fps, Avg. Travel Time= 6.5 min


Peak Storage= 5,282 cf @ 12.05 hrs  
Average Depth at Peak Storage= 1.41'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 119.52 cfs

2.00' x 2.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 ' / ' Top Width= 10.00'  
Length= 779.6' Slope= 0.1202 ' / ' (1000 Elevation Intervals)  
Inlet Invert= 1,247.06', Outlet Invert= 1,153.36'



Reach CH-4: Roadside Ditch

Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 32

## Summary for Reach CH-5: Top of Access Road

Inflow Area = 0.748 ac, 0.00% Impervious, Inflow Depth = 2.41" for 25-Year event  
Inflow = 2.23 cfs @ 12.10 hrs, Volume= 0.150 af  
Outflow = 2.23 cfs @ 12.11 hrs, Volume= 0.150 af, Atten= 0%, Lag= 0.6 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 3.45 fps, Min. Travel Time= 0.8 min  
Avg. Velocity = 0.95 fps, Avg. Travel Time= 2.9 min


Peak Storage= 106 cf @ 12.11 hrs  
Average Depth at Peak Storage= 0.26'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 126.67 cfs

2.00' x 2.00' deep channel, n= 0.055  
Side Slope Z-value= 2.0 '/' Top Width= 10.00'  
Length= 163.7' Slope= 0.1350 '/'  
Inlet Invert= 1,269.16', Outlet Invert= 1,247.06'



## Reach CH-5: Top of Access Road

Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 33

## Summary for Reach CH-6: North Outboard Channel East

Inflow Area = 0.748 ac, 0.00% Impervious, Inflow Depth = 2.41" for 25-Year event  
Inflow = 2.42 cfs @ 12.06 hrs, Volume= 0.150 af  
Outflow = 2.23 cfs @ 12.10 hrs, Volume= 0.150 af, Atten= 8%, Lag= 2.7 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 2.37 fps, Min. Travel Time= 4.2 min  
Avg. Velocity = 0.54 fps, Avg. Travel Time= 18.8 min


Peak Storage= 568 cf @ 12.10 hrs  
Average Depth at Peak Storage= 0.35'  
Bank-Full Depth= 2.00' Flow Area= 12.0 sf, Capacity= 73.56 cfs

2.00' x 2.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 2.0 ' ' Top Width= 10.00'  
Length= 604.0' Slope= 0.0455 ' ' (1000 Elevation Intervals)  
Inlet Invert= 1,300.90', Outlet Invert= 1,273.40'



## Reach CH-6: North Outboard Channel East

Hydrograph





# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 34


## Summary for Reach CH-7: North Inboard Channel

Inflow Area = 6.322 ac, 7.91% Impervious, Inflow Depth = 3.54" for 25-Year event  
Inflow = 32.25 cfs @ 12.01 hrs, Volume= 1.867 af  
Outflow = 30.53 cfs @ 12.04 hrs, Volume= 1.867 af, Atten= 5%, Lag= 1.8 min

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
Max. Velocity= 4.77 fps, Min. Travel Time= 2.9 min  
Avg. Velocity = 1.40 fps, Avg. Travel Time= 10.1 min


Peak Storage= 5,401 cf @ 12.04 hrs  
Average Depth at Peak Storage= 1.16'  
Bank-Full Depth= 3.00' Flow Area= 33.0 sf, Capacity= 274.48 cfs

2.00' x 3.00' deep channel, n= 0.055 Rock Riprap  
Side Slope Z-value= 3.0 ' / ' Top Width= 20.00'  
Length= 844.0' Slope= 0.0518 ' / '  
Inlet Invert= 1,298.71', Outlet Invert= 1,255.00'



## Reach CH-7: North Inboard Channel

Hydrograph



**East Basin\_Excess Soil**

Type II 24-hr 25-Year Rainfall=4.44"

Prepared by CEC, Inc.

Printed 5/12/2016

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Page 35

**Summary for Pond 1P: East Sediment Pond**

Inflow Area = 32.569 ac, 6.84% Impervious, Inflow Depth = 3.24" for 25-Year event  
 Inflow = 119.15 cfs @ 12.04 hrs, Volume= 8.796 af  
 Outflow = 20.78 cfs @ 12.57 hrs, Volume= 4.347 af, Atten= 83%, Lag= 31.8 min  
 Primary = 20.78 cfs @ 12.57 hrs, Volume= 4.347 af  
 Secondary = 0.00 cfs @ 0.00 hrs, Volume= 0.000 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
 Starting Elev= 1,109.45' Surf.Area= 18,667 sf Storage= 102,458 cf  
 Peak Elev= 1,117.59' @ 12.57 hrs Surf.Area= 36,428 sf Storage= 323,191 cf (220,733 cf above start)  
 Flood Elev= 1,119.00' Surf.Area= 39,851 sf Storage= 377,013 cf (274,555 cf above start)

Plug-Flow detention time= 503.6 min calculated for 1.995 af (23% of inflow)  
 Center-of-Mass det. time= 153.7 min ( 963.7 - 810.0 )

Volume	Invert	Avail.Storage	Storage Description
#1	1,100.00'	418,076 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
1,100.00	3,863	0	0
1,105.00	10,932	36,988	36,988
1,106.00	12,571	11,752	48,739
1,107.00	14,321	13,446	62,185
1,108.00	15,995	15,158	77,343
1,109.00	17,817	16,906	94,249
1,110.00	19,705	18,761	113,010
1,111.00	21,660	20,683	133,693
1,112.00	23,682	22,671	156,364
1,113.00	25,771	24,727	181,090
1,115.00	30,150	55,921	237,011
1,120.00	42,276	181,065	418,076

Device	Routing	Invert	Outlet Devices
#1	Primary	1,073.25'	<b>24.0" Round Culvert</b> L= 224.0' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,073.25' / 1,056.45' S= 0.0750 '/' Cc= 0.900 n= 0.013, Flow Area= 3.14 sf
#2	Device 1	1,116.82'	<b>36.0" Horiz. Orifice/Grate</b> C= 0.600 in 36.0" Grate (100% open area) Limited to weir flow at low heads
#3	Secondary	1,119.00'	<b>20.0' long x 20.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 Coef. (English) 2.68 2.70 2.70 2.64 2.63 2.64 2.64 2.63

**Primary OutFlow** Max=20.77 cfs @ 12.57 hrs HW=1,117.59' (Free Discharge)  
 ↑1=Culvert (Passes 20.77 cfs of 93.59 cfs potential flow)  
 ↑2=Orifice/Grate (Weir Controls 20.77 cfs @ 2.87 fps)

**Secondary OutFlow** Max=0.00 cfs @ 0.00 hrs HW=1,109.45' (Free Discharge)  
 ↑3=Broad-Crested Rectangular Weir( Controls 0.00 cfs)

# East Basin\_Excess Soil

Prepared by CEC, Inc.


HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 36

## Pond 1P: East Sediment Pond



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 37

**Summary for Pond 2P: NE Sediment Pond**

[62] Hint: Exceeded Reach CH-3 OUTLET depth by 0.21' @ 12.17 hrs

Inflow Area = 14.211 ac, 1.90% Impervious, Inflow Depth = 3.19" for 25-Year event  
 Inflow = 57.54 cfs @ 12.05 hrs, Volume= 3.777 af  
 Outflow = 44.76 cfs @ 12.14 hrs, Volume= 3.772 af, Atten= 22%, Lag= 5.4 min  
 Primary = 44.76 cfs @ 12.14 hrs, Volume= 3.772 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
 Starting Elev= 1,127.00' Surf.Area= 5,571 sf Storage= 16,509 cf  
 Peak Elev= 1,130.23' @ 12.14 hrs Surf.Area= 9,235 sf Storage= 40,265 cf (23,756 cf above start)

Plug-Flow detention time= 93.6 min calculated for 3.393 af (90% of inflow)  
 Center-of-Mass det. time= 18.7 min ( 823.7 - 805.0 )

Volume	Invert	Avail.Storage	Storage Description
#1	1,121.00'	58,583 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
1,121.00	594	0	0
1,122.00	1,008	801	801
1,123.00	1,561	1,285	2,086
1,124.00	2,700	2,131	4,216
1,125.00	3,600	3,150	7,366
1,126.00	4,557	4,079	11,445
1,127.00	5,571	5,064	16,509
1,128.00	6,640	6,106	22,614
1,129.00	7,767	7,204	29,818
1,130.00	8,950	8,359	38,176
1,131.00	10,189	9,570	47,746
1,132.00	11,486	10,838	58,583

Device	Routing	Invert	Outlet Devices
#1	Primary	1,127.00'	<b>36.0" Round Culvert</b> L= 96.4' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,127.00' / 1,126.04' S= 0.0100 '/ Cc= 0.900 n= 0.013, Flow Area= 7.07 sf

**Primary OutFlow** Max=44.76 cfs @ 12.14 hrs HW=1,130.23' TW=1,126.79' (Dynamic Tailwater)  
 ↑**1=Culvert** (Inlet Controls 44.76 cfs @ 6.33 fps)

**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC


Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 38

**Pond 2P: NE Sediment Pond**

Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 39

## Summary for Pond P-1: P-1 Lower Culvert

Inflow Area = 12.958 ac, 6.81% Impervious, Inflow Depth = 3.18" for 25-Year event  
Inflow = 55.46 cfs @ 12.05 hrs, Volume= 3.430 af  
Outflow = 55.46 cfs @ 12.05 hrs, Volume= 3.430 af, Atten= 0%, Lag= 0.0 min  
Primary = 55.46 cfs @ 12.05 hrs, Volume= 3.430 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs


Peak Elev= 1,152.34' @ 12.05 hrs

Flood Elev= 1,152.82'

Device	Routing	Invert	Outlet Devices
#1	Primary	1,147.82'	<b>36.0" Round Culvert</b> L= 47.7' Ke= 0.500 Inlet / Outlet Invert= 1,147.82' / 1,147.58' S= 0.0050 '/' Cc= 0.900 n= 0.013, Flow Area= 7.07 sf

**Primary OutFlow** Max=55.40 cfs @ 12.05 hrs HW=1,152.34' TW=1,148.96' (Dynamic Tailwater)  
↑1=Culvert (Barrel Controls 55.40 cfs @ 7.84 fps)

## Pond P-1: P-1 Lower Culvert



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 40

## Summary for Pond P-2: P-2

Inflow Area = 0.748 ac, 0.00% Impervious, Inflow Depth = 2.41" for 25-Year event  
Inflow = 2.23 cfs @ 12.10 hrs, Volume= 0.150 af  
Outflow = 2.23 cfs @ 12.10 hrs, Volume= 0.150 af, Atten= 0%, Lag= 0.0 min  
Primary = 2.23 cfs @ 12.10 hrs, Volume= 0.150 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs

Peak Elev= 1,270.28' @ 12.10 hrs


Flood Elev= 1,273.40'

Device	Routing	Invert	Outlet Devices
#1	Primary	1,269.40'	<b>15.0" Round Culvert</b> L= 49.0' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,269.40' / 1,269.16' S= 0.0049 '/ Cc= 0.900 n= 0.013, Flow Area= 1.23 sf

**Primary OutFlow** Max=2.23 cfs @ 12.10 hrs HW=1,270.28' TW=1,269.42' (Dynamic Tailwater)  
↑1=Culvert (Barrel Controls 2.23 cfs @ 3.38 fps)

## Pond P-2: P-2

### Hydrograph



# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 41

## Summary for Pond P-3: P-3

Inflow Area = 6.980 ac, 7.58% Impervious, Inflow Depth = 3.43" for 25-Year event  
Inflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af  
Outflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af, Atten= 0%, Lag= 0.0 min  
Primary = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs

Peak Elev= 1,251.02' @ 12.04 hrs


Flood Elev= 1,279.70'

Device	Routing	Invert	Outlet Devices
#1	Primary	1,248.43'	<b>36.0" Round Culvert</b> L= 254.5' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,248.43' / 1,247.06' S= 0.0054 '/ Cc= 0.900 n= 0.013, Flow Area= 7.07 sf

**Primary OutFlow** Max=31.69 cfs @ 12.04 hrs HW=1,251.02' TW=1,248.46' (Dynamic Tailwater)  
↑1=Culvert (Barrel Controls 31.69 cfs @ 6.55 fps)

## Pond P-3: P-3

### Hydrograph





# East Basin\_Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 42

## Summary for Pond P-4: P-4

Inflow Area = 6.980 ac, 7.58% Impervious, Inflow Depth = 3.43" for 25-Year event  
Inflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af  
Outflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af, Atten= 0%, Lag= 0.0 min  
Primary = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs

Peak Elev= 1,252.34' @ 12.04 hrs


Flood Elev= 1,268.71'

Device #	Routing	Invert	Outlet Devices
1	Primary	1,249.40'	<b>36.0" Round Culvert</b> L= 195.0' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,249.40' / 1,248.43' S= 0.0050 '/ Cc= 0.900 n= 0.013, Flow Area= 7.07 sf

**Primary OutFlow** Max=31.61 cfs @ 12.04 hrs HW=1,252.33' TW=1,251.02' (Dynamic Tailwater)  
↑1=Culvert (Outlet Controls 31.61 cfs @ 5.69 fps)

### Pond P-4: P-4

#### Hydrograph



**East Basin\_Excess Soil**

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 43

**Summary for Pond P-5: P-5**

Inflow Area = 6.980 ac, 7.58% Impervious, Inflow Depth = 3.43" for 25-Year event  
 Inflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af  
 Outflow = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af, Atten= 0%, Lag= 0.0 min  
 Primary = 31.72 cfs @ 12.04 hrs, Volume= 1.994 af


Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs  
 Peak Elev= 1,253.20' @ 12.04 hrs  
 Flood Elev= 1,257.58'

Device #	Routing	Invert	Outlet Devices
#1	Primary	1,249.95'	<b>36.0" Round Culvert</b> L= 109.4' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,249.95' / 1,249.40' S= 0.0050 '/ Cc= 0.900 n= 0.013, Flow Area= 7.07 sf

**Primary OutFlow** Max=31.40 cfs @ 12.04 hrs HW=1,253.19' TW=1,252.33' (Dynamic Tailwater)  
 ↑1=Culvert (Outlet Controls 31.40 cfs @ 5.12 fps)

**Pond P-5: P-5**

Hydrograph



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 44

## Summary for Pond P-6: P-6 Under Haul Road

Inflow Area = 6.322 ac, 7.91% Impervious, Inflow Depth = 3.54" for 25-Year event  
Inflow = 30.53 cfs @ 12.04 hrs, Volume= 1.867 af  
Outflow = 30.53 cfs @ 12.04 hrs, Volume= 1.867 af, Atten= 0%, Lag= 0.0 min  
Primary = 30.53 cfs @ 12.04 hrs, Volume= 1.867 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs


Peak Elev= 1,254.86' @ 12.05 hrs

Flood Elev= 1,255.14'

Device #	Routing	Invert	Outlet Devices
1	Primary	1,250.39'	<b>30.0" Round Culvert</b> L= 44.2' Ke= 0.500 Inlet / Outlet Invert= 1,250.39' / 1,249.95' S= 0.0100 '/ Cc= 0.900 n= 0.013, Flow Area= 4.91 sf

**Primary OutFlow** Max=30.41 cfs @ 12.04 hrs HW=1,254.85' TW=1,253.20' (Dynamic Tailwater)  
↑1=Culvert (Inlet Controls 30.41 cfs @ 6.20 fps)

## Pond P-6: P-6 Under Haul Road



# East Basin\_ Excess Soil

Prepared by CEC, Inc.

HydroCAD® 10.00-14 s/n 01566 © 2015 HydroCAD Software Solutions LLC

Type II 24-hr 25-Year Rainfall=4.44"

Printed 5/12/2016

Page 45

## Summary for Pond P-7: P-7 Turnaround Culvert

[62] Hint: Exceeded Reach CH-09B OUTLET depth by 0.73' @ 12.07 hrs

Inflow Area = 7.370 ac, 0.00% Impervious, Inflow Depth = 2.08" for 25-Year event  
Inflow = 21.00 cfs @ 12.07 hrs, Volume= 1.279 af  
Outflow = 21.00 cfs @ 12.07 hrs, Volume= 1.279 af, Atten= 0%, Lag= 0.0 min  
Primary = 21.00 cfs @ 12.07 hrs, Volume= 1.279 af

Routing by Dyn-Stor-Ind method, Time Span= 0.00-30.00 hrs, dt= 0.01 hrs


Peak Elev= 1,127.97' @ 12.07 hrs

Flood Elev= 1,128.25'

Device	Routing	Invert	Outlet Devices
#1	Primary	1,125.92'	<b>30.0" Round Culvert</b> L= 35.0' RCP, square edge headwall, Ke= 0.500 Inlet / Outlet Invert= 1,125.92' / 1,123.94' S= 0.0566 '/ Cc= 0.900 n= 0.013, Flow Area= 4.91 sf

**Primary OutFlow** Max=20.98 cfs @ 12.07 hrs HW=1,127.97' TW=1,125.26' (Dynamic Tailwater)  
↑1=Culvert (Inlet Controls 20.98 cfs @ 4.87 fps)

## Pond P-7: P-7 Turnaround Culvert






ION SMD

### LEGEND

- FACILITY BOUNDARY (AEP OWNED)
- PROPERTY LINE (NON AEP OWNED)
- EXISTING RIGHT-OF-WAY
- EXISTING EASEMENT
- EXISTING CONTOURS
- EXISTING STREAM
- EXISTING GAS PIPELINE
- EXISTING OVERHEAD ELECTRICAL POWER LINES
- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STRUCTURE
- PROPOSED CONTOUR
- DRAINAGE AREA
- FLOW PATH

### NOTES:

1. REFER TO DRAINAGE CALCULATIONS IN ATTACHMENT C OF THE PROJECT STORMWATER POLLUTION PREVENTION PLAN.



DATE	NO.	DESCRIPTION	APP'D.
REVISIONS			

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
**MITCHELL PLANT**  
 MARSHALL COUNTY WEST VIRGINIA  
 MITCHELL LANDFILL  
**STORMWATER DRAINAGE MAP**

DWG NO: C403  
 SCALE: 1"=150'  
 CIVIL ENGINEERING

DATE: \_\_\_\_\_  
 DRAWN BY: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_  
 APPROVED BY: \_\_\_\_\_



SCALE IN FEET  
 0 120 240  
 CONTOUR INTERVAL = 10 FEET

**C&E**  
**Civil & Environmental Consultants, Inc.**  
 4274 Glendale-Milford Road - Cincinnati, OH 45242  
 Ph: 513.985.0226 800.769.5614 Fax: 513.985.0228  
 WWW.C&ECINC.COM

DRAWN BY: \_\_\_\_\_ DATE: \_\_\_\_\_  
 CHECKED BY: \_\_\_\_\_ DATE: \_\_\_\_\_  
 APPROVED BY: \_\_\_\_\_ DATE: \_\_\_\_\_  
 AS NOTED PROJECT NO: 110-416

AEP SERVICE CORP.  
 1 RIVERSIDE PLAZA  
 COLUMBUS, OH 43215

P:\2011\110-416\110-416-003\DWG\110-416-003-001\110-416-003-001.dwg - 110-416-003-001.dwg - 110-416-003-001.dwg - 110-416-003-001.dwg - 110-416-003-001.dwg  
 10/20/2011 10:14:44 AM



---

## **SEDIMENT POND CALCULATIONS**

**(Taken from the Solid Waste/NPDES Permit  
Application for the Mitchell Landfill)**

**Note that the current sediment pond calculations associated with the South  
Pond in a separate calculation brief presented immediately after this  
calculation brief.**

---



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>1</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
	MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>	
	REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>	

**OBJECTIVE:**

To design the proposed Sedimentation Ponds, and provide stormwater management and sedimentation control, by satisfying the following regulations for residual waste landfills:

**33CSR1 4.5.b.3.A.3.**

All sediment control structures must have a sediment capacity of 0.125 acre-feet for each acre of disturbed area in the structure’s watershed. In addition to the sediment capacity, the sediment control structure must have the detention capacity to store a two (2)-year, twenty-four (24)-hour frequency storm. The water stored from this storm must be released through a nonclogging dewatering device that allows the stored volume of water to be evacuated within a seven (7)-day to eight (8)-day period. The elevation of the nonclogging dewatering device must not be lower than the maximum elevation of the designed sediment storage volume and also satisfy the storm water provisions of the Federal Clean Water Act as reflected in W. Va. Code § 22-11-1, et seq., and any rules promulgated thereunder.

**33CSR1 4.5.b.3.A.7.(b)**

Sediment control structures must provide a combination of principal and emergency spillways that will safely discharge a minimum twenty-five (25)-year, twenty-four (24)-hour storm without overtopping of the structure. There must be no outflow through the emergency spillway during the passage of a ten (10)-year, twenty-four (24)-hour frequency storm through the sediment control structure. All spillways must discharge an adequate distance beyond the downstream toe of the structure to a natural drainway to prevent erosion of the downstream toe.

The design is based upon accepted engineering design equations, methodologies and assumptions. Where applicable, design references have been made. Calculations have been performed using the software package, Hydraflow Hydrographs Extension for AutoCAD Civil 3D 2011 Version 8, Copyright 2007-2010.



**Civil & Environmental Consultants, Inc.**

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>2</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

**METHOD:**

Stormwater routings have been performed with a storage-elevation routing methodology. The inflow hydrographs have been developed using the Hydraflow hydrograph method, which utilizes components of TR-20 and TR-55, using the times of concentration (Tc) and watershed parameters determined for each contributing watershed.

The rainfall values for this site are listed below. The United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia., provided the estimated rainfall depths and is presented in “Sedimentation Pond – Phase 1 Calculations”.

<b>RAINFALL DATA</b>		
<b>Frequency</b>	<b>Duration</b>	<b>Depth (in)</b>
2 yr	24 hr	2.54
10 yr	24 hr	3.81
25 yr	24 hr	4.44
100 yr	24 hr	5.10

According to the TR-55 methods, times of concentration were estimated as the sum of sheet flow, shallow concentrated flow and channel flow. Flow calculations utilized a Curve Number (CN) representative of the post construction surface conditions. Maximum sheet flow length used was 200 feet. Shallow concentrated flow times of concentration were estimated depending on the condition of the flow path.

This site is located in an area of hydrologic soil groups B & C. Since over 95 percent of the site consists of type C soils, hydrologic soil group C was used throughout. Based on the existing and proposed site conditions the following runoff coefficients have been determined and will be utilized.

<b>CN DATA</b>	
<b>Description</b>	<b>CN</b>
Existing (Woods Grass Combination, Fair)	76
Newly Graded Areas (Ditches)	91
Landfill (50-75% Grass Cover, Fair)	91
Impervious Areas (Paved Haul Road)	98





Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>3</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

The inflow hydrographs were developed using Hydraflow for each contributing watershed based on the previously mentioned criteria and the delineated drainage areas. These areas can be found in Figures A-H of Sedimentation Ponds. For Phase 1 through Phase 4 – Filled, 5-acres of drainage has been removed from the South Pond drainage areas and accounted for within the Leachate Calculations. The contributing drainage areas for the sedimentation ponds are summarized below:

Drainage Area	CN	Watershed Area (Acre)	Tc (Minutes)
South - Phase 1	82	80.10	17.8
West – Phase 1	89	18.37	22.1
South - Phase 2	85	78.10	17.8
West – Phase 2	90	22.48	22.1
South - Phase 2 - Filled	84	68.68	17.8
West – Phase 2 - Filled	90	31.90	22.1
South - Phase 3	86	68.89	17.8
West – Phase 3	90	31.90	22.1
South - Phase 3 - Filled	86	62.76	17.8
West – Phase 3 - Filled	90	30.32	22.1
East – Phase 3 - Filled	89	35.34	19.8
South - Phase 4	89	62.76	17.8
West – Phase 4	90	30.32	22.1
East – Phase 4	89	35.34	19.8
South - Phase 4 - Filled	88	54.05	17.8
West – Phase 4 - Filled	90	38.82	22.1
East – Phase 4 - Filled	89	35.56	19.8
South - Phase 5	88	60.35	17.8
West – Phase 5	90	38.20	22.1
East – Phase 5	89	35.09	19.8



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>4</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
	MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>	
	REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>	

Using the developed inflow hydrographs, all routings have been performed with the initial pool elevation within the ponds at the top of the required sediment storage volume. The required sedimentation storage volume and the 2-year runoff volume have been provided below the invert of the principal spillway. The inflow hydrograph from the 10-year/24-hour storm event was then used to size the principal spillway. The 25-year/24-hour storm event was then passed through the principal spillway in order to determine the elevation at which the emergency spillway was to be placed. The 100-year/24-hour storm event was then used to design the emergency spillway.

**ANALYSIS:**

**SEDIMENT VOLUME SIZING:**

According to 33CSR1 4.5.b.3.A., the sedimentation pond must have adequate sediment storage volume for the runoff from the 2-year/24-hour storm event and 0.125 acre-feet per acre of disturbed area.

**Volume Requirement for two-year/twenty-four-hour storm:**

Utilizing the hydrographs from HydroCAD, the runoff from the 2-year/24-hour storm event for each phase is shown in the table below.

**Volume Requirement for 0.125 acre-feet per disturbed acre:**

Per the mentioned regulation, the storage volume required for each drainage area is calculated as follows:

$$V = \text{Disturbed Area} \left( \frac{0.125 \text{ acre} - ft}{\text{acre}} \right)$$

The expected total disturbed drainage area and total storage volume requirements for each phase are shown in the table below. The total volume of the two-year/twenty-four-hour runoff plus the sediment storage volume was calculated for each phase as shown in the table below.



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>5</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

South Drainage Areas	2-Year Runoff (CF)	Disturbed Area (SF)	Sediment Volume (CF)	Total Volume (CF)
South - Phase 1	295,354	1,678,824	209,853	505,207
South - Phase 2	339,253	1,565,052	195,631	534,884
South - Phase 2 - Filled	282,725	1,146,447	143,306	426,031
South - Phase 3	315,519	1,643,200	205,400	520,919
South - Phase 3 - Filled	287,443	1,238,775	154,847	442,290
<b>South - Phase 4</b>	<b>335,536</b>	<b>1,616,548</b>	<b>202,069</b>	<b>537,605</b>
South - Phase 4 - Filled	274,619	1,082,465	135,308	409,927
South - Phase 5	306,629	550,149	68,769	375,398

West Drainage Areas	2-Year Runoff (CF)	Disturbed Area (SF)	Sediment Volume (CF)	Total Volume (CF)
West – Phase 1	98,454	547,823	68,478	166,932
West – Phase 2	126,706	135,399	16,925	143,631
West – Phase 2 - Filled	179,801	410,290	51,286	231,087
West – Phase 3	179,801	410,290	51,286	231,087
West – Phase 3 - Filled	170,896	457,366	57,171	228,067
West – Phase 4	170,896	311,957	38,995	209,891
<b>West – Phase 4 - Filled</b>	<b>218,805</b>	<b>516,636</b>	<b>64,580</b>	<b>283,385</b>
West – Phase 5	215,311	325,552	40,694	256,005

East Drainage Areas*	2-Year Runoff (CF)	Disturbed Area (SF)	Sediment Volume (CF)	Total Volume (CF)
<b>East – Phase 3 - Filled</b>	<b>32,532</b>	<b>220,026</b>	<b>27,503</b>	<b>60,035</b>
East – Phase 4	32,532	47,485	5,936	38,468
East – Phase 4 - Filled	33,655	180,948	22,619	56,273
East – Phase 5	30,156	151,619	18,952	49,108

\* For comparison purposes, calculations are only for areas inside of the outboard perimeter channel of the Haul Road. The remaining portion of East Drainage areas is the same for all Phases.



**Civil & Environmental Consultants, Inc.**

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>6</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

The South Pond was designed to accommodate the Phase 4 volume throughout all calculations. The West Pond was designed to accommodate the Phase 4 – Filled volume throughout all calculations. The East Pond was designed to accommodate the Phase 3 – Filled volume throughout all calculations. Based on the above calculations and the actual available sediment storage of the sedimentation pond, it can be assumed that cleaning of each Sedimentation Pond will be required prior to each phase.

Each pond has been designed to release the 2-year/24-hour storm event through a floating skimmer over a 7-day period. The calculations are based on the Faircloth Skimmer Online Sizing Calculator. Below is the summary for each of the skimmers.

Drainage Areas	2-Year Runoff (CF)	Days to Drain	Skimmer Size (in)	Orifice Diameter (in)	Flow Rate (cfs)
South Pond	335,536	7	6.0	5.8	0.5548
West Pond	218,805	7	5.0	4.9	0.3618
East Pond	194,687	7	5.0	4.6	0.2840

The chart below shows the provided volumes and elevations for the design Ponds:

Design Drainage Area	Required Volume (CF)	Required Volume Provided at Elevation	Principal Spillway Elevation	25-YR Routed Storage Elevation	Emergency Spillway Elevation	Top Of Berm Elevation
South - Phase 4	537,605	1038.88	1038.88	1039.65	1039.88	1041.08
West – Phase 4 - Filled	283,385	1201.67	1201.67	1202.54	1202.67	1204.00
East – Phase 3 - Filled	310,698*	1117.03	1117.03	1117.98	1119.00	1120.00

\*16,434 CF sediment volume is provided in the Northeast Pond.

**PRINCIPAL SPILLWAY DESIGN:**

According to 33CSR1 4.5.b.3.A.7.(b) Sediment control structures must provide a combination of principal and emergency spillways that will safely discharge a minimum twenty-five (25)-year, twenty-four (24)-hour storm without overtopping of the structure. There must be no outflow



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>7</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

through the emergency spillway during the passage of a ten (10)-year, twenty-four (24)-hour frequency storm through the sediment control structure. To fulfill this regulation, the principal spillway was placed at the elevation of the 2-year/24-hour storm elevation, which provides the required sediment storage volume. The 25-year/24-hour storm event was then routed through the designed principal spillway in order to determine the 25-year/24-hour elevation. Therefore, if the principal spillway is capable of releasing the flow from the 25-year/24-hour storm event, it is capable of safely handling the flow from the 10-year/24-hour storm event.

The details of the principal spillway for each Sedimentation Pond are found within the Hydraulics printout and are summarized as follows:

<b>South Pond</b>	<b>Culvert</b>	<b>Principal Spillway Riser</b>
Structure Type	48" Pipe	13' x 13' Box
Invert Elevation	980.00	1038.88
Pipe/Crest Length (feet)	250.88	52.00
Slope (%)	11.67	n/a
N-Value	0.013	n/a
Orifice/Weir Coefficient	0.6	3.33

<b>West Pond</b>	<b>Culvert</b>	<b>Principal Spillway Riser</b>
Structure Type	36" Pipe	60" Dia. Pipe
Invert Elevation	1190.00	1201.67
Pipe/Crest Length (feet)	119.10	15.71
Slope (%)	4.2	n/a
N-Value	0.013	n/a
Orifice/Weir Coefficient	0.6	3.33



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>8</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
	MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>	
	REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>	

	<b>East Pond</b>	<b>Culvert</b>	<b>Principal Spillway Riser</b>
Structure Type		24" Pipe	36" Dia. Pipe
Invert Elevation		1073.25	1117.03
Pipe/Crest Length (feet)		224	9.42
Slope (%)		7.5	n/a
N-Value		0.013	n/a
Orifice/Weir Coefficient		0.6	3.33

According to 33CSR1 4.5.b.3.A.7.(b), the routing, included with this calculation, shows that the maximum pool elevation is below the invert elevation of the emergency spillway. Thus, during the 25-year/24-hour storm event, the emergency spillway provides flood storage with no flow entering the emergency spillway while allowing flow through the principal spillway.

**EMERGENCY SPILLWAY DESIGN:**

According to 33CSR1 4.5.b.3.A.7.(b), the emergency spillway has been designed such that the combination of the principal spillway and emergency spillway will safely discharge the 25-year/24-hour storm event. This design requirement has been evaluated by routing flow from the 25-year/24-hour storm through the pond using the previously designed principal spillway.

All spillways must discharge an adequate distance beyond the downstream toe of the structure to a natural drainway to prevent erosion of the downstream toe. The inverts of the emergency spillways have been set above the elevation of the 25-year/24-hour storm event.

The details of the emergency spillway for each Sedimentation Pond are found within the Hydraflow printout and are summarized as follows:



**Civil & Environmental Consultants, Inc.**

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>9</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

<b>South Pond (Phase 2)</b>	<b>Emergency Spillway</b>
Spillway Type	8' Pipe
Crest Elevation	1039.88
Crest Length (feet)	25.13
Weir Coefficient	3.33
Channel Lining	n/a
Maximum pool elevation 25-year 24-hour storm	1039.65
Top of Embankment	1041.08
Freeboard above the 25-year elevation	1.43

<b>West Pond (Phase 4 – Filled)</b>	<b>Emergency Spillway</b>
Spillway Type	Cipoletti
Crest Elevation	1202.67
Crest Length (feet)	50.00
Weir Coefficient	3.33
Channel Lining	Rock
Maximum pool elevation 25-year 24-hour storm	1202.54
Top of Embankment	1204.00
Freeboard above the 25-year elevation	1.46



Civil & Environmental Consultants, Inc.

SUBJECT		<b>Sediment Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>10</b>	OF	<b>12</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>		
REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>		

<b>East Pond (Phase 3 – Filled)</b>	<b>Value</b>
Spillway Type	Cipoletti
Crest Elevation	1119.00
Crest Length (feet)	20.00
Weir Coefficient	3.33
Channel Lining	Rock
Maximum pool elevation 25-year 24-hour storm	1117.98
Top of Embankment	1120.00
Freeboard above the 25-year elevation	2.02

**OUTLET CHANNEL:**

The proposed principal spillway and emergency spillway will outlet to the existing drainage channels downstream of the proposed Sedimentation Ponds. (Please see “Permanent Surface Water Control Structures Perimeter Channel Design Calculations” for additional information regarding the channel design)

**CONCLUSIONS:**

The proposed Sedimentation Ponds have been designed to meet the regulations as outlined in 33CSR1 4.5.b.3.A.7. All three ponds utilize primary spillways to convey the 10-year/24-hour storm event within each watershed. The routing of the 25-year/24-hour storm event produces water level elevations below the invert of the proposed emergency spillway. The flow from the 100-yr/24-hr storm was routed through the proposed principal spillway and the emergency spillway. All sedimentation ponds provide over one foot of freeboard for a 100-year/24-hour storm event in relation to the top of the embankment.





Civil & Environmental Consultants, Inc.

SUBJECT	<b>Sediment Pond Design Calculations</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>11</b>	OF	<b>12</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
	MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>	
	REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>	

**REFERENCES:**

1. United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia.
2. Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014, Version 10.3, 2007-2014, Computer Software Program.
3. Faircloth Skimmer Online Sizing Calculator. <<http://www.fairclothskimmer.com/skimmer.html>>




Civil & Environmental Consultants, Inc.

SUBJECT	<b>Sediment Pond Design Calculations</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>12</b>	OF	<b>12</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
	MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JDM</b>	DATE	<b>04/03/12</b>	
	REV 1 BY	<b>EGK</b>	DATE	<b>05/11/16</b>	CHECKED BY	<b>MTF</b>	DATE	<b>5/12/16</b>	

**SEDIMENTATION POND – HYDRAFLOW  
OUTPUT AND HYDROGRAPH FILES**

# Watershed Model Schematic

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3



## Legend

Hyd. Origin	Description
1	SCS Runoff East Pond Only
2	SCS Runoff NE Pond Only
3	Reservoir NE Pond
4	Combine East Pond Inflow
6	Reservoir East Pond Total

# Hydrograph Return Period Recap

Hydroflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

Hyd. No.	Hydrograph type (origin)	Inflow hyd(s)	Peak Outflow (cfs)								Hydrograph Description
			1-yr	2-yr	3-yr	5-yr	10-yr	25-yr	50-yr	100-yr	
1	SCS Runoff	-----	-----	42.46	-----	-----	72.86	87.97	-----	103.75	East Pond Only
2	SCS Runoff	-----	-----	27.16	-----	-----	48.28	58.87	-----	69.97	NE Pond Only
3	Reservoir	2	-----	19.86	-----	-----	34.01	43.08	-----	50.74	NE Pond
4	Combine	1, 3	-----	60.46	-----	-----	101.04	126.49	-----	150.10	East Pond Inflow
6	Reservoir	4	-----	0.275	-----	-----	10.14	29.29	-----	39.37	East Pond Total

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	42.46	1	723	121,615	-----	-----	-----	East Pond Only
2	SCS Runoff	27.16	1	722	73,080	-----	-----	-----	NE Pond Only
3	Reservoir	19.86	1	728	73,072	2	1129.04	13,613	NE Pond
4	Combine	60.46	1	724	194,687	1, 3	-----	-----	East Pond Inflow
6	Reservoir	0.275	1	1462	34,700	4	1116.54	181,775	East Pond Total
110416_Drainage-2016-01-11-Excess Soil_P						Full_Run_10_Years.gpw		Thursday, 05 / 12 / 2016	


# Hydrograph Report

## Hyd. No. 2

NE Pond Only

Hydrograph type	= SCS Runoff	Peak discharge	= 27.16 cfs
Storm frequency	= 2 yrs	Time to peak	= 12.03 hrs
Time interval	= 1 min	Hyd. volume	= 73,080 cuft
Drainage area	= 14.220 ac	Curve number	= 88*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 13.60 min
Total precip.	= 2.54 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(11.140 x 91) + (2.810 x 76) + (0.270 x 98)] / 14.220



# TR55 Tc Worksheet

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

## Hyd. No. 2

NE Pond Only

<u>Description</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>Totals</u>
<b>Sheet Flow</b>				
Manning's n-value	= 0.400	0.150	0.011	
Flow length (ft)	= 138.0	0.0	0.0	
Two-year 24-hr precip. (in)	= 2.54	0.00	0.00	
Land slope (%)	= 28.40	0.00	0.00	
<b>Travel Time (min)</b>	<b>= 10.79</b>	<b>+ 0.00</b>	<b>+ 0.00</b>	<b>= 10.79</b>
<b>Shallow Concentrated Flow</b>				
Flow length (ft)	= 365.00	0.00	0.00	
Watercourse slope (%)	= 16.80	0.00	0.00	
Surface description	= Unpaved	Unpaved	Paved	
Average velocity (ft/s)	=6.61	0.00	0.00	
<b>Travel Time (min)</b>	<b>= 0.92</b>	<b>+ 0.00</b>	<b>+ 0.00</b>	<b>= 0.92</b>
<b>Channel Flow</b>				
X sectional flow area (sqft)	= 4.20	4.00	0.00	
Wetted perimeter (ft)	= 42.50	12.50	0.00	
Channel slope (%)	= 2.90	23.50	0.00	
Manning's n-value	= 0.022	0.050	0.015	
Velocity (ft/s)	=2.45	6.73	0.00	
Flow length (ft)	143.0	375.0	0.0	
<b>Travel Time (min)</b>	<b>= 0.97</b>	<b>+ 0.93</b>	<b>+ 0.00</b>	<b>= 1.90</b>
<b>Total Travel Time, Tc</b> .....				<b>13.60 min</b>

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	72.86	1	723	212,643	-----	-----	-----	East Pond Only
2	SCS Runoff	48.28	1	722	131,785	-----	-----	-----	NE Pond Only
3	Reservoir	34.01	1	728	131,777	2	1130.31	24,576	NE Pond
4	Combine	101.04	1	725	344,420	1, 3	-----	-----	East Pond Inflow
6	Reservoir	10.14	1	776	168,290	4	1117.49	214,373	East Pond Total
110416_Drainage-2016-01-11-Excess Soil_P						Full_Run_10_Years.gpw		Thursday, 05 / 12 / 2016	



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3


Thursday, 05 / 12 / 2016

## Hyd. No. 2

NE Pond Only

Hydrograph type	= SCS Runoff	Peak discharge	= 48.28 cfs
Storm frequency	= 10 yrs	Time to peak	= 12.03 hrs
Time interval	= 1 min	Hyd. volume	= 131,785 cuft
Drainage area	= 14.220 ac	Curve number	= 88*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 13.60 min
Total precip.	= 3.81 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(11.140 x 91) + (2.810 x 76) + (0.270 x 98)] / 14.220



# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	87.97	1	723	259,135	-----	-----	-----	East Pond Only
2	SCS Runoff	58.87	1	722	162,074	-----	-----	-----	NE Pond Only
3	Reservoir	43.08	1	728	162,066	2	1130.79	29,131	NE Pond
4	Combine	126.49	1	724	421,201	1, 3	-----	-----	East Pond Inflow
6	Reservoir	29.29	1	749	244,963	4	1117.98	231,607	East Pond Total
110416_Drainage-2016-01-11-Excess Soil_P						Return_Period: 25 Years.gpw		Thursday, 05 / 12 / 2016	

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3


Thursday, 05 / 12 / 2016

## Hyd. No. 2

NE Pond Only

Hydrograph type	= SCS Runoff	Peak discharge	= 58.87 cfs
Storm frequency	= 25 yrs	Time to peak	= 12.03 hrs
Time interval	= 1 min	Hyd. volume	= 162,074 cuft
Drainage area	= 14.220 ac	Curve number	= 88*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 13.60 min
Total precip.	= 4.44 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(11.140 x 91) + (2.810 x 76) + (0.270 x 98)] / 14.220



# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	103.75	1	723	308,385	-----	-----	-----	East Pond Only
2	SCS Runoff	69.97	1	722	194,292	-----	-----	-----	NE Pond Only
3	Reservoir	50.74	1	728	194,284	2	1131.28	34,201	NE Pond
4	Combine	150.10	1	724	502,669	1, 3	-----	-----	East Pond Inflow
6	Reservoir	39.37	1	746	326,346	4	1118.75	260,601	East Pond Total
110416_Drainage-2016-01-11-Excess Soil_PRR-Full_PRR-100-Years.gpw						Thursday, 05 / 12 / 2016			

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2014 by Autodesk, Inc. v10.3


Thursday, 05 / 12 / 2016

## Hyd. No. 2

NE Pond Only

Hydrograph type	= SCS Runoff	Peak discharge	= 69.97 cfs
Storm frequency	= 100 yrs	Time to peak	= 12.03 hrs
Time interval	= 1 min	Hyd. volume	= 194,292 cuft
Drainage area	= 14.220 ac	Curve number	= 88*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 13.60 min
Total precip.	= 5.10 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(11.140 x 91) + (2.810 x 76) + (0.270 x 98)] / 14.220





---

## **SEDIMENT POND CALCULATIONS**

### **South Pond**

---



Civil & Environmental Consultants, Inc.

SUBJECT		<b>South Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>1</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

**OBJECTIVE:**

To design the proposed Sedimentation Ponds, and provide stormwater management and sedimentation control, by satisfying the following regulations for residual waste landfills:

**33CSR1 4.5.b.3.A.3.**

All sediment control structures must have a sediment capacity of 0.125 acre-feet for each acre of disturbed area in the structure’s watershed. In addition to the sediment capacity, the sediment control structure must have the detention capacity to store a two (2)-year, twenty-four (24)-hour frequency storm. The water stored from this storm must be released through a nonclogging dewatering device that allows the stored volume of water to be evacuated within a seven (7)-day to eight (8)-day period. The elevation of the nonclogging dewatering device must not be lower than the maximum elevation of the designed sediment storage volume and also satisfy the storm water provisions of the Federal Clean Water Act as reflected in W. Va. Code § 22-11-1, et seq., and any rules promulgated thereunder.

**33CSR1 4.5.b.3.A.7.(b)**

Sediment control structures must provide a combination of principal and emergency spillways that will safely discharge a minimum twenty-five (25)-year, twenty-four (24)-hour storm without overtopping of the structure. There must be no outflow through the emergency spillway during the passage of a ten (10)-year, twenty-four (24)-hour frequency storm through the sediment control structure. All spillways must discharge an adequate distance beyond the downstream toe of the structure to a natural drainway to prevent erosion of the downstream toe.

The design is based upon accepted engineering design equations, methodologies and assumptions. Where applicable, design references have been made. Calculations have been performed using the software package, Hydraflow Hydrographs Extension for AutoCAD Civil 3D 2011 Version 8, Copyright 2007-2010.

**METHOD:**

Stormwater routings have been performed with a storage-elevation routing methodology. The inflow hydrographs have been developed using the Hydraflow hydrograph method, which





Civil & Environmental Consultants, Inc.

SUBJECT		<b>South Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>2</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

utilizes components of TR-20 and TR-55, using the times of concentration (Tc) and watershed parameters determined for each contributing watershed.

The rainfall values for this site are listed below. The United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Marshall County, West Virginia., provided the estimated rainfall depths and is presented in "Sedimentation Pond – Phase 1 Calculations".

RAINFALL DATA		
Frequency	Duration	Depth (in)
2 yr	24 hr	2.54
10 yr	24 hr	3.81
25 yr	24 hr	4.44
100 yr	24 hr	5.10

According to the TR-55 methods, times of concentration were estimated as the sum of sheet flow, shallow concentrated flow and channel flow. Flow calculations utilized a Curve Number (CN) representative of the post construction surface conditions. Maximum sheet flow length used was 200 feet. Shallow concentrated flow times of concentration were estimated depending on the condition of the flow path.

This site is located in an area of hydrologic soil groups B & C. Since over 95 percent of the site consists of type C soils, hydrologic soil group C was used throughout. Based on the existing and proposed site conditions the following runoff coefficients have been determined and will be utilized.

CN DATA	
Description	CN
Existing (Woods Grass Combination, Fair)	76
Newly Graded Areas (Ditches)	91
Landfill (50-75% Grass Cover, Fair)	91
Impervious Areas (Paved Haul Road)	98

The inflow hydrographs were developed using Hydraflow for each contributing watershed based on the previously mentioned criteria and the delineated drainage areas. These areas can be



Civil & Environmental Consultants, Inc.

SUBJECT		<b>South Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>3</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

found in Figure A of South Pond. The contributing drainage areas for the sedimentation ponds are summarized below:

Drainage Area	CN	Watershed Area (Acre)	Tc (Minutes)
South Pond	82	86.52	17.8

Using the developed inflow hydrographs, all routings have been performed with the initial pool elevation within the ponds at the top of the required sediment storage volume. The required sedimentation storage volume and the 2-year runoff volume have been provided below the invert of the principal spillway. The inflow hydrograph from the 10-year/24-hour storm event was then used to size the principal spillway. The 25-year/24-hour storm event was then passed through the principal spillway in order to determine the elevation at which the emergency spillway was to be placed. The 100-year/24-hour storm event was then used to design the emergency spillway.

**ANALYSIS:**

**SEDIMENT VOLUME SIZING:**

According to 33CSR1 4.5.b.3.A., the sedimentation pond must have adequate sediment storage volume for the runoff from the 2-year/24-hour storm event and 0.125 acre-feet per acre of disturbed area.

**Volume Requirement for two-year/twenty-four-hour storm:**

Utilizing the hydrographs from HydroCAD, the runoff from the 2-year/24-hour storm event for each phase is shown in the table below.

**Volume Requirement for 0.125 acre-feet per disturbed acre:**

Per the mentioned regulation, the storage volume required for each drainage area is calculated as follows:

$$V = \text{Disturbed Area} \left( \frac{0.125 \text{ acre} - ft}{\text{acre}} \right)$$



**Civil & Environmental Consultants, Inc.**

<b>SUBJECT</b>		<b>South Pond Design Calculations</b>				<b>PROJECT NO.</b>		<b>110-416</b>	
<b>APPLICABLE RULE</b>		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
<b>PROJECT</b>		<b>American Electric Power – Mitchell Landfill</b>				<b>PAGE</b>	<b>4</b>	<b>OF</b>	<b>8</b>
<b>LOCATION</b>		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
<b>MADE BY</b>	<b>MTF</b>	<b>DATE</b>	<b>04/03/12</b>	<b>CHECKED BY</b>	<b>JRI</b>	<b>REV. DATE</b>	<b>01/29/13</b>		

The expected total disturbed drainage area and total storage volume requirements for each phase are shown in the table below. The total volume of the two-year/twenty-four-hour runoff plus the sediment storage volume was calculated for each phase as shown in the table below.

<b>South Drainage Areas</b>	<b>2-Year Runoff (CF)</b>	<b>Disturbed Area (SF)</b>	<b>Sediment Volume (CF)</b>	<b>Total Volume (CF)</b>
South Pond	319,027	1,657,896	207,237	526,264

The South Pond was designed to accommodate the Phase 1 volume throughout all calculations. The designed capacity of the pond, including provision for sediment accumulation, anticipates that accumulated sediment will be removed from the ponds periodically during the life of the landfill. The volume in each pond allocated to sediment is identified in the tables above. In accordance with 33CSR1 Section 4.5.b.3.A.6, sediment will be removed when 60% of the maximum allowable sediment accumulation is reached. The following table identifies the pond stage (elevation), that when reached by accumulated sediment, will indicate that 60% of the designed sediment accumulation volume has been consumed and a sediment removal event is necessary. Staff gauges can be established in the ponds to identify when the sediment level reaches the removal stage.

<b>Required Sediment Removal Stage</b>	
<b>Sediment Pond</b>	<b>Elevation (feet amsl)</b>
South Pond	1027.64

Each pond has been designed to release the 2-year/24-hour storm event through a floating skimmer over a 7-day period. The calculations are based on the Faircloth Skimmer Online Sizing Calculator. Below is the summary for each of the skimmers.



Civil & Environmental Consultants, Inc.

SUBJECT		<b>South Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>5</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

Drainage Areas	2-Year Runoff (CF)	Days to Drain	Skimmer Size (in)	Orifice Diameter (in)	Flow Rate (cfs)
South Pond	319,027	7	6.0	5.7	0.5275

The chart below shows the provided volumes and elevations for the design Ponds:

Design Drainage Area	Required Volume (CF)	Required Volume Provided at Elevation	Principal Spillway Elevation	25-YR Routed Storage Elevation	Emergency Spillway Elevation	Top Of Berm Elevation
South Pond	526,264	1038.92	1038.92	1039.60	1040.08	1041.08

**PRINCIPAL SPILLWAY DESIGN:**

According to 33CSR1 4.5.b.3.A.7.(b) Sediment control structures must provide a combination of principal and emergency spillways that will safely discharge a minimum twenty-five (25)-year, twenty-four (24)-hour storm without overtopping of the structure. There must be no outflow through the emergency spillway during the passage of a ten (10)-year, twenty-four (24)-hour frequency storm through the sediment control structure. To fulfill this regulation, the principal spillway was placed at the elevation of the 2-year/24-hour storm elevation, which provides the required sediment storage volume. The 25-year/24-hour storm event was then routed through the designed principal spillway in order to determine the 25-year/24-hour elevation. Therefore, if the principal spillway is capable of releasing the flow from the 25-year/24-hour storm event, it is capable of safely handling the flow from the 10-year/24-hour storm event.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>South Pond Design Calculations</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>6</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

The details of the principal spillway for each Sedimentation Pond are found within the Hydraflow printout and are summarized as follows:

<b>South Pond</b>	<b>Culvert</b>	<b>Principal Spillway Riser</b>
Structure Type	42" Pipe	Weir
Invert Elevation	968.28	1038.92
Pipe/Crest Length (feet)	204.547	80.00
Slope (%)	11.50	n/a
N-Value	0.012	n/a
Orifice/Weir Coefficient	0.6	3.33

According to 33CSR1 4.5.b.3.A.7.(b), the routing, included with this calculation, shows that the maximum pool elevation is below the invert elevation of the emergency spillway. Thus, during the 25-year/24-hour storm event, the emergency spillway provides flood storage with no flow entering the emergency spillway while allowing flow through the principal spillway.

**EMERGENCY SPILLWAY DESIGN:**

According to 33CSR1 4.5.b.3.A.7.(b), the emergency spillway has been designed such that the combination of the principal spillway and emergency spillway will safely discharge the 25-year/24-hour storm event. This design requirement has been evaluated by routing flow from the 25-year/24-hour storm through the pond using the previously designed principal spillway.

All spillways must discharge an adequate distance beyond the downstream toe of the structure to a natural drainway to prevent erosion of the downstream toe. The inverts of the emergency spillways have been set above the elevation of the 25-year/24-hour storm event.

The details of the emergency spillway for the South Pond are found within the Hydraflow printout and are summarized as follows:



Civil & Environmental Consultants, Inc.

SUBJECT		<b>South Pond Design Calculations</b>				PROJECT NO.		<b>110-416</b>	
APPLICABLE RULE		<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>7</b>	OF	<b>8</b>
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

<b>South Pond (Phase 1)</b>	<b>Emergency Spillway</b>
Spillway Type	8' Dia. MH
Crest Elevation	1040.08
Crest Length (feet)	25.13
Weir Coefficient	3.33
Channel Lining	n/a
Maximum pool elevation 25-year 24-hour storm	1039.60
Top of Embankment	1041.08
Freeboard above the 25-year elevation	1.48

**OUTLET CHANNEL:**

The proposed principal spillway and emergency spillway will outlet to the existing drainage channels downstream of the proposed Sedimentation Ponds. (Please see “Permanent Surface Water Control Structures Perimeter Channel Design Calculations” for additional information regarding the channel design)

**CONCLUSIONS:**

The proposed South Pond has been designed to meet the regulations as outlined in 33CSR1 4.5.b.3.A.7. The temporary pond utilizes the primary spillway to convey the 10-year/24-hour storm event within the watershed. The routing of the 25-year/24-hour storm event produces water level elevations below the invert of the proposed emergency spillway. The flow from the 100-yr/24-hr storm was routed through the proposed principal spillway and the emergency spillway. The South Pond provides over one foot of freeboard for a 100-year/24-hour storm event in relation to the top of the emergency spillway and an additional one foot of freeboard from the emergency spillway to the top of embankment.



Civil & Environmental Consultants, Inc.


SUBJECT	<b>South Pond Design Calculations</b>				PROJECT NO.	<b>110-416</b>			
APPLICABLE RULE	<b>33CSR1 4.5.b.3.A. Design and Construction Requirements</b>								
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>8</b>	OF	<b>8</b>	
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>								
MADE BY	<b>MTF</b>	DATE	<b>04/03/12</b>	CHECKED BY	<b>JRI</b>	REV. DATE	<b>01/29/13</b>		

**REFERENCES:**

1. United States Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, for Mitchell County, West Virginia.
2. Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011, Version 8, 2007-2010, Computer Software Program.
3. Faircloth Skimmer Online Sizing Calculator. <<http://www.fairclothskimmer.com/skimmer.html>>

# Watershed Model Schematic

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8





# Hydrograph Return Period Recap

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Hyd. No.	Hydrograph type (origin)	Inflow hyd(s)	Peak Outflow (cfs)								Hydrograph Description
			1-yr	2-yr	3-yr	5-yr	10-yr	25-yr	50-yr	100-yr	
1	SCS Runoff	-----	-----	106.03	-----	-----	214.10	270.59	-----	330.73	South - Phase 1
2	Reservoir	1	-----	1.875	-----	-----	54.05	164.39	-----	270.66	South Pond - Phase 1

# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	106.03	1	724	319,027	-----	-----	-----	South - Phase 1
2	Reservoir	1.875	1	1374	16,638	1	1038.83	304,039	South Pond - Phase 1
110416_Drainage-2013-01-24-South Pond.gpw					Return Period: 2 Year			Tuesday, Jan 29, 2013	


# Hydrograph Report

## Hyd. No. 1

South - Phase 1

Hydrograph type	= SCS Runoff	Peak discharge	= 106.03 cfs
Storm frequency	= 2 yrs	Time to peak	= 724 min
Time interval	= 1 min	Hyd. volume	= 319,027 cuft
Drainage area	= 86.520 ac	Curve number	= 82*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 17.80 min
Total precip.	= 2.54 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(48.110 x 76) + (10.320 x 91) + (18.200 x 91) + (3.470 x 98)] / 86.520



# TR55 Tc Worksheet

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

## Hyd. No. 1

South - Phase 1

<u>Description</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>Totals</u>
<b>Sheet Flow</b>				
Manning's n-value	= 0.400	0.011	0.011	
Flow length (ft)	= 200.0	0.0	0.0	
Two-year 24-hr precip. (in)	= 2.54	0.00	0.00	
Land slope (%)	= 19.00	0.00	0.00	
<b>Travel Time (min)</b>	<b>= 17.05</b>	<b>+ 0.00</b>	<b>+ 0.00</b>	<b>= 17.05</b>
<b>Shallow Concentrated Flow</b>				
Flow length (ft)	= 188.87	0.00	0.00	
Watercourse slope (%)	= 28.00	0.00	0.00	
Surface description	= Unpaved	Paved	Paved	
Average velocity (ft/s)	=8.54	0.00	0.00	
<b>Travel Time (min)</b>	<b>= 0.37</b>	<b>+ 0.00</b>	<b>+ 0.00</b>	<b>= 0.37</b>
<b>Channel Flow</b>				
X sectional flow area (sqft)	= 33.00	0.00	0.00	
Wetted perimeter (ft)	= 20.97	0.00	0.00	
Channel slope (%)	= 21.00	0.00	0.00	
Manning's n-value	= 0.040	0.015	0.015	
Velocity (ft/s)	=23.13	0.00	0.00	
Flow length (ft)	554.9	0.0	0.0	
<b>Travel Time (min)</b>	<b>= 0.40</b>	<b>+ 0.00</b>	<b>+ 0.00</b>	<b>= 0.40</b>
<b>Total Travel Time, Tc .....</b>				<b>17.80 min</b>

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Tuesday, Jan 29, 2013

## Hyd. No. 2


South Pond - Phase 1

Hydrograph type	= Reservoir	Peak discharge	= 1.875 cfs
Storm frequency	= 2 yrs	Time to peak	= 1374 min
Time interval	= 1 min	Hyd. volume	= 16,638 cuft
Inflow hyd. No.	= 1 - South - Phase 1	Max. Elevation	= 1038.83 ft
Reservoir name	= South Pond-Minus Sediment	Max. Storage	= 304,039 cuft

Storage Indication method used.

### South Pond - Phase 1

Hyd. No. 2 -- 2 Year



## Pond No. 2 - South Pond-Minus Sediment

### Pond Data

Contours -User-defined contour areas. Conic method used for volume calculation. Begining Elevation = 1031.08 ft

### Stage / Storage Table

Stage (ft)	Elevation (ft)	Contour area (sqft)	Incr. Storage (cuft)	Total storage (cuft)
0.00	1031.08	28,316	0	0
0.92	1032.00	31,119	27,327	27,327
1.92	1033.00	34,041	32,566	59,893
2.92	1034.00	37,125	35,568	95,461
3.92	1035.00	40,351	38,723	134,184
4.92	1036.00	43,689	42,005	176,189
5.92	1037.00	47,242	45,449	221,638
6.92	1038.00	50,922	49,066	270,704
7.84	1038.92	54,000	48,257	318,961
7.92	1039.00	54,936	4,352	323,313
8.92	1040.00	58,879	56,890	380,203
9.92	1041.00	62,901	60,873	441,076
10.00	1041.08	64,074	5,078	446,154


### Culvert / Orifice Structures

	[A]	[B]	[C]	[PrfRsr]
Rise (in)	= 40.87	0.00	Inactive	Inactive
Span (in)	= 40.87	0.00	0.00	0.00
No. Barrels	= 1	0	0	0
Invert El. (ft)	= 968.28	0.00	0.00	0.00
Length (ft)	= 204.55	0.00	0.00	0.00
Slope (%)	= 11.50	0.00	0.00	n/a
N-Value	= .012	.013	.013	n/a
Orifice Coeff.	= 0.60	0.60	0.60	0.60
Multi-Stage	= n/a	No	No	No

### Weir Structures

	[A]	[B]	[C]	[D]
Crest Len (ft)	= 80.00	25.13	Inactive	Inactive
Crest El. (ft)	= 1038.92	1040.08	0.00	0.00
Weir Coeff.	= 3.33	3.33	3.33	3.33
Weir Type	= 1	Rect	Ciplti	---
Multi-Stage	= Yes	Yes	No	No
Exfil.(in/hr)	= 0.000 (by Contour)			
TW Elev. (ft)	= 0.00			

Note: Culvert/Orifice outflows are analyzed under inlet (ic) and outlet (oc) control. Weir risers checked for orifice conditions (ic) and submergence (s).



# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description
1	SCS Runoff	214.10	1	724	633,899	-----	-----	-----	South - Phase 1
2	Reservoir	54.05	1	741	331,510	1	1039.17	322,275	South Pond - Phase 1
110416_Drainage-2013-01-24-South Pond.gpw					Return Period: 10 Year			Tuesday, Jan 29, 2013	

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 1

South - Phase 1

Hydrograph type	= SCS Runoff	Peak discharge	= 214.10 cfs
Storm frequency	= 10 yrs	Time to peak	= 724 min
Time interval	= 1 min	Hyd. volume	= 633,899 cuft
Drainage area	= 86.520 ac	Curve number	= 82*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 17.80 min
Total precip.	= 3.81 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(48.110 x 76) + (10.320 x 91) + (18.200 x 91) + (3.470 x 98)] / 86.520





# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 2

South Pond - Phase 1

Hydrograph type	= Reservoir	Peak discharge	= 54.05 cfs
Storm frequency	= 10 yrs	Time to peak	= 741 min
Time interval	= 1 min	Hyd. volume	= 331,510 cuft
Inflow hyd. No.	= 1 - South - Phase 1	Max. Elevation	= 1039.17 ft
Reservoir name	= South Pond-Minus Sediment	Max. Storage	= 322,275 cuft

Storage Indication method used.



# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description	
1	SCS Runoff	270.59	1	724	802,183	-----	-----	-----	South - Phase 1	
2	Reservoir	164.39	1	733	499,794	1	1039.55	343,921	South Pond - Phase 1	
110416_Drainage-2013-01-24-South Pond.gpw					Return Period: 25 Year			Tuesday, Jan 29, 2013		

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 1

South - Phase 1

Hydrograph type	= SCS Runoff	Peak discharge	= 270.59 cfs
Storm frequency	= 25 yrs	Time to peak	= 724 min
Time interval	= 1 min	Hyd. volume	= 802,183 cuft
Drainage area	= 86.520 ac	Curve number	= 82*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 17.80 min
Total precip.	= 4.44 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(48.110 x 76) + (10.320 x 91) + (18.200 x 91) + (3.470 x 98)] / 86.520



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 2

South Pond - Phase 1

Hydrograph type	= Reservoir	Peak discharge	= 164.39 cfs
Storm frequency	= 25 yrs	Time to peak	= 733 min
Time interval	= 1 min	Hyd. volume	= 499,794 cuft
Inflow hyd. No.	= 1 - South - Phase 1	Max. Elevation	= 1039.55 ft
Reservoir name	= South Pond-Minus Sediment	Max. Storage	= 343,921 cuft

Storage Indication method used.



# Hydrograph Summary Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8

Hyd. No.	Hydrograph type (origin)	Peak flow (cfs)	Time interval (min)	Time to Peak (min)	Hyd. volume (cuft)	Inflow hyd(s)	Maximum elevation (ft)	Total strge used (cuft)	Hydrograph Description	
1	SCS Runoff	330.73	1	724	983,866	-----	-----	-----	South - Phase 1	
2	Reservoir	270.66	1	729	681,476	1	1039.83	360,205	South Pond - Phase 1	
110416_Drainage-2013-01-24-South Pond.gpw					Return Period: 100 Year			Tuesday, Jan 29, 2013		

# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 1

South - Phase 1

Hydrograph type	= SCS Runoff	Peak discharge	= 330.73 cfs
Storm frequency	= 100 yrs	Time to peak	= 724 min
Time interval	= 1 min	Hyd. volume	= 983,866 cuft
Drainage area	= 86.520 ac	Curve number	= 82*
Basin Slope	= 0.0 %	Hydraulic length	= 0 ft
Tc method	= TR55	Time of conc. (Tc)	= 17.80 min
Total precip.	= 5.10 in	Distribution	= Type II
Storm duration	= 24 hrs	Shape factor	= 484

\* Composite (Area/CN) = [(48.110 x 76) + (10.320 x 91) + (18.200 x 91) + (3.470 x 98)] / 86.520



# Hydrograph Report

Hydraflow Hydrographs Extension for AutoCAD® Civil 3D® 2011 by Autodesk, Inc. v8


Tuesday, Jan 29, 2013

## Hyd. No. 2

South Pond - Phase 1

Hydrograph type	= Reservoir	Peak discharge	= 270.66 cfs
Storm frequency	= 100 yrs	Time to peak	= 729 min
Time interval	= 1 min	Hyd. volume	= 681,476 cuft
Inflow hyd. No.	= 1 - South - Phase 1	Max. Elevation	= 1039.83 ft
Reservoir name	= South Pond-Minus Sediment	Max. Storage	= 360,205 cuft

Storage Indication method used.







AEP - Mitchell Landfill  
South Pond

**Calculate Skimmer Size**

Basin Volume in Cubic Feet  Cu.Ft  
Days to Drain\*  Days







Skimmer Size  Inch  
Orifice Radius  Inch[es]  
Orifice Diameter  Inch[es]

\*In NC assume 3 days to drain

**Estimate Volume of Basin**



	Length	Width		VOLUME
Top of water surface in feet	<input type="text"/>	<input type="text"/>	Feet	<input type="text" value="0"/> Cu. Ft.
Bottom dimensions in feet	<input type="text"/>	<input type="text"/>	Feet	
Depth in feet	<input type="text"/>	<input type="text"/>	Feet	

**LEGEND:**


- Tc PATH 
- DRAINAGE AREA 
- DRAINAGE BERM/  
CHANNEL 
- DRAINAGE AREA NAME DRAINAGE NAME
- EXISTING CONTOURS 
- PROPOSED TOP OF LINER/FILL GRADING 
- DISTURBED LIMITS 

**NOTES:**

1. REFER TO HYDRAFLOW OUTPUT FOR DETAILED INFORMATION REGARDING TIME OF CONCENTRATIONS, FLOW LENGTHS AND CN NUMBERS.
2. POND SIZING AND DESIGN CAN BE FOUND IN THE CALCULATION ENTITLED "SEDIMENT POND DESIGN CALCULATIONS."



NORTH  
SCALE IN FEET



**Civil & Environmental Consultants, Inc.**

4274 Glendale-Milford Road - Cincinnati, OH 45242

513-985-0226 · 800-759-5614

www.cecinc.com

American Electric Power  
Mitchell Landfill  
Gatts Ridge Road  
Marshall County, West Virginia

**SOUTH POND  
PHASE 1 DRAINAGE MAP**

DRAWN BY:	MTF	CHECKED BY:	JRI	APPROVED BY:	FIGURE NO.:
DATE:	JANUARY 25, 2013	DWG SCALE:	1"=300'	PROJECT NO:	110-416

**A**

P:\2011\110-416\CADD\DWG\Xrefs\Phase 1A Landfill\110-416\_XR\_HYD Post Phase 1A-Final.dwg\1 PHASE 1} LS:(25/01/2013 - tford) - LP: 1/25/2013 10:15 AM

---

**APPENDIX B; SECTION 2**

**RUN-OFF CONTROL FEATURE SUPPORTING CALCULATIONS**

---

---

## **WATER BALANCE CALCULATIONS**

**(Taken from the Solid Waste/NPDES Permit  
Application for the Mitchell Landfill)**

---



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Water Balance Calculation</b>				PROJECT NO.	<b>110-416</b>		
APPLICABLE RULE	<b>33CSR1:3.8.e 1-9</b>							
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>1</b>	OF	<b>37</b>
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>AMH</b>	DATE	<b>02/22/12</b>	CHECKED BY	<b>RH</b>	DATE	<b>2-27-12</b>	
REVISED BY:	<b>TDM</b>	DATE	<b>1/3/2019</b>	CHECKED BY	<b>EDC</b>	DATE	<b>1/7/19</b>	

This calculation was updated in January 2019 to account for changes to the base liner system associated with Phase 3 and 4 Construction. Changes to the base liner system include elimination of the geocomposite on the sideslopes and floor, and exclusive use of bottom ash for the leachate collection layer material.

Note that this calculation previously included a discussion of flow rates coming from the leachate collection zone. These flow rates were calculated using assumed flow rates of  $1 \times 10^{-2}$  cm/sec for the leachate collection material. This revised calculation has been prepared to determine the minimum permeability required to maintain the design maximum leachate heads as determined in the Liner Hydraulic Equivalency (GCL and CCL) Calculation Brief (i.e., 10-inch maximum leachate head). As such, reference to the flow rates coming from the leachate collection zone have been stricken from this calculation brief. Please refer to the previous calculation brief included in the permit application for the Mitchell Landfill for further discussion of leachate flow rates.

**OBJECTIVE:**

This calculation will evaluate the water balance for Mitchell Landfill.

**METHOD OF ANALYSIS:**

The Hydrologic Evaluation of Landfill Performance (HELP) Model (ver. 3.07) was used to simulate leachate generation. The HELP model is a computer program developed for the USEPA that is used to determine the fluid flux through landfill and landfill liner systems. The HELP model is a water balance model, and is widely used in landfill design. This model utilizes climatologic, soil and design data, and performs a solution technique that accounts for the effects of surface layer storage, runoff, infiltration, percolation, evapotranspiration, soil moisture storage, and lateral drainage to calculate a leachate generation volume.

**HELP MODEL ANALYSIS:**

HELP Model Design Data:

The following climatological parameters are common to all model runs and were provided by the HELP model program. Historical climate data available for the Pittsburgh area was chosen because it is in close proximity to the project site (approximately 80 miles northeast), is similar in elevation and has comparable climatic characteristics. The following climate data is provided by the HELP program:

- Evapotranspiration;
- Precipitation;
- Temperature; and,
- solar radiation.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Water Balance Calculation</b>				PROJECT NO.	<b>110-416</b>		
APPLICABLE RULE	<b>33CSR1:3.8.e 1-9</b>							
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>2</b>	OF	<b>37</b>
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>AMH</b>	DATE	<b>02/22/12</b>	CHECKED BY	<b>RH</b>	DATE	<b>2-27-12</b>	
REVISED BY:	<b>TDM</b>	DATE	<b>1/3/2019</b>	CHECKED BY	<b>EDC</b>	DATE	<b>1/7/19</b>	

The program also requires specific data with respect to waste, liner and subbase characteristics, interior slope lengths and inclination, and cover slope characteristics.

The following design data was used for the layers in the simulations:

- Permeability of final cover =  $1.0 \times 10^{-6}$  cm/s (not used in intermediate conditions)
- Permeability of fly ash =  $1.3 \times 10^{-4}$  cm/s, per CEC test results
- The leachate collection layer permeability was varied for the floor and sideslope conditions until an acceptable maximum head on liner system was produced.
- Geomembrane installation is 'Good' with 2 pinholes and 4 installation defects / acre. Permeability of geomembrane =  $2.0 \times 10^{-11}$  cm/s
- Permeability of GCL =  $5 \times 10^{-9}$  cm/s (typical for commercial GCL products). CEC notes that the project design does require a GCL permeability of  $3.4 \times 10^{-9}$  cm/s. This lower permeability requirement was initially required to demonstrate equivalency to a compacted clay liner (CCL). However, for this analysis, the permeability of  $5 \times 10^{-9}$  cm/s was used to maintain consistency with the original permit documents. This difference in permeability does not have a substantial impact in calculating the maximum leachate head generated on the liner system.
- Permeability of subbase =  $1 \times 10^{-5}$  cm/s (comparison model runs indicate permeability of this layer does not affect flow through the barrier layer)

The following design data was used for the simulations involving the floor of the landfill:

- Bottom (liner) slope = 5% (minimum floor slope expected)
- Slope length = 60 feet (maximum floor slope length)

The following design data was used for the simulations involving the sideslopes of the landfill:

- Bottom (liner) slope = 33% (For 3H:1V Slopes)
- Bottom (liner) slope = 25% (For 4H:1V Slopes)
- Slope length = 900 feet (maximum sideslope length)

The following information was used for simulations involving intermediate conditions:

- Curve number of exposed fly ash = 86 [bare soil, Group B (USDA classification silt loam per CEC lab results)].
- Time span of 5 years



**Civil & Environmental Consultants, Inc.**

<b>SUBJECT</b>		<b>Water Balance Calculation</b>			<b>PROJECT NO.</b>		<b>110-416</b>	
<b>APPLICABLE RULE</b>		<b>33CSR1:3.8.e 1-9</b>						
<b>PROJECT</b>		<b>American Electric Power – Mitchell Landfill</b>			<b>PAGE</b>	<b>3</b>	<b>OF</b>	<b>37</b>
<b>LOCATION</b>		<b>Gatts Ridge Road, Marshall County, West Virginia</b>						
<b>MADE BY</b>	<b>AMH</b>	<b>DATE</b>	<b>02/22/12</b>	<b>CHECKED BY</b>	<b>RH</b>	<b>DATE</b>	<b>2-27-12</b>	
<b>REVISED BY:</b>	<b>TDM</b>	<b>DATE</b>	<b>1/3/2019</b>	<b>CHECKED BY</b>	<b>EDC</b>	<b>DATE</b>	<b>1/7/19</b>	

- Waste thickness = 10 feet, 100 feet

The following information was used for simulations involving final conditions:

- Curve number of exposed final cover = 86 [bare soil, Group B]
- Time span of 100 years
- Waste thickness = 10 feet, 100 feet, 250 feet

HELP Model Analyses:

Several HELP Model analyses were performed using the design data presented above. The following provides a summary of the input used in the models:

Intermediate Condition: Floor without final cover

Layer	HELP Model Texture No.	Thickness (inches)	Permeability (cm/sec)
Waste <sup>(1)</sup>	30	Varies	0.0013
Granular leachate collection layer <sup>(1)</sup>	1	18	Varied
Geomembrane	37	0.03	2.0 x 10 <sup>-11</sup>
GCL <sup>(1)</sup>	17	0.25	5.0 x 10 <sup>-9</sup>
Subbase <sup>(1)</sup>	26	6	1.0 x 10 <sup>-4</sup>
Soil	4	6	0.0017

Notes:

(1) Texture No. 0 in HELP Model because of change to permeability.

Intermediate Condition: Sideslopes without final cover

Layer	HELP Model Texture No.	Thickness (inches)	Permeability (cm/sec)
Waste <sup>(1)</sup>	30	Varies	0.0013
Granular leachate collection layer <sup>(1)</sup>	1	18	Varied
Geomembrane	37	0.03	2.0x10 <sup>-11</sup>
GCL <sup>(1)</sup>	17	0.25	5.0x10 <sup>-9</sup>
Subbase <sup>(1)</sup>	26	6	1.0x10 <sup>-4</sup>
Soil	4	6	0.0017

Notes:

(1) Texture No. 0 in HELP Model because of change to permeability.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Water Balance Calculation</b>			PROJECT NO.	<b>110-416</b>		
APPLICABLE RULE	<b>33CSR1:3.8.e 1-9</b>						
PROJECT	<b>American Electric Power – Mitchell Landfill</b>			PAGE	<b>4</b>	OF	<b>37</b>
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>						
MADE BY	<b>AMH</b>	DATE	<b>02/22/12</b>	CHECKED BY	<b>RH</b>	DATE	<b>2-27-12</b>
REVISED BY:	<b>TDM</b>	DATE	<b>1/3/2019</b>	CHECKED BY	<b>EDC</b>	DATE	<b>1/7/19</b>

Final Conditions: Floor with final cover

Layer	HELP Model Texture No.	Thickness (inches)	Permeability (cm/sec)
Final cover <sup>(1)</sup>	26	24	1.0x10 <sup>-4</sup>
Waste <sup>(1)</sup>	30	Varies	0.0013
Granular leachate collection layer <sup>(1)</sup>	1	18	Varied
Geomembrane	37	0.03	2.0x10 <sup>-11</sup>
GCL <sup>(1)</sup>	17	0.25	5.0x10 <sup>-9</sup>
Subbase <sup>(1)</sup>	26	6	1.0x10 <sup>-4</sup>
Soil	4	6	0.0017

Notes:

(1) Texture No. 0 in HELP Model because of change to permeability.

Final Conditions: Sideslopes with final cover

Layer	HELP Model Texture No.	Thickness (inches)	Permeability (cm/sec)
Final cover <sup>(1)</sup>	26	24	1.0x10 <sup>-6</sup>
Waste <sup>(1)</sup>	30	Varies	0.0013
Granular leachate collection layer <sup>(1)</sup>	1	18	Varied
Geomembrane	37	0.03	2.0x10 <sup>-11</sup>
GCL <sup>(1)</sup>	17	0.25	5.0x10 <sup>-9</sup>
Subbase <sup>(1)</sup>	26	6	1.0x10 <sup>-4</sup>
Soil	4	6	0.0017

Notes:

(1) Texture No. 0 in HELP Model because of change to permeability.

HELP Model Results:

The results of the HELP Model analyses are presented in Appendix A. **Table 1** presents a summary of data developed from the HELP model runs for intermediate conditions evaluated:





**Civil & Environmental Consultants, Inc.**

SUBJECT		<b>Water Balance Calculation</b>			PROJECT NO.		<b>110-416</b>		
APPLICABLE RULE		<b>33CSR1:3.8.e 1-9</b>							
PROJECT		<b>American Electric Power – Mitchell Landfill</b>			PAGE	<b>5</b>	OF	<b>37</b>	
LOCATION		<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>AMH</b>	DATE	<b>02/22/12</b>	CHECKED BY	<b>RH</b>	DATE	<b>2-27-12</b>		
REVISED BY:	<b>TDM</b>	DATE	<b>1/3/2019</b>	CHECKED BY	<b>EDC</b>	DATE	<b>1/7/19</b>		

**Table 1: Summary for Intermediate Conditions**

File Name	Floor/ Sideslope	Waste Thickness (ft)	Leachate Collection Layer Perm. (cm/sec)	Max. Head on Liner System (inches)
GCLFLI1	Floor	10	1.25 x 10 <sup>-3</sup>	9.994
GCLFLI2	Floor	100	4.00 x 10 <sup>-4</sup>	9.994
GCL3SSI1	3H:1V slope	10	6.00 x 10 <sup>-3</sup>	9.532
GCL3SSI2	3H:1V slope	100	4.00 x 10 <sup>-3</sup>	9.091
GCL4SSI1	4H:1V slope	10	7.00 x 10 <sup>-3</sup>	9.912
GCL4SSI2	4H:1V slope	100	5.00 x 10 <sup>-3</sup>	9.147

**Table 2** presents a summary of data developed from the HELP model runs for final conditions evaluated:

**Table 2: Summary for Final Cover Conditions**

File Name	Floor/ Sideslope	Waste Thickness (ft)	Leachate Collection Layer Perm. (cm/sec)	Max. Head on Liner System (inches)
GCLFLF1	Floor	10	1.3 x 10 <sup>-3</sup>	9.174
GCLFLF2	Floor	100	1.0 x 10 <sup>-3</sup>	9.219
GCLFLF3	Floor	250	1.0 x 10 <sup>-3</sup>	9.086
GCL3SSF1	3H:1V Sideslope	10	4.5 x 10 <sup>-3</sup>	9.466
GCL3SSF2	3H:1V Sideslope	100	3.5 x 10 <sup>-3</sup>	9.625
GCL3SSF3	3H:1V Sideslope	250	3.5 x 10 <sup>-3</sup>	9.470
GCL4SSF1	4H:1V Sideslope	10	6.0 x 10 <sup>-3</sup>	9.135
GCL4SSF2	4H:1V Sideslope	100	4.5 x 10 <sup>-3</sup>	9.482
GCL4SSF3	4H:1V Sideslope	250	4.5 x 10 <sup>-3</sup>	9.320

From the results above, it can be noted that the maximum head on the liner system when using a granular drainage layer with a minimum permeability of 7.00 x 10<sup>-3</sup> cm/sec is less than the maximum allowable leachate head of 10 inches.



Civil & Environmental Consultants, Inc.

SUBJECT	<b>Water Balance Calculation</b>				PROJECT NO.	<b>110-416</b>		
APPLICABLE RULE	<b>33CSR1:3.8.e 1-9</b>							
PROJECT	<b>American Electric Power – Mitchell Landfill</b>				PAGE	<b>6</b>	OF	<b>37</b>
LOCATION	<b>Gatts Ridge Road, Marshall County, West Virginia</b>							
MADE BY	<b>AMH</b>	DATE	<b>02/22/12</b>	CHECKED BY	<b>RH</b>	DATE	<b>2-27-12</b>	
REVISED BY:	<b>TDM</b>	DATE	<b>1/3/2019</b>	CHECKED BY	<b>EDC</b>	DATE	<b>1/7/19</b>	

**CONCLUSIONS:**

The results above show that the maximum head on the liner system when using a granular drainage layer with a minimum permeability of  $7.00 \times 10^{-3}$  cm/sec is less than the maximum allowable leachate head of 10 inches.

## APPENDIX A

SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 2.332 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 4.328 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 0.376 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 31.086 INCHES  
 TOTAL INITIAL WATER = 31.086 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

\*\*\*\*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USES WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 \*\*\*\*\*

EVAPOTRANSPIRATION AND WEATHER DATA

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4  
 TEMPERATURE DATA FILE: C:\HELP\DATA7.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCLPL11.D10  
 OUTPUT DATA FILE: C:\HELP\GCLPL11.OUT

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TIME: 16:27 DATE: 1/3/2019

TITLE: AEP Mitchell - GCL, 10' waste, 5% slopes

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
2.86	2.40	3.58	3.28	3.54	3.30
3.83	3.31	2.80	2.49	2.34	2.57

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1

TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 120.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.2025 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
26.70	28.80	38.50	50.10	59.70	68.10
72.00	70.60	64.10	52.50	41.60	31.40

LAYER 2

TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1990 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.124999997000E-02 CM/SEC  
 SLOPE = 5.00 PERCENT  
 DRAINAGE LENGTH = 60.0 FEET

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
--	---------	---------	---------	---------	---------	---------

PRECIPITATION

TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
	3.16	3.73	3.70	2.78	2.36	2.71

STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
	1.09	1.44	2.42	1.41	0.85	1.13

RUNOFF

TOTALS	1.984	1.817	3.929	0.411	0.023	0.021
	0.021	0.139	0.056	0.009	0.001	0.217

STD. DEVIATIONS	1.555	0.909	2.471	0.464	0.052	0.029
	0.030	0.135	0.084	0.019	0.002	0.221

EVAPOTRANSPIRATION

TOTALS	0.479	0.493	0.547	2.936	2.088	2.518
	3.391	2.561	2.171	2.132	1.794	0.747

STD. DEVIATIONS	0.144	0.158	0.114	0.790	1.294	0.744
	1.237	0.633	0.787	0.904	0.149	0.274

LATERAL DRAINAGE COLLECTED FROM LAYER 2

TOTALS	0.7610	0.5311	0.4492	0.4660	0.7966	0.7657
	0.6599	0.5258	0.5079	0.6644	0.6887	0.7226

STD. DEVIATIONS	0.2801	0.2078	0.2063	0.3162	0.2994	0.2474
	0.1272	0.0851	0.1297	0.0762	0.2767	0.3199

PERCOLATION/LEAKAGE THROUGH LAYER 4

TOTALS	0.0030	0.0021	0.0018	0.0018	0.0032	0.0030
	0.0026	0.0021	0.0020	0.0026	0.0027	0.0029

STD. DEVIATIONS	0.0011	0.0008	0.0008	0.0013	0.0012	0.0010
	0.0005	0.0003	0.0005	0.0003	0.0011	0.0013

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS	0.0016	0.0021	0.0028	0.0026	0.0016	0.0016
	0.0021	0.0026	0.0025	0.0020	0.0018	0.0019

STD. DEVIATIONS	0.0013	0.0012	0.0013	0.0015	0.0009	0.0010
	0.0009	0.0005	0.0006	0.0007	0.0012	0.0012

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES	4.1673	3.2114	2.4596	2.6371	4.3624	4.3330
	3.6137	2.8794	2.8738	3.6382	3.8973	3.9569

STD. DEVIATIONS	1.5339	1.2766	1.1297	1.7890	1.6393	1.3997
	0.6968	0.4658	0.7340	0.4173	1.5658	1.7519

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

	INCHES	CU. FEET	PERCENT
--	--------	----------	---------

PRECIPITATION	37.74	( 0.555)	136996.2	100.00
RUNOFF	8.629	( 2.6381)	31321.67	22.863
EVAPOTRANSPIRATION	21.860	( 1.9291)	79351.94	57.923
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.53889	( 1.61185)	27366.187	19.97587
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.02989	( 0.00646)	108.483	0.07919
AVERAGE HEAD ON TOP OF LAYER 3	3.503	( 0.753)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.02505	( 0.00862)	90.914	0.06636
CHANGE IN WATER STORAGE	-0.313	( 2.1370)	-1134.51	-0.828

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 5

	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.147	11424.2100
DRAINAGE COLLECTED FROM LAYER 2	0.04386	159.22774
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000176	0.63763
AVERAGE HEAD ON TOP OF LAYER 3	7.445	
MAXIMUM HEAD ON TOP OF LAYER 3	9.994	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	19.6 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000130	0.47220
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4714
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 5

LAYER	(INCHES)	(VOL/VOL)
1	23.4007	0.1950
2	2.8991	0.1611
3	0.0000	0.0000
4	0.1875	0.7500
5	2.3580	0.3930
6	0.6779	0.1130
SNOW WATER	0.000	

.....

.....  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USAE WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 \*\*  
 .....

FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1083 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.17000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 240.632 INCHES  
 TOTAL INITIAL WATER = 240.632 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4  
 TEMPERATURE DATA FILE: C:\HELP\DATA7.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCLFL12.D10  
 OUTPUT DATA FILE: C:\HELP\GCLFL12.0UT

TIME: 16:40 DATE: 1/ 3/2019

EVAPOTRANSPIRATION AND WEATHER DATA

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM PITTSBURGH PENNSYLVANIA  
 STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TITLE: AEP Mitchell - GCL, 100' waste, 5% slopes, cap

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 24.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
2.86	2.40	3.58	3.28	3.54	3.30
3.83	3.31	2.80	2.49	2.34	2.57

LAYER 2  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 1200.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1875 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
26.70	28.80	38.50	50.10	59.70	68.10
72.00	70.60	64.10	52.50	41.60	31.40

LAYER 3  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.4170 VOL/VOL  
 FIELD CAPACITY = 0.0450 VOL/VOL  
 WILTING POINT = 0.0180 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1513 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.399999990000E-03 CM/SEC  
 SLOPE = 5.00 PERCENT  
 DRAINAGE LENGTH = 60.0 FEET

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA AND STATION LATITUDE = 40.50 DEGREES

-----  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5  
 -----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
RUNOFF						
TOTALS	2.615	2.184	4.498	0.899	0.413	0.575
STD. DEVIATIONS	0.923	1.182	1.321	0.389	0.337	0.665

LAYER 4  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

EVAPOTRANSPIRATION

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.479	0.494	0.547	2.610	1.942	2.240
STD. DEVIATIONS	0.144	0.158	0.114	0.737	1.368	0.707

LAYER 5  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

LATERAL DRAINAGE COLLECTED FROM LAYER 3

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.2535	0.2083	0.2031	0.1960	0.2333	0.2070
STD. DEVIATIONS	0.1375	0.1180	0.1176	0.1157	0.1186	0.1155

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

PERCOLATION/LEAKAGE THROUGH LAYER 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0032	0.0026	0.0025	0.0024	0.0029	0.0026
STD. DEVIATIONS	0.0017	0.0015	0.0015	0.0014	0.0015	0.0015

LAYER 7  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL

PERCOLATION/LEAKAGE THROUGH LAYER 7

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0017	0.0018	0.0023	0.0023	0.0021	0.0022
STD. DEVIATIONS	0.0015	0.0013	0.0015	0.0015	0.0014	0.0015

-----  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)  
 -----

DAILY AVERAGE HEAD ON TOP OF LAYER 4

AVERAGES	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	4.3373	3.9391	3.4753	3.4664	3.9920	3.6606
	3.3168	2.9147	2.9725	3.1498	3.1903	3.7111

STD. DEVIATIONS      2.3526   2.2480   2.0131   2.0460   2.0287   2.0430  
                          1.7017   1.5349   1.6913   1.3180   1.4711   1.9949

.....

-----

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS    1 THROUGH    5

-----

	INCHES	CU. FEET	PERCENT
PRECIPITATION	37.74 ( 0.555)	136996.2	100.00
RUNOFF	16.002 ( 1.9740)	58086.25	42.400
EVAPOTRANSPIRATION	19.471 ( 1.3521)	70680.94	51.593
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.41475 ( 1.17340)	8765.543	6.39838
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.02995 ( 0.01468)	108.703	0.07935
AVERAGE HEAD ON TOP OF LAYER 4	3.510 ( 1.709)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.02676 ( 0.01477)	97.135	0.07090
CHANGE IN WATER STORAGE	-0.175 ( 1.4731)	-633.67	-0.463

-----

.....

-----

PEAK DAILY VALUES FOR YEARS    1 THROUGH    5

-----

	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.218	11680.9248
DRAINAGE COLLECTED FROM LAYER 3	0.01404	50.95304
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000176	0.63763
AVERAGE HEAD ON TOP OF LAYER 4	7.445	
MAXIMUM HEAD ON TOP OF LAYER 4	9.994	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	19.6 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000136	0.49377
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4440
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

-----

FINAL WATER STORAGE AT END OF YEAR    5

-----

LAYER	(INCHES)	(VOL/VOL)
1	9.9272	0.4136
2	224.6011	0.1872
3	2.0204	0.1122
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6655	0.1109
SNOW WATER	0.000	

-----

```

*****
*****
**
**
** HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE
** HELP MODEL VERSION 3.07 (1 NOVEMBER 1997)
** DEVELOPED BY ENVIRONMENTAL LABORATORY
** USAE WATERWAYS EXPERIMENT STATION
** FOR USEPA RISK REDUCTION ENGINEERING LABORATORY
**
*****

```

```

FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES
EVAPORATIVE ZONE DEPTH = 8.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE = 2.332 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE = 4.328 INCHES
LOWER LIMIT OF EVAPORATIVE STORAGE = 0.376 INCHES
INITIAL SNOW WATER = 0.000 INCHES
INITIAL WATER IN LAYER MATERIALS = 30.156 INCHES
TOTAL INITIAL WATER = 30.156 INCHES
TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

```

EVAPOTRANSPIRATION AND WEATHER DATA

```

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4
TEMPERATURE DATA FILE: C:\HELP\DATA7.D7
SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13
EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11
SOIL AND DESIGN DATA FILE: C:\HELP\GCL3SS11.D10
OUTPUT DATA FILE: C:\HELP\GCL3SS11.OUT

```

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM PITTSBURGH PENNSYLVANIA

```

STATION LATITUDE = 40.50 DEGREES
MAXIMUM LEAF AREA INDEX = 0.00
START OF GROWING SEASON (JULIAN DATE) = 114
END OF GROWING SEASON (JULIAN DATE) = 288
EVAPORATIVE ZONE DEPTH = 8.0 INCHES
AVERAGE ANNUAL WIND SPEED = 9.20 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

```

TIME: 16:44 DATE: 1/ 3/2019

TITLE: AEP Mitchell - GCL, 10' waste, 33% slopes

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
2.86	2.40	3.58	3.28	3.54	3.30	
3.83	3.31	2.80	2.49	2.34	2.57	

```

LAYER 1
-----
TYPE 1 - VERTICAL PERCOLATION LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 120.00 INCHES
POROSITY = 0.5410 VOL/VOL
FIELD CAPACITY = 0.1870 VOL/VOL
WILTING POINT = 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.2025 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

```

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
26.70	28.80	38.50	50.10	59.70	68.10	
72.00	70.60	64.10	52.50	41.60	31.40	

```

LAYER 2
-----
TYPE 2 - LATERAL DRAINAGE LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 18.00 INCHES
POROSITY = 0.5780 VOL/VOL
FIELD CAPACITY = 0.0760 VOL/VOL
WILTING POINT = 0.0250 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.1482 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.600000005000E-10 CM/SEC
SLOPE = 33.00 PERCENT
DRAINAGE LENGTH = 900.0 FEET

```

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA AND STATION LATITUDE = 40.50 DEGREES

-----  
AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5  
-----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
	3.16	3.73	3.70	2.78	2.36	2.71
STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
	1.09	1.44	2.42	1.41	0.85	1.13

```

LAYER 3
-----
TYPE 4 - FLEXIBLE MEMBRANE LINER
MATERIAL TEXTURE NUMBER 37
THICKNESS = 0.03 INCHES
POROSITY = 0.0000 VOL/VOL
FIELD CAPACITY = 0.0000 VOL/VOL
WILTING POINT = 0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC
FML PINHOLE DENSITY = 2.00 HOLES/ACRE
FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE
FML PLACEMENT QUALITY = 3 - GOOD

```

RUNOFF						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	1.984	1.817	3.929	0.411	0.023	0.021
	0.021	0.139	0.056	0.009	0.001	0.217
STD. DEVIATIONS	1.555	0.909	2.471	0.464	0.052	0.029
	0.030	0.135	0.084	0.019	0.002	0.221

```

LAYER 4
-----
TYPE 3 - BARRIER SOIL LINER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 0.25 INCHES
POROSITY = 0.7500 VOL/VOL
FIELD CAPACITY = 0.7470 VOL/VOL
WILTING POINT = 0.4000 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

```

EVAPOTRANSPIRATION						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	0.479	0.493	0.547	2.936	2.088	2.518
	3.391	2.561	2.171	2.132	1.794	0.747
STD. DEVIATIONS	0.144	0.158	0.114	0.790	1.294	0.744
	1.237	0.633	0.787	0.904	0.149	0.274

```

LAYER 5
-----
TYPE 1 - VERTICAL PERCOLATION LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 6.00 INCHES
POROSITY = 0.4450 VOL/VOL
FIELD CAPACITY = 0.3930 VOL/VOL
WILTING POINT = 0.2770 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

```

LATERAL DRAINAGE COLLECTED FROM LAYER 2						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	0.7830	0.4321	0.3075	0.4267	0.9870	0.8399
	0.6154	0.4145	0.4642	0.7339	0.7483	0.7644
STD. DEVIATIONS	0.3433	0.2238	0.2285	0.4333	0.3398	0.2577
	0.0952	0.1113	0.1685	0.1919	0.4779	0.4494

```

LAYER 6
-----
TYPE 1 - VERTICAL PERCOLATION LAYER
MATERIAL TEXTURE NUMBER 4
THICKNESS = 6.00 INCHES
POROSITY = 0.4370 VOL/VOL
FIELD CAPACITY = 0.1050 VOL/VOL
WILTING POINT = 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.1065 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

```

PERCOLATION/LEAKAGE THROUGH LAYER 4						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	0.0016	0.0009	0.0006	0.0009	0.0020	0.0017
	0.0013	0.0009	0.0010	0.0015	0.0015	0.0016
STD. DEVIATIONS	0.0007	0.0005	0.0005	0.0009	0.0007	0.0005
	0.0002	0.0002	0.0003	0.0004	0.0010	0.0009

PERCOLATION/LEAKAGE THROUGH LAYER 6						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	0.0010	0.0015	0.0019	0.0016	0.0006	0.0008
	0.0013	0.0017	0.0015	0.0010	0.0011	0.0010
STD. DEVIATIONS	0.0007	0.0005	0.0005	0.0009	0.0004	0.0004
	0.0003	0.0003	0.0004	0.0006	0.0008	0.0008

-----  
AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)  
-----

DAILY AVERAGE HEAD ON TOP OF LAYER 3						
AVERAGES	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
	2.2456	1.3696	0.8820	1.2646	2.8307	2.4892
	1.7650	1.1887	1.3757	2.1047	2.2177	2.1924
STD. DEVIATIONS	0.9846	0.7149	0.6554	1.2842	0.9746	0.7638
	0.2729	0.3191	0.4993	0.5504	1.4163	1.2890

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
SCS RUNOFF CURVE NUMBER = 86.00

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5			
	INCHES	CU. FEET	PERCENT
PRECIPITATION	37.74 ( 0.555)	136996.2	100.00



RUNOFF	8.629	( 2.6381)	31321.67	22.863
EVAPOTRANSPIRATION	21.860	( 1.9291)	79351.94	57.923
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.51678	( 1.72446)	27285.920	19.91728
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.01553	( 0.00359)	56.362	0.04114
AVERAGE HEAD ON TOP OF LAYER 3	1.827	( 0.422)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.01501	( 0.00314)	54.481	0.03977
CHANGE IN WATER STORAGE	-0.280	( 1.7981)	-1017.81	-0.743

.....

	PEAK DAILY VALUES FOR YEARS 1 THROUGH 5	
	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.147	11424.2100
DRAINAGE COLLECTED FROM LAYER 2	0.05427	197.01524
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000113	0.41006
AVERAGE HEAD ON TOP OF LAYER 3	4.825	
MAXIMUM HEAD ON TOP OF LAYER 3	9.532	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000080	0.29139
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4714
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

LAYER	FINAL WATER STORAGE AT END OF YEAR 5	
	(INCHES)	(VOL/VOL)
1	23.4007	0.1950
2	2.1662	0.1203
3	0.0000	0.0000
4	0.1875	0.7500
5	2.3580	0.3930
6	0.6417	0.1070
SNOW WATER	0.000	

.....

\*\*\*\*\*  
 \*\*  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997)  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY  
 \*\* USAE WATERWAYS EXPERIMENT STATION  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
 \*\*  
 \*\*\*\*\*

FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 2.332 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 4.328 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 0.376 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 233.198 INCHES  
 TOTAL INITIAL WATER = 233.198 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4  
 TEMPERATURE DATA FILE: C:\HELP\DATA7.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCL3SS12.D10  
 OUTPUT DATA FILE: C:\HELP\GCL3SS12.OUT

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TIME: 16:47 DATE: 1/ 3/2019

TITLE: AEP Mitchell - GCL, 100' waste, 33% slopes

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)					
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
2.86	2.40	3.58	3.28	3.54	3.30
3.83	3.31	2.80	2.49	2.34	2.57

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 1200.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1892 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)					
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
26.70	28.80	38.50	50.10	59.70	68.10
72.00	70.60	64.10	52.50	41.60	31.40

LAYER 2  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1617 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.400000019000E-10 CM/SEC  
 SLOPE = 33.00 PERCENT  
 DRAINAGE LENGTH = 900.0 FEET

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

\*\*\*\*\*  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
	3.16	3.73	3.70	2.78	2.36	2.71
STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
	1.09	1.44	2.42	1.41	0.85	1.13

LAYER 3  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

RUNOFF						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	1.984	1.817	3.929	0.411	0.023	0.021
	0.021	0.139	0.056	0.009	0.001	0.217
STD. DEVIATIONS	1.555	0.909	2.471	0.464	0.052	0.029
	0.030	0.135	0.084	0.019	0.002	0.221

LAYER 4  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

EVAPOTRANSPIRATION						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.479	0.493	0.547	2.936	2.088	2.518
	3.391	2.561	2.171	2.132	1.794	0.747
STD. DEVIATIONS	0.144	0.158	0.114	0.790	1.294	0.744
	1.237	0.633	0.787	0.904	0.149	0.274

LAYER 5  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LATERAL DRAINAGE COLLECTED FROM LAYER 2						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.6922	0.6334	0.5907	0.4721	0.6197	0.7518
	0.7772	0.6813	0.5682	0.6243	0.5996	0.5999
STD. DEVIATIONS	0.2207	0.2805	0.3406	0.2872	0.1983	0.1578
	0.1423	0.2084	0.2180	0.2137	0.1310	0.1693

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL  
 FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1079 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

PERCOLATION/LEAKAGE THROUGH LAYER 4						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0022	0.0020	0.0018	0.0015	0.0019	0.0023
	0.0024	0.0021	0.0018	0.0019	0.0019	0.0019
STD. DEVIATIONS	0.0007	0.0009	0.0011	0.0009	0.0006	0.0005
	0.0004	0.0007	0.0007	0.0007	0.0004	0.0005

PERCOLATION/LEAKAGE THROUGH LAYER 6						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0015	0.0013	0.0018	0.0021	0.0017	0.0012
	0.0013	0.0017	0.0019	0.0018	0.0018	0.0019
STD. DEVIATIONS	0.0010	0.0011	0.0011	0.0009	0.0007	0.0005
	0.0007	0.0008	0.0008	0.0008	0.0007	0.0007

\*\*\*\*\*  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3						
	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
AVERAGES	2.9779	3.0110	2.5411	2.0986	2.6662	3.3423
	3.3435	2.9311	2.5259	2.6857	2.6657	2.5808
STD. DEVIATIONS	0.9496	1.3480	1.4652	1.2766	0.8530	0.7016
	0.6124	0.8964	0.9690	0.9196	0.5822	0.7284

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00

\*\*\*\*\*  
 AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

	INCHES	CU. FEET	PERCENT
PRECIPITATION	37.74	( 0.555)	136996.2
			100.00

RUNOFF	8.629	( 2.6381)	31321.67	22.863
EVAPOTRANSPIRATION	21.860	( 1.9291)	79351.94	57.923
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.61043	( 1.72326)	27625.873	20.16543
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.02363	( 0.00539)	85.787	0.06262
AVERAGE HEAD ON TOP OF LAYER 3	2.781	( 0.634)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.02004	( 0.00693)	72.741	0.05310
CHANGE IN WATER STORAGE	-0.379	( 2.7890)	-1376.01	-1.004

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 5

	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.147	11424.2100
DRAINAGE COLLECTED FROM LAYER 2	0.03448	125.17932
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000108	0.39054
AVERAGE HEAD ON TOP OF LAYER 3	4.599	
MAXIMUM HEAD ON TOP OF LAYER 3	9.091	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000107	0.38779
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4714
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 5

LAYER	(INCHES)	(VOL/VOL)
1	225.4732	0.1879
2	2.6186	0.1455
3	0.0000	0.0000
4	0.1875	0.7500
5	2.3580	0.3930
6	0.6652	0.1109
SNOW WATER	0.000	

.....

\*\*\*\*\*  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997)  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY  
 \*\* USAE WATERWAYS EXPERIMENT STATION  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
 \*\*  
 \*\*\*\*\*

FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 2.332 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 4.328 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 0.376 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 30.249 INCHES  
 TOTAL INITIAL WATER = 30.249 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4  
 TEMPERATURE DATA FILE: C:\HELP\DATA7.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCL4SS11.D10  
 OUTPUT DATA FILE: C:\HELP\GCL4SS11.0UT

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TIME: 16:48 DATE: 1/ 3/2019

TITLE: AEP Mitchell - GCL, 10' waste, 25% slopes

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
2.86	2.40	3.58	3.28	3.54	3.30	
3.83	3.31	2.80	2.49	2.34	2.57	

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 120.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.2025 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
26.70	28.80	38.50	50.10	59.70	68.10	
72.00	70.60	64.10	52.50	41.60	31.40	

LAYER 2  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1532 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.700000022000E-10 CM/SEC  
 SLOPE = 25.00 PERCENT  
 DRAINAGE LENGTH = 900.0 FEET

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

\*\*\*\*\*  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
	3.16	3.73	3.70	2.78	2.36	2.71
STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
	1.09	1.44	2.42	1.41	0.85	1.13

LAYER 3  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

\*\*\*\*\*  
 RUNOFF

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	1.984	1.817	3.929	0.411	0.023	0.021
	0.021	0.139	0.056	0.009	0.001	0.217
STD. DEVIATIONS	1.555	0.909	2.471	0.464	0.052	0.029
	0.030	0.135	0.084	0.019	0.002	0.221

LAYER 4  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

\*\*\*\*\*  
 EVAPOTRANSPIRATION

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.479	0.493	0.547	2.936	2.088	2.518
	3.391	2.561	2.171	2.132	1.794	0.747
STD. DEVIATIONS	0.144	0.158	0.114	0.790	1.294	0.744
	1.237	0.633	0.787	0.904	0.149	0.274

LAYER 5  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

\*\*\*\*\*  
 LATERAL DRAINAGE COLLECTED FROM LAYER 2

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.7829	0.4485	0.3263	0.4278	0.9562	0.8328
	0.6253	0.4313	0.4677	0.7214	0.7404	0.7600
STD. DEVIATIONS	0.3378	0.2241	0.2258	0.4180	0.3379	0.2586
	0.0969	0.1038	0.1611	0.1757	0.4503	0.4349

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL  
 FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1068 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

\*\*\*\*\*  
 PERCOLATION/LEAKAGE THROUGH LAYER 4

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0018	0.0010	0.0007	0.0010	0.0021	0.0019
	0.0014	0.0010	0.0010	0.0016	0.0017	0.0017
STD. DEVIATIONS	0.0008	0.0005	0.0005	0.0009	0.0008	0.0006
	0.0002	0.0002	0.0004	0.0004	0.0010	0.0010

\*\*\*\*\*  
 PERCOLATION/LEAKAGE THROUGH LAYER 6

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0010	0.0015	0.0020	0.0017	0.0007	0.0009
	0.0014	0.0018	0.0016	0.0011	0.0011	0.0011
STD. DEVIATIONS	0.0008	0.0005	0.0006	0.0010	0.0004	0.0005
	0.0004	0.0003	0.0004	0.0006	0.0008	0.0009

\*\*\*\*\*  
 DAILY AVERAGE HEAD ON TOP OF LAYER 3

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
AVERAGES	2.4342	1.5411	1.0146	1.3744	2.9730	2.6758
	1.9442	1.3410	1.5025	2.2428	2.3788	2.3631
STD. DEVIATIONS	1.0502	0.7765	0.7019	1.3430	1.0505	0.8310
	0.3014	0.3226	0.5175	0.5462	1.4469	1.3523

\*\*\*\*\*  
 GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00

\*\*\*\*\*  
 AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

	INCHES	CU. FEET	PERCENT
PRECIPITATION	37.74	( 0.555)	136996.2
			100.00

RUNOFF	8.629	( 2.6381)	31321.67	22.863
EVAPOTRANSPIRATION	21.860	( 1.9291)	79351.94	57.923
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.52055	( 1.70338)	27299.588	19.92726
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.01685	( 0.00385)	61.161	0.04464
AVERAGE HEAD ON TOP OF LAYER 3	1.982	( 0.452)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.01580	( 0.00361)	57.358	0.04187
CHANGE IN WATER STORAGE	-0.285	( 1.8385)	-1034.34	-0.755

.....

	PEAK DAILY VALUES FOR YEARS 1 THROUGH 5	
	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.147	11424.2100
DRAINAGE COLLECTED FROM LAYER 2	0.05233	189.97421
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000118	0.42893
AVERAGE HEAD ON TOP OF LAYER 3	5.044	
MAXIMUM HEAD ON TOP OF LAYER 3	9.912	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000085	0.30778
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4714
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

LAYER	FINAL WATER STORAGE AT END OF YEAR 5	
	(INCHES)	(VOL/VOL)
1	23.4007	0.1950
2	2.2322	0.1240
3	0.0000	0.0000
4	0.1875	0.7500
5	2.3580	0.3930
6	0.6459	0.1077
SNOW WATER	0.000	

.....

\*\*\*\*\*  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997)  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY  
 \*\* USAE WATERWAYS EXPERIMENT STATION  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
 \*\*  
 \*\*\*\*\*

FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 2.332 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 4.328 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 0.376 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 233.217 INCHES  
 TOTAL INITIAL WATER = 233.217 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA

PRECIPITATION DATA FILE: C:\HELP\DATA4.D4  
 TEMPERATURE DATA FILE: C:\HELP\DATA7.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\DATA13.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\DATA11.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCL4SS12.D10  
 OUTPUT DATA FILE: C:\HELP\GCL4SS12.OUT

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TIME: 16:50 DATE: 1/ 3/2019

TITLE: AEP Mitchell - GCL, 100' waste, 25% slopes

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
2.86	2.40	3.58	3.28	3.54	3.30	
3.83	3.31	2.80	2.49	2.34	2.57	

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
26.70	28.80	38.50	50.10	59.70	68.10	
72.00	70.60	64.10	52.50	41.60	31.40	

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 1200.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1892 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

LAYER 2  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1627 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999999000E-10 CM/SEC  
 SLOPE = 25.00 PERCENT  
 DRAINAGE LENGTH = 900.0 FEET

LAYER 3  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

LAYER 4  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

LAYER 5  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL  
 FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1079 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

\*\*\*\*\*  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	3.33	3.14	4.20	2.96	2.68	2.99
	3.16	3.73	3.70	2.78	2.36	2.71
STD. DEVIATIONS	0.67	1.06	0.65	0.91	1.22	0.43
	1.09	1.44	2.42	1.41	0.85	1.13

RUNOFF						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
1.984	1.817	3.929	0.411	0.023	0.021	0.021
0.021	0.139	0.056	0.009	0.001	0.217	
STD. DEVIATIONS	1.555	0.909	2.471	0.464	0.052	0.029
	0.030	0.135	0.084	0.019	0.002	0.221

EVAPOTRANSPIRATION						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
0.479	0.493	0.547	2.936	2.088	2.518	
3.391	2.561	2.171	2.132	1.794	0.747	
STD. DEVIATIONS	0.144	0.158	0.114	0.790	1.294	0.744
	1.237	0.633	0.787	0.904	0.149	0.274

LATERAL DRAINAGE COLLECTED FROM LAYER 2						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
0.6917	0.6331	0.5915	0.4735	0.6193	0.7502	
0.7761	0.6816	0.5691	0.6246	0.5999	0.6002	
STD. DEVIATIONS	0.2193	0.2788	0.3388	0.2864	0.1987	0.1584
	0.1424	0.2073	0.2172	0.2130	0.1299	0.1682

PERCOLATION/LEAKAGE THROUGH LAYER 4						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
0.0022	0.0020	0.0019	0.0015	0.0019	0.0024	
0.0024	0.0021	0.0018	0.0020	0.0019	0.0019	
STD. DEVIATIONS	0.0007	0.0009	0.0011	0.0009	0.0006	0.0005
	0.0005	0.0007	0.0007	0.0007	0.0004	0.0005

PERCOLATION/LEAKAGE THROUGH LAYER 6						
TOTALS	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
0.0015	0.0014	0.0018	0.0021	0.0017	0.0012	
0.0013	0.0017	0.0019	0.0019	0.0018	0.0019	
STD. DEVIATIONS	0.0010	0.0011	0.0011	0.0010	0.0007	0.0006
	0.0007	0.0009	0.0008	0.0008	0.0007	0.0007

\*\*\*\*\*  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3						
AVERAGES	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
3.0111	3.0451	2.5747	2.1297	2.6958	3.3744	
3.3785	2.9669	2.5599	2.7187	2.6981	2.6125	
STD. DEVIATIONS	0.9546	1.3556	1.4749	1.2884	0.8651	0.7124
	0.6200	0.9025	0.9768	0.9273	0.5842	0.7322

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00

\*\*\*\*\*  
 AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

	INCHES	CU. FEET	PERCENT
PRECIPITATION	37.74	( 0.555)	136996.2
			100.00

RUNOFF	8.629	( 2.6381)	31321.67	22.863
EVAPOTRANSPIRATION	21.860	( 1.9291)	79351.94	57.923
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.61080	( 1.72319)	27627.213	20.16641
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.02392	( 0.00545)	86.814	0.06337
AVERAGE HEAD ON TOP OF LAYER 3	2.814	( 0.641)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.02023	( 0.00706)	73.445	0.05361
CHANGE IN WATER STORAGE	-0.380	( 2.7902)	-1378.04	-1.006

.....

	PEAK DAILY VALUES FOR YEARS 1 THROUGH 5	
	(INCHES)	(CU. FT.)
PRECIPITATION	1.97	7151.100
RUNOFF	3.147	11424.2100
DRAINAGE COLLECTED FROM LAYER 2	0.03443	124.97035
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000109	0.39455
AVERAGE HEAD ON TOP OF LAYER 3	4.646	
MAXIMUM HEAD ON TOP OF LAYER 3	9.147	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000108	0.39155
SNOW WATER	4.87	17677.5410
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4714
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

LAYER	(INCHES)	(VOL/VOL)
1	225.4732	0.1879
2	2.6339	0.1463
3	0.0000	0.0000
4	0.1875	0.7500
5	2.3580	0.3930
6	0.6659	0.1110
SNOW WATER	0.000	

.....

.....  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USAE WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 \*\*  
 .....

PRECIPITATION DATA FILE: C:\HELP\FITBGH.D4  
 TEMPERATURE DATA FILE: C:\HELP\FITBGH.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\FITBGH.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\FITBGH.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCLPLF1.D10  
 OUTPUT DATA FILE: C:\HELP\GCLPLF1.0UT

TIME: 16:54 DATE: 1/ 3/2019

.....  
 TITLE: AEP Mitchell - GCL, 10' waste, 5% slopes, cap  
 .....

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 24.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 2  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 120.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1916 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

LAYER 3  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.4170 VOL/VOL  
 FIELD CAPACITY = 0.0450 VOL/VOL  
 WILTING POINT = 0.0180 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0944 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.124999997000E-02 CM/SEC  
 SLOPE = 5.00 PERCENT  
 DRAINAGE LENGTH = 60.0 FEET

LAYER 4  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

LAYER 5  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 7  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL

FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1055 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA  
 -----

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.00 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 37.626 INCHES  
 TOTAL INITIAL WATER = 37.626 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA  
 -----

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
2.86	2.40	3.58	3.28	3.54	3.30
3.83	3.31	2.80	2.49	2.34	2.57

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
26.70	28.80	38.50	50.10	59.70	68.10
72.00	70.60	64.10	52.50	41.60	31.40

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

-----  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 100  
 -----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	2.88	2.32	3.65	3.47	3.44	3.30
STD. DEVIATIONS	1.10	0.89	1.06	1.28	1.56	1.20
RUNOFF						
TOTALS	1.269	2.055	3.449	0.887	0.874	0.883
STD. DEVIATIONS	1.207	1.393	1.791	0.754	0.660	0.629
EVAPOTRANSPIRATION						
TOTALS	0.603	0.467	1.022	2.826	2.477	2.315
STD. DEVIATIONS	0.184	0.144	0.610	0.765	1.029	0.890
LATERAL DRAINAGE COLLECTED FROM LAYER 3						
TOTALS	0.2723	0.3085	0.2615	0.2424	0.3157	0.2447
STD. DEVIATIONS	0.1699	0.2352	0.2415	0.1660	0.1550	0.1363
PERCOLATION/LEAKAGE THROUGH LAYER 5						
TOTALS	0.0011	0.0012	0.0010	0.0010	0.0012	0.0010
STD. DEVIATIONS	0.0007	0.0005	0.0004	0.0003	0.0004	0.0006
PERCOLATION/LEAKAGE THROUGH LAYER 7						
TOTALS	0.0006	0.0004	0.0006	0.0007	0.0007	0.0009
STD. DEVIATIONS	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004

-----  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)  
 -----

DAILY AVERAGE HEAD ON TOP OF LAYER 4

AVERAGES	1.4910	1.8516	1.4322	1.3715	1.7286	1.3846
	0.9920	0.6842	0.5206	0.4566	0.5178	0.8397



STD. DEVIATIONS      0.9305   1.4082   1.3223   0.9392   0.8488   0.7710  
                          0.5389   0.3773   0.3339   0.3442   0.4146   0.5712

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37136 ( 1.12867)	8608.032	6.45768
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00934 ( 0.00447)	33.902	0.02543
AVERAGE HEAD ON TOP OF LAYER 4	1.106 ( 0.529)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00937 ( 0.00362)	34.012	0.02552
CHANGE IN WATER STORAGE	-0.009 ( 1.5727)	-30.97	-0.023

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03943	143.11752
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000158	0.57195
AVERAGE HEAD ON TOP OF LAYER 4	6.693	
MAXIMUM HEAD ON TOP OF LAYER 4	9.174	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	18.8 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000079	0.28500
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	22.4400	0.1870
3	1.3395	0.0744
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....



STD. DEVIATIONS      0.7811   1.1272   1.3452   1.2233   1.0324   1.0738  
                          0.9084   0.7211   0.5542   0.4762   0.4778   0.5628

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37083 ( 1.12136)	8606.123	6.45625
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.01168 ( 0.00556)	42.395	0.03180
AVERAGE HEAD ON TOP OF LAYER 4	1.380 ( 0.653)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.01174 ( 0.00448)	42.601	0.03196
CHANGE IN WATER STORAGE	-0.010 ( 1.5938)	-37.65	-0.028

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03174	115.20315
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000159	0.57556
AVERAGE HEAD ON TOP OF LAYER 4	6.734	
MAXIMUM HEAD ON TOP OF LAYER 4	9.219	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	18.8 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000098	0.35659
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	224.4000	0.1870
3	1.3880	0.0771
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....

.....  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USAE WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 \*\*  
 .....

FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1059 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA  
 -----

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 576.423 INCHES  
 TOTAL INITIAL WATER = 576.423 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

PRECIPITATION DATA FILE: C:\HELP\FITBGH.D4  
 TEMPERATURE DATA FILE: C:\HELP\FITBGH.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\FITBGH.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\FITBGH.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCLFLP3.D10  
 OUTPUT DATA FILE: C:\HELP\GCLFLP3.OUT

TIME: 17:13 DATE: 1/ 3/2019

EVAPOTRANSPIRATION AND WEATHER DATA  
 -----

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM PITTSBURGH PENNSYLVANIA  
 STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

TITLE: AEP Mitchell - GCL, 250' waste, 5% slopes, cap

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 24.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 NORMAL MEAN MONTHLY PRECIPITATION (INCHES)  
 JAN/JUL FEB/AUG MAR/SEP APR/OCT MAY/NOV JUN/DEC  
 -----  
 2.86 2.40 3.58 3.28 3.54 3.30  
 3.83 3.31 2.80 2.49 2.34 2.57

LAYER 2  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 3000.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1872 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)  
 JAN/JUL FEB/AUG MAR/SEP APR/OCT MAY/NOV JUN/DEC  
 -----  
 26.70 28.80 38.50 50.10 59.70 68.10  
 72.00 70.60 64.10 52.50 41.60 31.40

LAYER 3  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.4170 VOL/VOL  
 FIELD CAPACITY = 0.0450 VOL/VOL  
 WILTING POINT = 0.0180 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1071 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.100000005000E-02 CM/SEC  
 SLOPE = 5.00 PERCENT  
 DRAINAGE LENGTH = 60.0 FEET

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA AND STATION LATITUDE = 40.50 DEGREES

-----  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 100  
 -----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	2.88	2.32	3.65	3.47	3.44	3.30
STD. DEVIATIONS	1.10	0.89	1.06	1.28	1.56	1.20
RUNOFF						
TOTALS	1.269	2.055	3.449	0.887	0.874	0.883
STD. DEVIATIONS	1.207	1.393	1.791	0.754	0.660	0.629

LAYER 4  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
EVAPOTRANSPIRATION						
TOTALS	0.603	0.467	1.022	2.826	2.477	2.315
STD. DEVIATIONS	0.184	0.144	0.610	0.765	1.029	0.890

LAYER 5  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
LATERAL DRAINAGE COLLECTED FROM LAYER 3						
TOTALS	0.2084	0.2464	0.2560	0.2481	0.3072	0.2663
STD. DEVIATIONS	0.1132	0.1476	0.1928	0.1707	0.1500	0.1523

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PERCOLATION/LEAKAGE THROUGH LAYER 5						
TOTALS	0.0010	0.0012	0.0013	0.0012	0.0015	0.0013
STD. DEVIATIONS	0.0006	0.0007	0.0010	0.0008	0.0007	0.0008

LAYER 7  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PERCOLATION/LEAKAGE THROUGH LAYER 7						
TOTALS	0.0009	0.0006	0.0007	0.0008	0.0007	0.0008
STD. DEVIATIONS	0.0005	0.0006	0.0006	0.0005	0.0005	0.0005

-----  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)  
 -----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
DAILY AVERAGE HEAD ON TOP OF LAYER 4						
AVERAGES	1.4266	1.8497	1.7522	1.7551	2.1026	1.8836
	1.4657	1.0939	0.8432	0.7141	0.7177	0.9552

STD. DEVIATIONS      0.7747   1.1058   1.3196   1.2074   1.0267   1.0771  
                          0.9090   0.7533   0.5825   0.4909   0.4836   0.5624

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37087 ( 1.12015)	8606.268	6.45636
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.01168 ( 0.00555)	42.395	0.03180
AVERAGE HEAD ON TOP OF LAYER 4	1.380 ( 0.652)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.01174 ( 0.00451)	42.600	0.03196
CHANGE IN WATER STORAGE	-0.010 ( 1.5936)	-37.79	-0.028

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03117	113.14462
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000156	0.56507
AVERAGE HEAD ON TOP OF LAYER 4	6.614	
MAXIMUM HEAD ON TOP OF LAYER 4	9.086	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	18.7 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000099	0.35764
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	561.0000	0.1870
3	1.3884	0.0771
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....



STD. DEVIATIONS      0.6736   1.0191   0.9447   0.6589   0.6000   0.5446  
                          0.3767   0.2611   0.2332   0.2445   0.2984   0.4129

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37389 ( 1.13098)	8617.235	6.46459
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00652 ( 0.00312)	23.663	0.01775
AVERAGE HEAD ON TOP OF LAYER 4	0.773 ( 0.370)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00653 ( 0.00297)	23.694	0.01777
CHANGE IN WATER STORAGE	-0.008 ( 1.5701)	-29.85	-0.022

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.04043	146.76697
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000112	0.40726
AVERAGE HEAD ON TOP OF LAYER 4	4.793	
MAXIMUM HEAD ON TOP OF LAYER 4	9.466	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000068	0.24637
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	22.4400	0.1870
3	1.8880	0.1049
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....





STD. DEVIATIONS      0.5713   0.8262   0.9838   0.8896   0.7482   0.7793  
                          0.6568   0.5187   0.3964   0.3417   0.3461   0.4106

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37397 ( 1.12548)	8617.527	6.46481
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00838 ( 0.00399)	30.435	0.02283
AVERAGE HEAD ON TOP OF LAYER 4	0.993 ( 0.471)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00839 ( 0.00347)	30.471	0.02286
CHANGE IN WATER STORAGE	-0.010 ( 1.5949)	-36.92	-0.028

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03203	116.26259
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000114	0.41490
AVERAGE HEAD ON TOP OF LAYER 4	4.882	
MAXIMUM HEAD ON TOP OF LAYER 4	9.625	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000071	0.25935
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	224.4000	0.1870
3	1.9404	0.1078
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....

.....  
 \*\*  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USAE WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 .....

PRECIPITATION DATA FILE: C:\HELP\FITBGH.D4  
 TEMPERATURE DATA FILE: C:\HELP\FITBGH.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\FITBGH.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\FITBGH.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCL3SSF3.D10  
 OUTPUT DATA FILE: C:\HELP\GCL3SSF3.OUT

TIME: 17:25 DATE: 1/ 3/2019

.....  
 TITLE: AEP Mitchell - GCL, 250' waste, 33% slopes, cap  
 .....  
 NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 24.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 2  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 3000.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1872 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

LAYER 3  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1369 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.350000011000E-02 CM/SEC  
 SLOPE = 33.00 PERCENT  
 DRAINAGE LENGTH = 900.0 FEET

LAYER 4  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

LAYER 5  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 7  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL

FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1052 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.00 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 576.956 INCHES  
 TOTAL INITIAL WATER = 576.956 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA  
 STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 NORMAL MEAN MONTHLY PRECIPITATION (INCHES)  
 JAN/JUL FEB/AUG MAR/SEP APR/OCT MAY/NOV JUN/DEC  
 2.86 2.40 3.58 3.28 3.54 3.30  
 3.83 3.31 2.80 2.49 2.34 2.57

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)  
 JAN/JUL FEB/AUG MAR/SEP APR/OCT MAY/NOV JUN/DEC  
 26.70 28.80 38.50 50.10 59.70 68.10  
 72.00 70.60 64.10 52.50 41.60 31.40

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

.....  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 100  
 -----  

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	2.88	2.32	3.65	3.47	3.44	3.30
STD. DEVIATIONS	1.10	0.89	1.06	1.28	1.56	1.20
RUNOFF						
TOTALS	1.269	2.055	3.449	0.887	0.874	0.883
STD. DEVIATIONS	1.207	1.393	1.791	0.754	0.660	0.629
EVAPOTRANSPIRATION						
TOTALS	0.603	0.467	1.022	2.826	2.477	2.315
STD. DEVIATIONS	0.184	0.144	0.610	0.765	1.029	0.890
LATERAL DRAINAGE COLLECTED FROM LAYER 3						
TOTALS	0.2104	0.2492	0.2577	0.2495	0.3095	0.2671
STD. DEVIATIONS	0.1152	0.1506	0.1963	0.1729	0.1514	0.1539
PERCOLATION/LEAKAGE THROUGH LAYER 5						
TOTALS	0.0007	0.0009	0.0009	0.0009	0.0011	0.0009
STD. DEVIATIONS	0.0004	0.0005	0.0007	0.0006	0.0005	0.0005
PERCOLATION/LEAKAGE THROUGH LAYER 7						
TOTALS	0.0007	0.0005	0.0006	0.0006	0.0007	0.0007
STD. DEVIATIONS	0.0004	0.0004	0.0005	0.0004	0.0003	0.0004

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 4  
 -----  

AVERAGES	1.0345	1.1435	1.2672	1.2674	1.5218	1.3569
	1.0481	0.7761	0.5949	0.5036	0.5097	0.6871

STD. DEVIATIONS      0.5666   0.8104   0.9650   0.8782   0.7442   0.7820  
                          0.6573   0.5428   0.4171   0.3522   0.3501   0.4102

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37402 ( 1.12436)	8617.676	6.46492
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00838 ( 0.00399)	30.435	0.02283
AVERAGE HEAD ON TOP OF LAYER 4	0.993 ( 0.470)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00839 ( 0.00348)	30.470	0.02286
CHANGE IN WATER STORAGE	-0.010 ( 1.5948)	-37.07	-0.028

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03145	114.17583
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000112	0.40734
AVERAGE HEAD ON TOP OF LAYER 4	4.794	
MAXIMUM HEAD ON TOP OF LAYER 4	9.470	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000072	0.25997
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	561.0000	0.1870
3	1.9408	0.1078
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....

```

.....
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE
HELP MODEL VERSION 3.07 (1 NOVEMBER 1997)
DEVELOPED BY ENVIRONMENTAL LABORATORY
USAE WATERWAYS EXPERIMENT STATION
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY
.....

```

```

FIELD CAPACITY = 0.1050 VOL/VOL
WILTING POINT = 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.1051 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.17000002000E-02 CM/SEC

```

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

```

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.
SCS RUNOFF CURVE NUMBER = 86.00
FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES
EVAPORATIVE ZONE DEPTH = 8.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES
LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES
INITIAL SNOW WATER = 0.000 INCHES
INITIAL WATER IN LAYER MATERIALS = 38.111 INCHES
TOTAL INITIAL WATER = 38.111 INCHES
TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

```

```

PRECIPITATION DATA FILE: C:\HELP\FITBGH.D4
TEMPERATURE DATA FILE: C:\HELP\FITBGH.D7
SOLAR RADIATION DATA FILE: C:\HELP\FITBGH.D13
EVAPOTRANSPIRATION DATA: C:\HELP\FITBGH.D11
SOIL AND DESIGN DATA FILE: C:\HELP\GCL4SSFI.D10
OUTPUT DATA FILE: C:\HELP\GCL4SSFI.OUT

```

TIME: 17:28 DATE: 1/ 3/2019

EVAPOTRANSPIRATION AND WEATHER DATA

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM PITTSBURGH PENNSYLVANIA

```

STATION LATITUDE = 40.50 DEGREES
MAXIMUM LEAF AREA INDEX = 0.00
START OF GROWING SEASON (JULIAN DATE) = 114
END OF GROWING SEASON (JULIAN DATE) = 288
EVAPORATIVE ZONE DEPTH = 8.0 INCHES
AVERAGE ANNUAL WIND SPEED = 9.20 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

```

TITLE: AEP Mitchell - GCL, 10' waste, 25% slopes, cap

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

```

LAYER 1
-----
TYPE 1 - VERTICAL PERCOLATION LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 24.00 INCHES
POROSITY = 0.4450 VOL/VOL
FIELD CAPACITY = 0.3930 VOL/VOL
WILTING POINT = 0.2770 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

```

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
2.86	2.40	3.58	3.28	3.54	3.30	
3.83	3.31	2.80	2.49	2.34	2.57	

```

LAYER 2
-----
TYPE 1 - VERTICAL PERCOLATION LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 120.00 INCHES
POROSITY = 0.5410 VOL/VOL
FIELD CAPACITY = 0.1870 VOL/VOL
WILTING POINT = 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.1916 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

```

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)						
JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC	
26.70	28.80	38.50	50.10	59.70	68.10	
72.00	70.60	64.10	52.50	41.60	31.40	

```

LAYER 3
-----
TYPE 2 - LATERAL DRAINAGE LAYER
MATERIAL TEXTURE NUMBER 0
THICKNESS = 18.00 INCHES
POROSITY = 0.5780 VOL/VOL
FIELD CAPACITY = 0.0760 VOL/VOL
WILTING POINT = 0.0250 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.1214 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.600000005000E-02 CM/SEC
SLOPE = 25.00 PERCENT
DRAINAGE LENGTH = 900.0 FEET

```

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA AND STATION LATITUDE = 40.50 DEGREES

AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 100

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	2.88	2.32	3.65	3.47	3.44	3.30
STD. DEVIATIONS	1.10	0.89	1.06	1.28	1.56	1.20
	1.61	1.77	1.45	1.23	0.95	1.00
RUNOFF						
TOTALS	1.269	2.055	3.449	0.887	0.874	0.883
STD. DEVIATIONS	1.207	1.393	1.791	0.754	0.660	0.629
	1.037	1.103	0.836	0.582	0.411	0.661
EVAPOTRANSPIRATION						
TOTALS	0.603	0.467	1.022	2.826	2.477	2.315
STD. DEVIATIONS	0.184	0.144	0.610	0.765	1.029	0.890
	0.901	0.811	0.806	0.600	0.327	0.246
LATERAL DRAINAGE COLLECTED FROM LAYER 3						
TOTALS	0.2858	0.3209	0.2625	0.2428	0.3216	0.2423
STD. DEVIATIONS	0.1817	0.2514	0.2517	0.1670	0.1586	0.1392
	0.0986	0.0677	0.0591	0.0650	0.0776	0.1113
PERCOLATION/LEAKAGE THROUGH LAYER 5						
TOTALS	0.0007	0.0008	0.0007	0.0006	0.0008	0.0006
STD. DEVIATIONS	0.0005	0.0003	0.0002	0.0002	0.0002	0.0004
	0.0005	0.0007	0.0007	0.0004	0.0004	0.0004
	0.0003	0.0002	0.0002	0.0002	0.0002	0.0003
PERCOLATION/LEAKAGE THROUGH LAYER 7						
TOTALS	0.0005	0.0004	0.0005	0.0006	0.0007	0.0007
STD. DEVIATIONS	0.0007	0.0006	0.0004	0.0003	0.0003	0.0004
	0.0003	0.0003	0.0004	0.0004	0.0003	0.0004
	0.0005	0.0006	0.0005	0.0005	0.0004	0.0003

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

```

LAYER 4
-----
TYPE 4 - FLEXIBLE MEMBRANE LINER
MATERIAL TEXTURE NUMBER 37
THICKNESS = 0.03 INCHES
POROSITY = 0.0000 VOL/VOL
FIELD CAPACITY = 0.0000 VOL/VOL
WILTING POINT = 0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC
FML PINHOLE DENSITY = 2.00 HOLES/ACRE
FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE
FML PLACEMENT QUALITY = 3 - GOOD

```

DAILY AVERAGE HEAD ON TOP OF LAYER 4						
AVERAGES	1.0368	1.2758	0.9520	0.9100	1.1666	0.9081
	0.6289	0.4188	0.3156	0.2819	0.3355	0.5725

STD. DEVIATIONS      0.6592   0.9969   0.9128   0.6261   0.5751   0.5216  
                          0.3575   0.2457   0.2216   0.2357   0.2908   0.4037

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37398 ( 1.13170)	8617.535	6.46481
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00618 ( 0.00296)	22.446	0.01684
AVERAGE HEAD ON TOP OF LAYER 4	0.734 ( 0.351)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00619 ( 0.00284)	22.474	0.01686
CHANGE IN WATER STORAGE	-0.008 ( 1.5670)	-28.93	-0.022

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.04129	149.89175
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000109	0.39436
AVERAGE HEAD ON TOP OF LAYER 4	4.643	
MAXIMUM HEAD ON TOP OF LAYER 4	9.135	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000067	0.24473
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	22.4400	0.1870
3	1.8798	0.1044
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....



STD. DEVIATIONS      0.5673   0.8212   0.9766   0.8804   0.7390   0.7705  
                          0.6479   0.5103   0.3887   0.3358   0.3419   0.4072

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37403 ( 1.12686)	8617.722	6.46495
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00825 ( 0.00393)	29.939	0.02246
AVERAGE HEAD ON TOP OF LAYER 4	0.976 ( 0.464)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00826 ( 0.00344)	29.974	0.02249
CHANGE IN WATER STORAGE	-0.010 ( 1.5949)	-36.62	-0.027

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03216	116.75305
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000113	0.40978
AVERAGE HEAD ON TOP OF LAYER 4	4.822	
MAXIMUM HEAD ON TOP OF LAYER 4	9.482	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000071	0.25644
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	224.4000	0.1870
3	1.9374	0.1076
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....

.....  
 \*\*  
 \*\* HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE \*\*  
 \*\* HELP MODEL VERSION 3.07 (1 NOVEMBER 1997) \*\*  
 \*\* DEVELOPED BY ENVIRONMENTAL LABORATORY \*\*  
 \*\* USAE WATERWAYS EXPERIMENT STATION \*\*  
 \*\* FOR USEPA RISK REDUCTION ENGINEERING LABORATORY \*\*  
 \*\*  
 .....

PRECIPITATION DATA FILE: C:\HELP\PIBTGH.D4  
 TEMPERATURE DATA FILE: C:\HELP\PIBTGH.D7  
 SOLAR RADIATION DATA FILE: C:\HELP\PIBTGH.D13  
 EVAPOTRANSPIRATION DATA: C:\HELP\PIBTGH.D11  
 SOIL AND DESIGN DATA FILE: C:\HELP\GCL4SSF3.D10  
 OUTPUT DATA FILE: C:\HELP\GCL4SSF3.OUT

TIME: 17:37 DATE: 1/ 3/2019

.....  
 TITLE: AEP Mitchell - GCL, 250' waste, 25% slopes, cap  
 .....

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER WERE  
 COMPUTED AS NEARLY STEADY-STATE VALUES BY THE PROGRAM.

LAYER 1  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 24.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.4065 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 2  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 3000.00 INCHES  
 POROSITY = 0.5410 VOL/VOL  
 FIELD CAPACITY = 0.1870 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1872 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.130000000000E-02 CM/SEC

LAYER 3  
 -----  
 TYPE 2 - LATERAL DRAINAGE LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 18.00 INCHES  
 POROSITY = 0.5780 VOL/VOL  
 FIELD CAPACITY = 0.0760 VOL/VOL  
 WILTING POINT = 0.0250 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1363 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.449999981000E-02 CM/SEC  
 SLOPE = 25.00 PERCENT  
 DRAINAGE LENGTH = 900.0 FEET

LAYER 4  
 -----  
 TYPE 4 - FLEXIBLE MEMBRANE LINER  
 MATERIAL TEXTURE NUMBER 37  
 THICKNESS = 0.03 INCHES  
 POROSITY = 0.0000 VOL/VOL  
 FIELD CAPACITY = 0.0000 VOL/VOL  
 WILTING POINT = 0.0000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.199999999000E-10 CM/SEC  
 FML PINHOLE DENSITY = 2.00 HOLES/ACRE  
 FML INSTALLATION DEFECTS = 4.00 HOLES/ACRE  
 FML PLACEMENT QUALITY = 3 - GOOD

LAYER 5  
 -----  
 TYPE 3 - BARRIER SOIL LINER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 0.25 INCHES  
 POROSITY = 0.7500 VOL/VOL  
 FIELD CAPACITY = 0.7470 VOL/VOL  
 WILTING POINT = 0.4000 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.7500 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.499999997000E-08 CM/SEC

LAYER 6  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 0  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4450 VOL/VOL  
 FIELD CAPACITY = 0.3930 VOL/VOL  
 WILTING POINT = 0.2770 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.3930 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.999999975000E-05 CM/SEC

LAYER 7  
 -----  
 TYPE 1 - VERTICAL PERCOLATION LAYER  
 MATERIAL TEXTURE NUMBER 4  
 THICKNESS = 6.00 INCHES  
 POROSITY = 0.4370 VOL/VOL

FIELD CAPACITY = 0.1050 VOL/VOL  
 WILTING POINT = 0.0470 VOL/VOL  
 INITIAL SOIL WATER CONTENT = 0.1052 VOL/VOL  
 EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA  
 -----

NOTE: SCS RUNOFF CURVE NUMBER WAS USER-SPECIFIED.  
 SCS RUNOFF CURVE NUMBER = 86.00  
 FRACTION OF AREA ALLOWING RUNOFF = 100.0 PERCENT  
 AREA PROJECTED ON HORIZONTAL PLANE = 1.000 ACRES  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 INITIAL WATER IN EVAPORATIVE ZONE = 3.468 INCHES  
 UPPER LIMIT OF EVAPORATIVE STORAGE = 3.560 INCHES  
 LOWER LIMIT OF EVAPORATIVE STORAGE = 2.216 INCHES  
 INITIAL SNOW WATER = 0.000 INCHES  
 INITIAL WATER IN LAYER MATERIALS = 576.945 INCHES  
 TOTAL INITIAL WATER = 576.945 INCHES  
 TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

EVAPOTRANSPIRATION AND WEATHER DATA  
 -----

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
 PITTSBURGH PENNSYLVANIA

STATION LATITUDE = 40.50 DEGREES  
 MAXIMUM LEAF AREA INDEX = 0.00  
 START OF GROWING SEASON (JULIAN DATE) = 114  
 END OF GROWING SEASON (JULIAN DATE) = 288  
 EVAPORATIVE ZONE DEPTH = 8.0 INCHES  
 AVERAGE ANNUAL WIND SPEED = 9.20 MPH  
 AVERAGE 1ST QUARTER RELATIVE HUMIDITY = 67.00 %  
 AVERAGE 2ND QUARTER RELATIVE HUMIDITY = 63.00 %  
 AVERAGE 3RD QUARTER RELATIVE HUMIDITY = 71.00 %  
 AVERAGE 4TH QUARTER RELATIVE HUMIDITY = 70.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
2.86	2.40	3.58	3.28	3.54	3.30
3.83	3.31	2.80	2.49	2.34	2.57

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA

NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
26.70	28.80	38.50	50.10	59.70	68.10
72.00	70.60	64.10	52.50	41.60	31.40

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
 COEFFICIENTS FOR PITTSBURGH PENNSYLVANIA  
 AND STATION LATITUDE = 40.50 DEGREES

-----  
 AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 100  
 -----

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION						
TOTALS	2.88	2.32	3.65	3.47	3.44	3.30
	3.84	3.44	2.68	2.56	2.43	2.71
STD. DEVIATIONS	1.10	0.89	1.06	1.28	1.56	1.20
	1.61	1.77	1.45	1.23	0.95	1.00

RUNOFF

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	1.269	2.055	3.449	0.887	0.874	0.883
	1.375	1.332	0.948	0.645	0.365	0.500
STD. DEVIATIONS	1.207	1.393	1.791	0.754	0.660	0.629
	1.037	1.103	0.836	0.582	0.411	0.661

EVAPOTRANSPIRATION

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.603	0.467	1.022	2.826	2.477	2.315
	2.485	2.087	1.607	1.633	1.349	0.896
STD. DEVIATIONS	0.184	0.144	0.610	0.765	1.029	0.890
	0.901	0.811	0.806	0.600	0.327	0.246

LATERAL DRAINAGE COLLECTED FROM LAYER 3

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.2114	0.2506	0.2585	0.2500	0.3106	0.2673
	0.2125	0.1567	0.1158	0.1013	0.0996	0.1398
STD. DEVIATIONS	0.1163	0.1522	0.1981	0.1739	0.1520	0.1547
	0.1341	0.1105	0.0819	0.0715	0.0692	0.0841

PERCOLATION/LEAKAGE THROUGH LAYER 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0007	0.0009	0.0009	0.0009	0.0011	0.0009
	0.0007	0.0005	0.0004	0.0004	0.0003	0.0005
STD. DEVIATIONS	0.0004	0.0005	0.0007	0.0006	0.0005	0.0005
	0.0005	0.0004	0.0003	0.0002	0.0002	0.0003

PERCOLATION/LEAKAGE THROUGH LAYER 7

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
TOTALS	0.0007	0.0005	0.0006	0.0006	0.0007	0.0007
	0.0008	0.0008	0.0008	0.0007	0.0006	0.0007
STD. DEVIATIONS	0.0004	0.0004	0.0005	0.0004	0.0003	0.0004
	0.0004	0.0006	0.0006	0.0007	0.0006	0.0005

-----  
 AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)  
 -----

DAILY AVERAGE HEAD ON TOP OF LAYER 4

AVERAGES	1.0223	1.3289	1.2503	1.2495	1.5021	1.3358
	1.0277	0.7577	0.5790	0.4901	0.4980	0.6761



STD. DEVIATIONS      0.5625   0.8055   0.9580   0.8691   0.7351   0.7732  
                          0.6485   0.5345   0.4093   0.3460   0.3457   0.4066

.....

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 100

	INCHES	CU. FEET	PERCENT
PRECIPITATION	36.72 ( 4.356)	133299.0	100.00
RUNOFF	14.582 ( 2.9123)	52931.12	39.709
EVAPOTRANSPIRATION	19.768 ( 2.2736)	71756.85	53.831
LATERAL DRAINAGE COLLECTED FROM LAYER 3	2.37407 ( 1.12580)	8617.873	6.46507
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.00825 ( 0.00393)	29.939	0.02246
AVERAGE HEAD ON TOP OF LAYER 4	0.976 ( 0.463)		
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.00826 ( 0.00345)	29.973	0.02249
CHANGE IN WATER STORAGE	-0.010 ( 1.5948)	-36.77	-0.028

.....

.....

PEAK DAILY VALUES FOR YEARS 1 THROUGH 100

	(INCHES)	(CU. FT.)
PRECIPITATION	4.44	16117.200
RUNOFF	4.061	14741.8955
DRAINAGE COLLECTED FROM LAYER 3	0.03158	114.65276
PERCOLATION/LEAKAGE THROUGH LAYER 5	0.000111	0.40231
AVERAGE HEAD ON TOP OF LAYER 4	4.736	
MAXIMUM HEAD ON TOP OF LAYER 4	9.320	
LOCATION OF MAXIMUM HEAD IN LAYER 3 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 7	0.000071	0.25705
SNOW WATER	5.36	19474.3164
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.4442
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.2770

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
 by Bruce M. McEnroe, University of Kansas  
 ASCE Journal of Environmental Engineering  
 Vol. 119, No. 2, March 1993, pp. 262-270.

.....

FINAL WATER STORAGE AT END OF YEAR 100

LAYER	(INCHES)	(VOL/VOL)
1	9.8034	0.4085
2	561.0000	0.1870
3	1.9378	0.1077
4	0.0000	0.0000
5	0.1875	0.7500
6	2.3580	0.3930
7	0.6300	0.1050
SNOW WATER	0.015	

.....

---

**APPENDIX C**

**SUPPORTING FIGURES**

**(Select drawings taken from the Solid Waste/NPDES Permit Application for  
the Mitchell Landfill)**


---




# MITCHELL LANDFILL MARSHALL COUNTY, WEST VIRGINIA

## RUN-ON, RUN-OFF CONTROL PLAN REVISION NO. 1

SHEET INDEX	
12-30110-01-B	TITLE SHEET
12-30110-13-B	GENERAL PHASING PLAN
12-30110-15-B	LINER PLAN WITH LEACHATE COLLECTION SYSTEM
12-30110-16-A	LEACHATE COLLECTION SYSTEM LAYOUT
12-30110-18-B	TOP OF FINAL COVER PLAN
12-30110-21-B	PHASE 1 TOP OF LINER PLAN
12-30110-22-B	PHASE 1 TOP OF WASTE AND PHASE 2 TOP OF LINER
12-30110-23-B	PHASE 2 TOP OF WASTE AND PHASE 3 TOP OF LINER
12-30110-24-B	PHASE 3 TOP OF WASTE AND PHASE 4 TOP OF LINER
12-30110-25-B	PHASE 4 TOP OF WASTE
12-30110-26-B	PHASE 5 TOP OF WASTE
12-30110-27-A	WEST POND PLAN AND SECTIONS
12-30110-28-B	EAST SEDIMENT POND PLAN AND PROFILE
12-30110-40-A	SOUTHWEST DRAINAGE SWALE PLAN AND PROFILE
12-30110-41-A	SOUTHEAST DRAINAGE SWALE PLAN AND PROFILE
12-30110-43-A	EROSION AND SEDIMENTATION CONTROL DETAILS AND NOTES
12-30110-44-A	DOWNCHUTE, CATCH BASIN, AND HEADWALL DETAILS
12-30110-45-B	STORM AND DRAINAGE DETAILS
12-30110-46-B	TYPICAL PERIMETER SECTION AND LINER TERMINATION DETAILS
12-30110-47-B	LEACHATE COLLECTION AND UNDERDRAIN DETAILS
12-30110-48-B	LANDFILL LINER AND CAP DETAILS
12-30110-49-B	SEDIMENTATION POND DETAILS
12-30110-50-B	LEACHATE STORAGE POND AND SEDIMENTATION POND DETAILS
DR-1-A	SOUTH POND PLAN
DR-2-B	POND DETAILS
DR-4-A	LEACHATE STORAGE PLAN
DR-5-B	LEACHATE STORAGE POND DETAILS




STATE MAP  
N.T.S.



LOCATION MAP

SCALE: 1" = 2000'

PREPARED FOR:



APPLICANT/OWNER/OPERATOR :

OHIO POWER COMPANY  
d/b/a AMERICAN ELECTRIC POWER, INC.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215

PREPARED BY:



Civil & Environmental  
Consultants, Inc.

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.  
5899 MONTCLAIR BOULEVARD  
CINCINNATI, OHIO 45150

# DECEMBER 2019

CEC PROJECT NO. 195-858

### GENERAL NOTES

- DRAWINGS PRESENTED IN THIS RUN-ON, RUN-OFF CONTROL PLAN WERE SELECTED FROM THE EXISTING PERMIT DRAWING SET ASSOCIATED ORIGINALLY SUBMITTED IN APRIL 2012 AND AMENDED WITH DESIGN REVISIONS IN JANUARY 2013. WITH THE EXCEPTION OF THIS TITLE SHEET, AND DRAWINGS DENOTED AS REVISION NO. 1, THESE DRAWINGS REMAIN UNCHANGED FROM THEIR ORIGINAL FORM.
- THESE DRAWINGS WILL BE REVISED/REPLACED AS-NEEDED DURING PERIODIC REVIEWS OF THE RUN-ON, RUN-OFF CONTROL PLAN.

DATE	NO.	DESCRIPTION	APP'D.
01/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN	APA
04/16/21	A	REVISION 1	APA
		ISSUED FOR PERMIT	

### REVISIONS

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
MITCHELL PLANT  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL  
TITLE SHEET

DWG NO: 12-30110-01-B

CIVIL ENGINEERING




Civil & Environmental Consultants, Inc.  
5899 Montclair Blvd. - Cincinnati, OH 45150  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.CECINC.COM

DRAWN BY: JHG CHECKED BY: TDM APPROVED BY: \*APA  
DATE: DECEMBER 2019 DWG SCALE: AS NOTED PROJECT NO: 195-858

I:\30110\Drawings\195-858-0000\Drawings\195-858-0000.dwg (User: JHG) 12/17/2019 10:32 AM  
 12-30110-01-B (User: JHG) 12/17/2019 10:32 AM  
 12-30110-01-B (User: JHG) 12/17/2019 10:32 AM





**LEGEND**

- FACILITY BOUNDARY (AEP OWNED)
- EXISTING RIGHT-OF-WAY
- EXISTING EASEMENT
- 580- EXISTING CONTOURS
- EXISTING STREAM
- G --- EXISTING GAS PIPELINE
- OH-E --- EXISTING OVERHEAD ELECTRICAL POWER LINES
- --- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STRUCTURE
- EXISTING OCCUPIED DWELLING
- LIMITS OF DISTURBANCE
- LIMITS OF WASTE
- PROPOSED HAUL ROAD
- LIMITS OF PHASE 1 DEVELOPMENT
- LIMITS OF PHASE 2 DEVELOPMENT
- LIMITS OF PHASE 3 DEVELOPMENT
- LIMITS OF PHASE 4 DEVELOPMENT
- LIMITS OF PHASE 5 DEVELOPMENT (TO BE LOCATED ABOVE PHASES 1 THRU 4)

**NOTES:**

1. THE HAUL ROAD AND DITCH LINES ARE SHOWN TO REFERENCE THE PROPOSED PHASE LINES TO EXISTING CONDITIONS.
2. FOR STOCKPILE LOCATIONS SEE DRAWING 12-3011-042. STOCKPILES TO BE PHASED AS NECESSARY.
3. THE HAUL ROADS AS DEPICTED ON THESE DRAWINGS PROVIDE TWO-WAY TRAFFIC FOR VEHICLES OPERATING ON THE MITCHELL LANDFILL SITE. THE OWNER MAY CHOOSE TO CONSTRUCT ROAD BASE AND PAVEMENT FOR A SINGLE LANE OF ON-SITE TRAFFIC WITH APPROPRIATE PULL-OFFS TO FACILITATE TWO-WAY VEHICLE FLOW.

DATE	NO.	DESCRIPTION	BY
01/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/12	A	ISSUED FOR PERMIT	APA


"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
**MITCHELL PLANT**  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL

**GENERAL PHASING PLAN**

DWG NO: 12-30110-13-B

SCALE: 1"=200'  
CIVIL ENGINEERING



**NORTH**

SCALE IN FEET  
0 200 400  
CONTOUR INTERVAL = 10 FEET



**C&E**  
**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.C&E.CONS.COM

DRAWN BY: DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

AEP SERVICE CORP.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215

1:18m-cad/parametric/2012/12-30110-13-B.dwg (12-30110-13-B.dwg) - 12/17/2010 8:15 AM






NOTES:

1. THIS DRAWING DEPICTS THE LINER AND LEACHATE COLLECTION SYSTEM ACROSS THE ENTIRE LANDFILL FOOTPRINT. REFER TO PHASE DRAWINGS FOR SEQUENCING AND CONSTRUCTION DETAILS.
2. REFER TO DRAWING 12-30110-16 FOR THE NUMBER OF LEACHATE COLLECTION PIPES BETWEEN CHIMNEY DRAINS AND THE LEACHATE COLLECTION PIPE SIZES.
3. ALL LEACHATE THAT DRAINS FROM THE MITCHELL LANDFILL WILL BE DIRECTED TO THE LEACHATE LIFT STATION AT THE SOUTH END OF THE LANDFILL. THE LIFT STATION WILL BE EQUIPPED WITH A PUMP SYSTEM AND ASSOCIATED PIPING TO CONVEY LEACHATE TO THE LEACHATE STORAGE POND. DETAILED DESIGN OF THE LIFT STATION, PUMPS, PUMP CONTROLS, AND DISCHARGE PIPELINE WILL BE COMPLETED BY OTHERS.
4. THE CHIMNEY DRAINS WILL BE LOCATED ABOVE DESIGNATED LEACHATE COLLECTION PIPES AND WILL BE CONSTRUCTED VERTICALLY FROM THE LINER TO THE ULTIMATE TOP OF WASTE ELEVATION. PROTECTION OF TEMPORARILY ABANDONED CHIMNEY DRAINS WILL BE REQUIRED TO FACILITATE USE AND EXTENSION OF THE CHIMNEY DRAINS IN SUBSEQUENT PHASES.
5. TEMPORARY PROTECTION TO BE PROVIDED OVER CHIMNEY DRAINS PRIOR TO PLACEMENT OF ANY TEMPORARY COVER SOIL.

LEGEND

- FACILITY BOUNDARY (AEP OWNED)
- - - EXISTING RIGHT-OF-WAY
- - - EXISTING EASEMENT
- 580 --- EXISTING CONTOURS
- 580 --- EXISTING STREAM
- G --- EXISTING GAS PIPELINE
- OH-E --- EXISTING OVERHEAD ELECTRICAL POWER LINES
- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STRUCTURE
- EXISTING OCCUPIED DWELLING
- - - LIMITS OF DISTURBANCE
- 580 --- LIMITS OF WASTE
- 580 --- PROPOSED CONTOUR
- 580 --- PREVIOUSLY CONSTRUCTED CONTOUR
- PERIMETER DRAINAGE SWALE
- SCRN --- SCREENING
- PROPOSED WATER SURFACE
- PROPOSED HAUL ROAD
- CD1-1 CHIMNEY DRAIN AND NUMBER
- CD1-1 CHIMNEY DRAIN AND NUMBER PREVIOUSLY BUILT
- LCP --- LEACHATE COLLECTION PIPE
- C/O --- CLEANOUT
- FM --- PROPOSED LEACHATE FORCE MAIN



NORTH

SCALE IN FEET  
0 200 400  
CONTOUR INTERVAL = 10 FEET

Civil & Environmental Consultants, Inc.  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.CECINC.COM

DRAWN BY: DAR CHECKED BY: JSF APPROVED BY: \*APA  
DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

9/07/2010	B	RUN-ON, RUN-OFF CONTROL PLAN	APA
04/16/12	A	REVISION 1	APA
DATE	NO.	ISSUED FOR PERMIT	APR
REVISIONS			

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"


OHIO POWER COMPANY  
MITCHELL PLANT  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL  
LINER PLAN  
WITH LEACHATE  
COLLECTION SYSTEM

DWG NO: 12-30110-15-B  
SCALE: 1"=200'  
CIVIL ENGINEERING

AEP SERVICE CORP.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215  
AEP ELECTRIC POWER

1:15m-civil/permits/12/15/12/12-30110-15-B.dwg (12-30110-15-B.dwg) - 12/15/2012 2:16 PM





### LEGEND

- LIMITS OF WASTE
- CD1-1 CHIMNEY DRAIN AND NUMBER
- LCP LEACHATE COLLECTION PIPE
- CLEANOUT
- FM PROPOSED LEACHATE FORCE MAIN

### NOTES:

1. MINIMUM LINER SLOPES SHALL BE 2% AND MAXIMUM LINER SLOPES SHALL BE 33.33% (3H:1V)
2. FOR LEACHATE COLLECTION SYSTEM AND LINER SYSTEM DETAILS, SEE DRAWINGS 12-30110-46 AND 12-30110-47.
3. LEACHATE COLLECTION SYSTEM PIPES ARE TO BE LAID AT A 2% MINIMUM SLOPE.



SCALE IN FEET  
0 200 400



**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.CECINC.COM

DRAWN BY: [ ] CHECKED BY: [ ] JSF APPROVED BY: [ ] \*APA  
DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

04/16/12	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APPROVED BY
<b>REVISIONS</b>			
<p>"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP. OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"</p>			
OHIO POWER COMPANY			
<b>MITCHELL PLANT</b>			
MARSHALL COUNTY WEST VIRGINIA MITCHELL LANDFILL			
<b>LEACHATE COLLECTION SYSTEM LAYOUT</b>			
DWG NO: 12-30110-16-A			
SCALE: 1"=200'			
CIVIL ENGINEERING			
DR: [ ]	CH: [ ]	SUP: [ ]	ENG: [ ]
DATE: [ ]	APPROVED BY: [ ]	[ ]	
AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215		AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215	

13:50:00 (Project) 12/19/11 1:05:48 PM (User) 1:05:48 PM (Date) 12-30110-16-A.dwg (12-30110-16-A.dwg) - 17/03/2012 8:52 AM















COMPONENT DETAIL  
N.T.S.

LEGEND

- FACILITY BOUNDARY (AEP OWNED)
- - - EXISTING RIGHT-OF-WAY
- - - EXISTING EASEMENT
- 580' EXISTING CONTOURS
- EXISTING STREAM
- G EXISTING GAS PIPELINE
- OH-E EXISTING OVERHEAD ELECTRICAL POWER LINES
- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STRUCTURE
- EXISTING OCCUPIED DWELLING
- - - LIMITS OF DISTURBANCE
- - - LIMITS OF WASTE
- 580' PROPOSED CONSTRUCTION PHASELINE
- 580' PROPOSED CONTOUR
- 580' PREVIOUSLY CONSTRUCTED CONTOUR
- PERIMETER DRAINAGE SWALE
- SCRN SCREENING
- PROPOSED WATER SURFACE
- PROPOSED HAUL ROAD
- CD1-1 CHIMNEY DRAIN AND NUMBER
- CD1-1 CHIMNEY DRAIN AND NUMBER PREVIOUSLY BUILT
- LCP LEACHATE COLLECTION PIPE
- CLEANOUT
- F M PROPOSED LEACHATE FORCE MAIN

NOTES:

1. SEE DRAWING 12-30110-16 FOR LEACHATE PIPING OVERALL LAYOUT, PIPE QUANTITIES AND PIPE SIZE INFORMATION.
2. SCREENING SHALL BE PROVIDED BY NATURAL OBJECTS, PLANTINGS, FENCES OR OTHER APPROPRIATE MEANS SO THAT THE LANDFILL IS NOT READILY VISIBLE FROM GATTS RIDGE ROAD.
3. HILLSIDE EXCAVATIONS WILL BE TYPICALLY IN ROCK WITH SOME SOIL EXCAVATION. EXCAVATIONS IN SOIL SHALL BE AT A MAXIMUM 2H:1V. EXCAVATION IN ROCK SHALL BE AT A MAXIMUM 1H:2V. BEFOREWORK ON ROCK QUALITY AND CONDITION, THE STEEPNESS OF ROCK CUTS SHALL BE DETERMINED IN THE FIELD BY A QUALIFIED GEOTECHNICAL ENGINEER. FOR LAYOUT PURPOSES, HILLSIDE CUTS ARE SHOWN AS 1H:1V.
4. TEMPORARY PROTECTION TO BE PROVIDED OVER CHIMNEY DRAINS PRIOR TO PLACEMENT OF ANY TEMPORARY COVER SOIL.
5. ALL PIPE WITHIN ACTIVE PHASE WILL BE PERFORATED AND PIPE BEYOND THE CONTAINMENT BERM WILL BE DUAL CONTAINED. SEE DETAILS ON 12-30110-47.
6. THE HAUL ROADS AS DEPICTED ON THESE DRAWINGS PROVIDE TWO-WAY TRAFFIC FOR VEHICLES OPERATING ON THE MITCHELL LANDFILL SITE. THE OWNER MAY CHOOSE TO CONSTRUCT ROAD BASE AND PAVEMENT FOR A SINGLE LANE OF ON-SITE TRAFFIC WITH APPROPRIATE PULL-OFFS TO FACILITATE TWO-WAY VEHICLE FLOW. CONSTRUCTION OF THE SINGLE LANE ROADWAY WILL CORRESPONDINGLY REDUCE THE LIMITS OF EXCAVATION.



NORTH  
SCALE IN FEET  
0 200 400  
CONTOUR INTERVAL = 10 FEET

**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.559.5614 Fax: 513.985.0228  
WWW.CECINC.COM

DATE	NO.	DESCRIPTION	BY
01/07/2012	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/2012	A	ISSUED FOR PERMIT	APA

THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP. OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST.

OHIO POWER COMPANY  
**MITCHELL PLANT**  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL  
**PHASE 1 TOP OF WASTE  
PHASE 2 TOP OF LINER**

DWG NO: 12-30110-22-B  
SCALE: 1"=200'  
CIVIL ENGINEERING

DRAWN BY:	DAR	CHECKED BY:	JSF	APPROVED BY:	APA
DATE:	APRIL 2012	DWG SCALE:	AS NOTED	PROJECT NO.:	110-416

AEP SERVICE CORP.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215

1358-civil-engineering-12-30110-22-B.dwg (12-30110-22-B.dwg) - 12/17/2010 10:39 AM
















**NOTE:**  
 1. THE LEACHATE COLLECTION SYSTEM IN THE BASE LINER DESIGN FOR PHASES 3 AND 4 HAS BEEN MODIFIED BY REPLACING THE DRAINAGE GEOTEXTILE WITH A NON-WOVEN GEOTEXTILE AND UTILIZING BOTTOM ASH AS THE LEACHATE COLLECTION LAYER AND PROTECTIVE COVER. PER DETAILS 1/224 AND 2/224. THESE CHANGES HAVE NOT BEEN SPECIFICALLY MADE NOR DEPICTED THROUGHOUT THIS PLAN SET, THEREFORE AEP AND THE CONTRACTOR SHALL BE RESPONSIBLE TO APPLY THESE CHANGES TO OTHER DETAILS WITHIN THE PHASE 3 AND 4 LINER AREAS AS APPLICABLE.

**LEGEND**

---	FACILITY BOUNDARY (AEP OWNED)
---	EXISTING RIGHT-OF-WAY
---	EXISTING EASEMENT
---	EXISTING CONTOURS
---	EXISTING STREAM
---	EXISTING GAS PIPELINE
OH-E	EXISTING OVERHEAD ELECTRICAL POWER LINES
●	EXISTING ELECTRICAL POLE AND TOWER
---	EXISTING VEGETATION
---	EXISTING ROADS
---	EXISTING STRUCTURE
---	EXISTING OCCUPIED DWELLING
---	LIMITS OF DISTURBANCE
---	LIMITS OF WASTE
---	PROPOSED CONSTRUCTION PHASELINE
---	PROPOSED CONTOUR
---	PREVIOUSLY CONSTRUCTED CONTOUR
---	PERIMETER DRAINAGE SWALE
---	SCREENING
---	PROPOSED WATER SURFACE
---	PROPOSED HAUL ROAD
---	PROPOSED LEACHATE FORCE MAIN

**NOTES:**

- SCREENING SHALL BE PROVIDED BY NATURAL OBJECTS, PLANTINGS, FENCES OR OTHER APPROPRIATE MEANS SO THAT THE LANDFILL IS NOT READILY VISIBLE FROM GATTS RIDGE ROAD.
- HILLSIDE EXCAVATIONS WILL BE TYPICALLY IN ROCK WITH SOME SOIL EXCAVATION. EXCAVATIONS IN SOIL SHALL BE AT A MAXIMUM 20:1. EXCAVATION IN ROCK SHALL BE AT A MAXIMUM 15:1. DEPENDING ON ROCK QUALITY AND CONDITION, THE STEEPNESS OF ROCK CUTS SHALL BE DETERMINED IN THE FIELD BY A QUALIFIED GEOTECHNICAL ENGINEER. FOR LAYOUT PURPOSES, HILLSIDE CUTS ARE SHOWN AS 15:1.
- THE HAUL ROADS AS DEPICTED ON THESE DRAWINGS PROVIDE TWO-WAY TRAFFIC FOR VEHICLES OPERATING ON THE MITCHELL LANDFILL SITE. THE OWNER MAY CHOOSE TO CONSTRUCT ROAD BASE AND PAVEMENT FOR A SINGLE LANE OF ONE-WAY TRAFFIC WITH APPROPRIATE PULL-OFFS TO FACILITATE TWO-WAY VEHICLE FLOW. CONSTRUCTION OF THE SINGLE LANE ROADWAY WILL CORRESPONDINGLY REDUCE THE LIMITS OF EXCAVATION.
- DOWNSLOPE LOCATIONS SHOWN FOR INFORMATIONAL PURPOSES ONLY. DOWNSLOPES TO BE CONSTRUCTED WITHIN THE FINAL CAP SYSTEM.



**Civil & Environmental Consultants, Inc.**  
 4274 Glendale-Milford Road - Cincinnati, OH 45242  
 Ph: 513.985.0226 - 800.759.5614 - Fax: 513.985.0228  
 WWW.CECINC.COM

DRAWN BY: DAR CHECKED BY: JSF APPROVED BY: \*APA  
 DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

DATE	NO.	DESCRIPTION	BY
01/07/2012	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/12	A	ISSUED FOR PERMIT	APA

**REVISIONS**

\*THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST\*

OHIO POWER COMPANY  
**MITCHELL PLANT**  
 MARSHALL COUNTY WEST VIRGINIA  
 MITCHELL LANDFILL  
**PHASE 4  
 TOP OF WASTE**

DWG NO: 12-30110-25-B  
 SCALE: 1"=200'  
 CIVIL ENGINEERING

**AEP AMERICAN ELECTRIC POWER**


AEP SERVICE CORP.  
 1 RIVERSIDE PLAZA  
 COLUMBUS, OH 43215

1:18m-civil/permits/12/12/12/12-30110-25-B.dwg (12-30110-25-B.dwg) - 12/12/2012 10:42 AM  
 1050506











WEST POND		
NAME	VOLUME (CU FT)	ELEVATION (FT)
SEDIMENTATION	64,580	1195.10
CLEANOUT	38,748	1193.93
2-YEAR RUNOFF	218,805	1201.67
PRINCIPAL SPILLWAY	283,385	1201.67
10-YEAR RUNOFF	238,122	1202.06
EMERGENCY SPILLWAY		1202.67
25-YEAR RUNOFF	260,747	1202.53
100-YEAR RUNOFF	277,832	1202.89
TOP OF BERM*	347,395	1204.00

\* TOTAL VOLUME OF POND INCLUDING SEDIMENT AND STORMWATER STORAGE.



**LEGEND**

- FACILITY BOUNDARY (AEP OWNED)
- - - EXISTING RIGHT-OF-WAY
- - - EXISTING EASEMENT
- - - EXISTING CONTOURS
- - - EXISTING STREAM
- - - EXISTING GAS PIPELINE
- - - EXISTING OVERHEAD ELECTRICAL POWER LINES
- - - EXISTING ELECTRICAL POLE AND TOWER
- - - EXISTING VEGETATION
- - - EXISTING ROADS
- - - EXISTING STRUCTURE
- - - EXISTING OCCUPIED DWELLING
- - - LIMITS OF DISTURBANCE
- - - LIMITS OF WASTE
- - - PROPOSED CONTOUR
- - - PREVIOUSLY CONSTRUCTED CONTOUR
- - - PERIMETER DRAINAGE SWALE
- - - SCREENING
- - - PROPOSED WATER SURFACE
- - - PROPOSED HAUL ROAD
- - - PROPOSED RIP RAP
- - - PROPOSED ROCK CHECK DAM
- - - CROSS SECTION LOCATION IDENTIFIER AND DRAWING NUMBER
- - - PROPOSED STORM FEATURE NAME
- - - STAFF GAUGE



**NOTES:**


- SEE DRAWING 12-30110-45 FOR STORM AND DRAINAGE DETAILS.
- SEE DRAWING 12-30110-49 FOR POND DETAILS.
- ADD 1'-FT OF MARKER STONE ON BOTTOM AND SIDE SLOPES OF POND. GRADING SHOWN IN THE POND REPRESENTS THE TOP OF THE MARKER STONE. OVER-EXCAVATION WILL BE NECESSARY IN POND TO INSTALL ANY LINER SYSTEM THAT MAY BE REQUIRED AND THE MARKER STONE (SEE DETAIL 3/49).
- THIS POND IS LOCATED MAINLY IN A CUT CONDITION. A LINER MAY OR MAY NOT BE NECESSARY. THE NEED FOR A LINER SYSTEM AND THE COMPONENTS OF THE LINER SYSTEM WILL BE DETERMINED IN THE FIELD BY THE ENGINEER AFTER EXCAVATION OF THE POND HAS BEEN COMPLETED.
- THE HAUL ROADS AS DEPICTED ON THESE DRAWINGS PROVIDE TWO-WAY TRAFFIC FOR VEHICLES OPERATING ON THE MITCHELL LANDFILL SITE. THE OWNER MAY CHOOSE TO CONSTRUCT ROAD BASE AND PAVEMENT FOR A SINGLE LANE OF ON-SITE TRAFFIC WITH APPROPRIATE PULL-OFFS TO FACILITATE TWO-WAY VEHICLE FLOW. CONSTRUCTION OF THE SINGLE LANE ROADWAY WILL CORRESPONDINGLY REDUCE THE LIMITS OF EXCAVATION.



04/16/12	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APP'D
<b>REVISIONS</b>			
<p>THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST.</p>			
<p>OHIO POWER COMPANY <b>MITCHELL PLANT</b> MARSHALL COUNTY WEST VIRGINIA MITCHELL LANDFILL <b>WEST POND PLAN AND SECTIONS</b></p>			
<p>DWG NO: 12-30110-27-A</p>			
SCALE: 1"=50'		CIVIL ENGINEERING	
DRAWN BY: [Signature]		APPROVED BY: [Signature]	
DATE: APRIL 2012		PROJECT NO: 110-416	
<p><b>Civil &amp; Environmental Consultants, Inc.</b> 4274 Glendale-Milford Road - Cincinnati, OH 45242 Ph: 513.985.0226 - 800.759.5614 - Fax: 513.985.0228 WWW.CECINC.COM</p>			
DAR CHECKED BY: [Signature]		JSP APPROVED BY: [Signature]	
DATE: APRIL 2012		AS NOTED PROJECT NO: 110-416	
DRAWN BY: [Signature]		AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215	

1:18m-civil-engineering-12-30110-27-A.dwg (12-30110-27-A.dwg) - 12/17/2010 8:44 AM  
 1:18m-civil-engineering-12-30110-27-A.dwg (12-30110-27-A.dwg) - 12/17/2010 8:44 AM





**LEGEND**

- FACILITY BOUNDARY / PROPERTY LINE
- EXISTING RIGHT-OF-WAY
- EXISTING EASEMENT
- EXISTING CONTOURS
- EXISTING STREAM
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STABILIZED CHANNEL
- EXISTING STRUCTURE
- PERMANENT BENCHMARK
- EXISTING GAS PIPELINE
- EXISTING OVERHEAD ELECTRICAL POWER LINES
- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING HAUL ROAD
- TEST PIT LOCATION
- EXISTING LIMITS OF DISTURBANCE
- PROPOSED LIMITS OF DISTURBANCE
- PERMITTED LIMITS OF DISTURBANCE
- PROPOSED CONTOUR
- PROPOSED IN-STREAM SEDIMENT BARRIER
- PROPOSED EMERGENCY SPILLWAY
- PROPOSED ACCESS ROAD
- PROPOSED STOCKPILE LOCATION
- PROPOSED CATCH BASIN
- PROPOSED RISER
- PROPOSED STORM SEWER
- PROPOSED HEADWALL
- PROPOSED STABILIZED CHANNEL
- PROPOSED UNDERDRAIN
- PROPOSED STORM STRUCTURE NUMBER
- STAFF GAUGE
- CLEANOUT STAKE
- SPOT ELEVATION
- CROSS SECTION LOCATION IDENTIFIER AND DRAWING NUMBER
- PROPOSED POND LINER LIMITS
- PROPOSED RIP RAP APRON
- PROPOSED GAS PIPELINE
- PROPOSED SAFETY BERM

EAST POND FOREBAY DESIGN DETAILS		
NAME	STORAGE VOLUME (CU FT)	ELEVATION (FT)
SEDIMENTATION	16,434	1127.00
CLEANOUT	9,860	1125.63

EAST POND DESIGN DETAILS		
NAME	STORAGE VOLUME (CU FT)	ELEVATION (FT)
SEDIMENTATION	101,071	1109.59
CLEANOUT	60,642	1107.12
2-YEAR RUNOFF	194,687	1116.54
PRINCIPAL SPILLWAY	295,758	1117.03
10-YEAR RUNOFF	214,373	1117.49
EMERGENCY SPILLWAY	270,215	1119.00
25-YEAR RUNOFF	231,608	1117.98
100-YEAR RUNOFF	260,601	1118.75
TOP OF BERM*	310,559	1120.00


\* TOTAL VOLUME OF POND INCLUDING SEDIMENT AND STORMWATER STORAGE.

**NOTES:**


- SEE DRAWINGS 12-30111-264 AND 12-30111-265 FOR STORM AND DRAINAGE DETAILS.
- SEE DRAWING 12-30111-258 FOR EAST POND DETAILS.
- CONTRACTOR TO COORDINATE DESIRED MARKINGS AND EXACT LOCATION OF THE STAFF GAUGE WITH THE OWNER PRIOR TO INSTALLATION.
- EAST POND TO BE CLEANED OUT WHEN THE SEDIMENT LOAD REACHES ELEVATION 1107.12 AND EAST POND FOREBAY TO BE CLEANED OUT WHEN THE SEDIMENT LOAD REACHES ELEVATION 1125.63.
- ALL MANHOLE STRUCTURES SHALL BE BACKFILLED WITH NO. 57 DRAINAGE AGGREGATE EXTENDING A MINIMUM 2 FEET LATERALLY FROM THE OUTSIDE OF THE MANHOLE UNLESS OTHERWISE SPECIFIED.
- ALL EMBANKMENT FILLS MUST BE PROPERLY BENCHED INTO EXISTING SLOPES PER SPECIFICATION CE-006 AND DETAIL 03/266.
- STORM PIPE BEDDING AND BACKFILL SHALL BE CONSTRUCTED PER DETAIL 06/264 UNLESS OTHERWISE SPECIFIED.




0 50 100  
CONTOUR INTERVAL = 5 FEET




**SECTION A-A'**  
SCALE: H:1"=50'; V:1"=50'



**SECTION B-B'**  
SCALE: H:1"=50'; V:1"=50'



**SECTION C-C'**  
SCALE: H:1"=50'; V:1"=50'



DATE	NO.	DESCRIPTION	BY
01/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/21	A	ISSUED FOR PERMIT	APA

OHIO POWER COMPANY  
MITCHELL PLANT  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL

**EAST SEDIMENT POND PLAN AND PROFILE**

DWG NO: 12-30110-28-B  
CIVIL ENGINEERING

**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 - 800.759.5614 - Fax: 513.985.0228  
WWW.CECINC.COM

DRAWN BY: DAR CHECKED BY: JSF APPROVED BY: \*APA  
DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

**AEP SERVICE CORP.**  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215










**LEGEND**

- FACILITY BOUNDARY (AEP OWNED)
- EXISTING RIGHT-OF-WAY
- EXISTING EASEMENT
- EXISTING CONTOURS
- EXISTING STREAM
- EXISTING GAS PIPELINE
- OH-E EXISTING OVERHEAD ELECTRICAL POWER LINES
- EXISTING ELECTRICAL POLE AND TOWER
- EXISTING VEGETATION
- EXISTING ROADS
- EXISTING STRUCTURE
- EXISTING OCCUPIED DWELLING
- LIMITS OF DISTURBANCE
- LIMITS OF WASTE
- PROPOSED CONTOUR
- PREVIOUSLY CONSTRUCTED CONTOUR
- PERIMETER DRAINAGE SWALE
- PROPOSED WATER SURFACE
- PROPOSED HAUL ROAD
- PROPOSED RIP RAP
- PROPOSED ROCK CHECK DAM
- F.M. PROPOSED LEACHATE FORCE MAIN

**NOTES:**

1. SEE DRAWING 12-30110-45 FOR STORM AND DRAINAGE DETAILS.
2. SEE DRAWING 12-30110-50 FOR POND DETAILS.
3. HILLSIDE EXCAVATIONS WILL BE TYPICALLY IN ROCK WITH SOME SOIL EXCAVATION. EXCAVATIONS IN SOIL SHALL BE AT A MAXIMUM 20:1V. EXCAVATION IN ROCK SHALL BE AT A MAXIMUM 14:1V, DEPENDING ON ROCK QUALITY AND CONDITION. THE STEEPNESS OF ROCK CUTS SHALL BE DETERMINED IN THE FIELD BY A QUALIFIED GEOTECHNICAL ENGINEER. FOR LAYOUT PURPOSES, HILLSIDE CUTS ARE SHOWN AS 14:1V.
4. THE HAUL ROADS AS DEPICTED ON THESE DRAWINGS PROVIDE TWO-WAY TRAFFIC FOR VEHICLES OPERATING ON THE MITCHELL LANDFILL SITE. THE OWNER MAY CHOOSE TO CONSTRUCT ROAD BASE AND PAVEMENT FOR A SINGLE LANE OF ON-SITE TRAFFIC WITH APPROPRIATE PULL-OFFS TO FACILITATE TWO-WAY VEHICLE FLOW. CONSTRUCTION OF THE SINGLE LANE ROADWAY WILL CORRESPONDINGLY REDUCE THE LIMITS OF EXCAVATION.



04/16/12	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APP'D
<b>REVISIONS</b>			
*THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST*			
OHIO POWER COMPANY <b>MITCHELL PLANT</b> MARSHALL COUNTY WEST VIRGINIA MITCHELL LANDFILL <b>SOUTHEAST DRAINAGE SWALE PLAN AND PROFILE</b>			
DWG NO: 12-30110-41-A SCALE: 1"=50' CIVIL ENGINEERING			
DRAWN BY: _____ DATE: _____		CHECKED BY: _____ DATE: _____	
DAR: _____ APRIL 2012 DWG SCALE: _____		JSF: _____ AS NOTED PROJECT NO: 110-416	
Civil & Environmental Consultants, Inc. 4274 Glendale-Milford Road - Cincinnati, OH 45242 Ph: 513.985.0226 - 800.759.5614 - Fax: 513.985.0228 WWW.CECINC.COM		AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215	

1380-cad/plan/plot/12-30110-41-A.dwg (12-30110-41-A.dwg) 12/12/2011 9:45 AM


A B C D E F G H J K L M N

1 2 3 4 5 6 7

CM 1 2 3 D+ 5 6 7


16 INCH 4 F 12 16 G TENTHS 10 H 20 30 J INCHES 1 K 2 3 L M N





**NOTE:**  
 1. ROCK CHECK DAMS TO BE CONSTRUCTED IN ACCORDANCE WITH THE WEST VIRGINIA EROSION AND SEDIMENT CONTROL BMP MANUAL.  
 2. KEY STONE INTO CHANNEL BANKS AND EXTEND IT BEYOND THE ABUTMENTS A MINIMUM OF 18" TO PREVENT FLOW AROUND DAM.

**VIEW LOOKING UPSTREAM**




**SECTION**

**NOTE:**  
 SEDIMENT MUST BE REMOVED WHEN ACCUMULATIONS REACH 1/3 THE HEIGHT OF THE OUTLET.


**ROCK CHECK DAM**

N.T.S.



**PLAN VIEW**

SEDIMENT CLEANOUT	
NAME	ELEVATION (FT)
SOUTH POND	1026.70
WEST POND	1193.93
NORTH POND	1243.70
LEACHATE POND	1214.50




**SECTION A-A**

**MAINTENANCE:**  
 ROCK CONSTRUCTION ENTRANCE THICKNESS SHALL BE CONSTANTLY MAINTAINED TO THE SPECIFIED DIMENSIONS BY ADDING ROCK. A STOCKPILE SHALL BE MAINTAINED ON SITE FOR THIS PURPOSE. AT THE END OF EACH CONSTRUCTION DAY, ALL SEDIMENT DEPOSITED ON PAVED ROADWAYS SHALL BE REMOVED AND RETURNED TO THE CONSTRUCTION SITE.

**NOTE:**  
 1. REFER TO WVOT DOH EROSION AND SEDIMENT CONTROL MANUAL FOR MORE INFORMATION.


**ROCK CONSTRUCTION ENTRANCE**

N.T.S.




**SEDIMENT CLEANOUT STAKE**

N.T.S.




**SECTION**




**STAFF GAUGE**

N.T.S.

**NOTE:**  
 1. STAFF GAUGE CAN BE FABRICATED AS ABOVE OR OBTAINED FROM BEN MEADOWS, MODEL NO. 99005, FIBERGLASS STREAM GAUGE, 4" WIDE, ENGLISH, 16" 20" OR OWNER APPROVED EQUAL.  
 2. STAFF GAUGE LOCATED IN LEACHATE STORAGE POND SHALL NOT PENETRATE LINER. FOUNDATION TO BE PREFABRICATED PEDESTAL BASE PLATE TO SIT BETWEEN SOIL AND RIP RAP LAYER.



**PROFILE ALONG CENTERLINE OF CONDUIT**




**SECTION**


**CONSTRUCTION NOTES:**  
 1. THE FILTER MATERIAL SHALL BE PLACED IN 12 INCH LIFTS AND EACH LIFT SATURATED UNIFORMLY WITH APPROXIMATELY 1.2 GALLONS OF WATER PER CUBIC FOOT OF LOOSE FILTER MATERIAL. IN LIEU OF WATER APPLICATION, THE FILTER MATERIAL SHALL BE PLACED IN 9 INCH LIFTS AND COMPACTED WITH ONE PASS OF A PLATE VIBRATOR.  
 2. EXTEND FILTER DIAPHRAGM (3 X D) BEYOND LATERAL DIMENSION OF PIPE UNLESS OTHERWISE NOTED ON PLANS.  
 3. NORTH POND AND LEACHATE STORAGE POND = 3 X D SOUTH POND = TO WITHIN 2-FT OF GROUND SURFACE.

**FILTER DIAPHRAGM DETAIL**

N.T.S.



**JOINING FENCE SECTIONS**



**JOINING FENCE SECTIONS**

**CUTAWAY VIEW**


**NOTE:**  
 1. SHOW ALL DETAILS AND CONSTRUCTION DIMENSIONS ON PLAN DRAWINGS.  
 2. FILTER FABRIC FENCE MUST BE INSTALLED AT EXISTING LEVEL GRADE. BOTH ENDS OF EACH FENCE SECTION MUST BE EXTENDED AT LEAST 5 FEET UPSLOPE AT 45 DEGREES TO THE MAIN FENCE ALIGNMENT.  
 3. SEDIMENT MUST BE REMOVED WHERE ACCUMULATIONS REACH 1/2 THE ABOVE GROUND HEIGHT OF THE FENCE.  
 4. ANY SECTION OF FILTER FABRIC FENCE WHICH HAS BEEN UNDERMINED OR TOPPED MUST BE IMMEDIATELY REPLACED WITH A ROCK FILTER OUTLET. SEE ROCK FILTER DETAIL.  
 5. STANDARD FILTER FABRIC FENCE TO BE CONSTRUCTED IN ACCORDANCE WITH THE WEST VIRGINIA EROSION AND SEDIMENT CONTROL BMP MANUAL.  
 6. STAKES SPACED @ 8' MAX. USE 2" X 2" WOOD OR EQUIVALENT STEEL STAKES.

**STANDARD FILTER FABRIC FENCE (18" HIGH)**

N.T.S.

**REINFORCED FILTER FABRIC FENCE (30" HIGH)**


N.T.S.




**OVERFLOW SPILLWAY**

NOT TO SCALE


DIMENSION	WEST POND	NORTH POND
A	50'	25'
B	1202.14	1248.50
C	1203.00	1250.00
D	10'	5'




**TYPICAL GABION APRON**




**TYPICAL VEGETATED ROCK GABION**




**TYPICAL GABION AND GABION MATTRESS**




**PLAN**




**TRASH RACK ASSEMBLY**



**PLAN**



**TRASH RACK ASSEMBLY**




**ELEVATION**


RISER I.D.	PYRAMID TYPE TRASH RACK		
	A	B	C
24"	33-1/2"	15-3/4"	12-1/2"
60"	68-1/2"	20-1/2"	12-1/2"
96"	113"	39-1/2"	23"

**PYRAMID TYPE TRASH RACK**

**NOTE:**  
 ALL TRASH RACKS TO CONTAIN A REMOVABLE ACCESS PANEL AND CONTAIN ANTI-VORTEX DEVICE.



**FRONT VIEW**




**SIDE VIEW**

RISER I.D.	PEAK ROOF TYPE TRASH RACK		
	D	E	F
4'	54-3/8"	54-3/8"	16-7/8"
13'	162-3/8"	162-3/8"	22"

**PEAK ROOF TYPE TRASH RACK**


**NOTE:**  
 ALL TRASH RACKS TO CONTAIN A REMOVABLE ACCESS PANEL AND CONTAIN ANTI-VORTEX DEVICE.



**EROSION CONTROL BLANKET**

N.T.S.

**NOTE:**  
 1. PREPARE SOIL BEFORE INSTALLING BLANKETS, INCLUDING APPLICATION OF LIME, FERTILIZER AND SEED.  
 2. BEGIN AT THE TOP OF THE SLOPE BY ANCHORING THE BLANKET IN 6" DEEP X 6" WIDE TRENCH. BACKFILL AND COMPACT THE TRENCH AFTER STAPLING.  
 3. ROLL THE BLANKETS (A) DOWN OR (B) HORIZONTALLY ACROSS THE SLOPE.  
 4. THE EDGES OF PARALLEL BLANKETS MUST BE STAPLED WITH APPROXIMATELY 2" OVERLAP.  
 5. WHEN BLANKETS MUST BE SPLICED DOWN THE SLOPE, PLACE BLANKETS END OVER END (SHINGLE STYLE) WITH APPROXIMATELY 12" OVERLAP. STAPLE THROUGH OVERLAPPED AREA, APPROXIMATELY 12" APART.  
 6. EROSION CONTROL BLANKETS SHALL BE INSTALLED ON ALL 3:1 OR STEEPER SLOPES WITH A MINIMUM OF 6 INCHES OF TOPSOIL.



**ELEVATION VIEW**

**PLAN VIEW**

**NOTE:**  
 1. THE CONTRACTOR SHALL INSTALL NORMAL FLOW BAGS WHERE SILT SOCKS ARE USED FOR INLET PROTECTION.  
 2. THE SILT SOCKS SHALL BE THE PRODUCTS DANDY BAGS, SILTSAK, OR EQUIVALENT.  
 3. EARTHEN BERM IN CHANNEL SHALL BE MAINTAINED UNTIL PERMANENT STABILIZATION IS COMPLETED OR TO REMAIN PERMANENTLY.  
 4. DO NOT USE ON MAJOR PAVED ROADWAYS WHERE PONDING MAY CAUSE TRAFFIC HAZARDS.

**INLET PROTECTION**

N.T.S.









**TRASH RACK AND ANTI-VORTEX DEVICE**

N.T.S.

**NOTES:**  
 1. DETAILS STANDARD FILTER FABRIC FENCE 5/43 AND EROSION CONTROL BLANKET 8/43 TO BE USED BY CONTRACTOR AS DEEMED NECESSARY.

04/16/21	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APP'D
<b>REVISIONS</b>			
<p>"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP. OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"</p>			
OHIO POWER COMPANY			
<b>MITCHELL PLANT</b>			
MARSHALL COUNTY WEST VIRGINIA			
MITCHELL LANDFILL EROSION AND SEDIMENTATION CONTROL DETAILS AND NOTES			
DWG NO: 12-3011-43-A			
SCALE AS NOTED		CIVIL ENGINEERING	
DRN:	CHK:	APP'D BY:	
SUP:	ENG:	DATE:	
DRAWN BY: DAR		APPROVED BY: JSF	
DATE: APRIL 2012		AS NOTED PROJECT NO: 110-416	
<p><b>Civil &amp; Environmental Consultants, Inc.</b>                  4274 Glendale-Milford Road - Cincinnati, OH 45242                  Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228                  WWW.CECINC.COM</p>			
AEP SERVICE CORP.		AEP SERVICE CORP.	
1 RIVERSIDE PLAZA		1 RIVERSIDE PLAZA	
COLUMBUS, OH 43215		COLUMBUS, OH 43215	





PIPE SIZE	A	B	C	D	H(MIN)
18"	2'-8"	3'-2"	2'-7 3/4"	3'-1 3/4"	2'-0"
21"	2'-8"	3'-2"	2'-7 3/4"	3'-1 3/4"	2'-3"
24"	2'-8"	3'-2"	2'-7 3/4"	3'-1 3/4"	2'-6"
27"	3'-0"	3'-6"	2'-11 3/4"	3'-5 3/4"	2'-9"
30"	3'-6"	4'-0"	3'-5 3/4"	3'-11 3/4"	3'-0"
33"	3'-9"	4'-3"	3'-8 3/4"	4'-2 3/4"	3'-3"
36"	4'-0"	4'-6"	3'-11 3/4"	4'-5 3/4"	3'-6"
42"	4'-6"	5'-0"	4'-5 3/4"	4'-11 3/4"	4'-0"
48"	5'-0"	5'-6"	4'-11 3/4"	5'-5 3/4"	4'-6"

**3**  
44  
**CATCH BASIN**  
N.T.S.


04/16/12	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APPROVED BY
<b>REVISIONS</b>			
<p>"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"</p>			
<p><b>OHIO POWER COMPANY</b> <b>MITCHELL PLANT</b> MARSHALL COUNTY WEST VIRGINIA MITCHELL LANDFILL</p>			
<p><b>DOWNCHUTE, CATCH BASIN, AND HEADWALL DETAILS</b></p>			
<p>DWG NO: 12-30110-44-A</p>			
SCALE: AS NOTED			CIVIL ENGINEERING
<p><b>Civil &amp; Environmental Consultants, Inc.</b> 4274 Glendale-Milford Road - Cincinnati, OH 45242 Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228 WWW.CECINC.COM</p>			
DRAWN BY:	DAR	CHECKED BY:	JSP
DATE:	APRIL 2012	DWG SCALE:	AS NOTED
PROJECT NO:		110-416	
APPROVED BY:		<p><b>AEP AMERICAN ELECTRIC POWER</b></p>	
DATE:		<p>AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215</p>	

1387-0000 (Project) 12/19/11 10:58:51 AM (User) 12/19/11 10:58:51 AM (Date) 12-30110-44-A.dwg (12-30110-44-A.dwg) - 1/1/2010 9:48 AM






SYSTEM COMPONENT SUMMARY TABLE		
COMPONENT NAME	SYMBOL	REQUIRED MATERIAL PROPERTY SUMMARY (SEE INDIVIDUAL DETAILS AND CQA/QC PLAN FOR DETAILED INFORMATION)
VEGETATIVE COVER		MIN. 6" ORGANIC MATERIAL
FINAL PROTECTIVE COVER		MIN. THICKNESS 24"
DRAINAGE GEOCOMPOSITE		(OMITTED FROM PHASE 3 & 4 LINER AREAS)
COHESIVE SOIL		THICKNESS VARIES
WASTE MATERIAL		
PROTECTIVE COVER		MIN. THICKNESS 16"
LEACHATE COLLECTION		MIN. PERMEABILITY $7 \times 10^{-3}$ cm/sec.
GEOTEXTILE		
FLEXIBLE MEMBRANE LINER		PVC LINER
GEOSYNTHETIC CLAY LINER (GCL)		
COMPACTED SOIL SUBBASE AND/OR ADDED GEOLOGIC MATERIAL		-SUBBASE TO BE PREPARED PER GCL MANUFACTURER'S RECOMMENDATIONS -ADDED GEOLOGIC MATERIAL USED TO PROVIDE BEDROCK ISOLATION MUST BE A MIN OF 4 FT THICK
STRUCTURAL FILL		MIN. THICKNESS 12"
IN-SITU SOIL		
COARSE AGGREGATE		THICKNESS VARIES
BEDROCK		
ROCK CHANNEL PROTECTION		




1 TYPICAL PERIMETER BERM SECTION  
 NOT TO SCALE




2 HAUL/ACCESS/SERVICE ROAD  
 NOT TO SCALE  
 (VERTICAL SCALE EXAGGERATED)


NOTE:  
 HAUL ROAD TO HAVE ASPHALT SURFACE OUTSIDE OF LIMITS OF WASTE AND GRAVEL SURFACE INSIDE OF LIMITS OF WASTE.



3 OUTBOARD PERIMETER CHANNEL  
 NOT TO SCALE




4 INBOARD PERIMETER CHANNEL / SOUTHERN CHANNEL  
 NOT TO SCALE




5 HAUL ROAD INSIDE DITCH  
 NOT TO SCALE

NOTE:  
 TRANSITION FROM HAUL ROAD INSIDE DITCH TO INSIDE PERIMETER CHANNEL BETWEEN STA. 33+51 AND 35+50.




6 INTERIOR PHASING BERMS  
 SCALE: NTS


NOTE:  
 PIPE PENETRATION THRU RAIN FLAP TO BE PROVIDED FOR LEACHATE PIPING. SEE DETAIL 7/47.



7 PERMANENT LINER TERMINATION ACROSS SOUTHERN VALLEY FLOOR  
 NOT TO SCALE



8 ANCHOR TRENCH ON SLOPE  
 NOT TO SCALE



9 ANCHOR TRENCH ON VALLEY FLOOR  
 NOT TO SCALE

**NOTES:**

- HILLSIDE EXCAVATIONS WILL BE TYPICALLY IN ROCK WITH SOME SOIL EXCAVATION. EXCAVATIONS IN SOIL SHALL BE AT A MAXIMUM 2H:1V. EXCAVATION IN ROCK SHALL BE AT A MAXIMUM 1H:2V, DEPENDING ON ROCK QUALITY AND CONDITION. THE STEEPNESS OF ROCK CUTS SHALL BE DETERMINED IN THE FIELD BY A QUALIFIED GEOTECHNICAL ENGINEER. FOR LAYOUT PURPOSES, HILLSIDE CUTS ARE SHOWN AS 1H:1V.
- SEE RIPRAP CHANNEL SIZING CHART ON SHEET 12-30110-45 FOR RIPRAP SIZES.
- THE LEACHATE COLLECTION SYSTEM IN THE BASE LINER DESIGN FOR PHASES 3 AND 4 HAS BEEN MODIFIED BY REPLACING THE DRAINAGE GEOCOMPOSITE WITH A NON-WOVEN GEOTEXTILE AND UTILIZING BOTTOM ASH AS THE LEACHATE COLLECTION LAYER AND PROTECTIVE COVER. PER DETAILS 1/224 AND 2/224. THESE CHANGES HAVE NOT BEEN SPECIFICALLY MADE NOR DEPICTED THROUGHOUT THIS PLAN SET. THEREFORE AEP AND THE CONTRACTOR SHALL BE RESPONSIBLE TO APPLY THESE CHANGES TO OTHER DETAILS WITHIN THE PHASE 3 AND 4 LINER AREAS AS APPLICABLE.

DATE	NO.	DESCRIPTION	BY
01/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/13	A	ISSUED FOR PERMIT	APA

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
 MITCHELL PLANT  
 MARSHALL COUNTY WEST VIRGINIA  
 MITCHELL LANDFILL  
 TYPICAL PERIMETER SECTION AND LINER TERMINATION DETAILS


DWG NO: 12-30110-46-B

**C&E**  
**Civil & Environmental Consultants, Inc.**  
 4274 Glendale-Milford Road - Cincinnati, OH 45242  
 Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
 WWW.C&ECONS.COM


SCALE: AS NOTED  
 CIVIL ENGINEERING  
 APPROVED BY: [Signature]  
 DATE: [Date]  
 AEP SERVICE CORP.  
 1 RIVERSIDE PLAZA  
 COLUMBUS, OH 43215




SYSTEM COMPONENT SUMMARY TABLE		
COMPONENT NAME	SYMBOL	REQUIRED MATERIAL PROPERTY SUMMARY (SEE INDIVIDUAL DETAILS AND CQA/QC PLAN FOR DETAILED INFORMATION)
VEGETATIVE COVER		MIN. 6" ORGANIC MATERIAL
FINAL PROTECTIVE COVER		MIN. THICKNESS 24"
DRAINAGE GEOCOMPOSITE		(OMITTED FROM PHASE 3 & 4 LINER AREAS)
COHESIVE SOIL		THICKNESS VARIES
WASTE MATERIAL		
PROTECTIVE COVER		MIN. THICKNESS 18"
LEACHATE COLLECTION		MIN. PERMEABILITY $7 \times 10^{-3}$ cm/sec.
GEOTEXTILE		
FLEXIBLE MEMBRANE LINER		PVC LINER
GEOSYNTHETIC CLAY LINER (GCL)		
COMPACTED SOIL SUBBASE AND/OR ADDED GEOLOGIC MATERIAL		-SUBBASE TO BE PREPARED PER GCL MANUFACTURER'S RECOMMENDATIONS -ADDED GEOLOGIC MATERIAL USED TO PROVIDE BEDROCK ISOLATION MUST BE A MIN OF 4 FT THICK
STRUCTURAL FILL		MIN. THICKNESS 12"
IN-SITU SOIL		
COARSE AGGREGATE		THICKNESS VARIES
BEDROCK		
ROCK CHANNEL PROTECTION		




- NOTE:**
1. THE CARRIER PIPE SHALL BE BRACED WITHIN THE CASING PIPE WITH CASING SPACERS THAT PLACE THE CARRIER PIPE IN A "RESTRAINED" POSITION TO PRECLUDE POSSIBLE FLUTATION WHILE PROVIDING 1/2"-1" CLEARANCE BETWEEN THE TOP RUNNERS AND THE CASING PIPE.
  2. CASING SPACERS SHALL BE INSTALLED WITHIN ONE (1) FOOT OF EACH SIDE OF CARRIER PIPE JOINTS, WITHIN ONE (1) FOOT OF EACH END OF THE CASING PIPE AND ON SIX (6) FOOT CENTERS THEREAFTER.
  3. THERE SHALL BE TWO (2) RUNNERS ON TOP AND FOUR (4) RUNNERS ON BOTTOM.
  4. AT EACH END OF THE CASING PIPE, THE CARRIER AND THE CASING PIPE SHALL BE WRAPPED WITH END SEALS.




**3 LEACHATE COLLECTION PIPE SECTION**  
NOT TO SCALE



**4 LEACHATE COLLECTION PIPE AT TOE OF SLOPE**  
NOT TO SCALE



**1 PERFORATED LEACHATE COLLECTION PIPE**  
NOT TO SCALE




**2 DUAL CONTAINED PIPE DETAIL**  
NOT TO SCALE

- NOTE:**
1. SEE SHEET 16 FOR ACTUAL NUMBER OF LEACHATE PIPES IN EACH PHASE OF LEACHATE COLLECTION SYSTEM.
  2. COARSE AGGREGATE TO BE NON-CALCAREOUS.


- NOTE:**
1. SEE SHEET 16 FOR ACTUAL NUMBER OF LEACHATE PIPES IN EACH PHASE OF LEACHATE COLLECTION SYSTEM.
  2. COARSE AGGREGATE TO BE NON-CALCAREOUS.

**NOTES:**


1. SEE RIPRAP CHANNEL SIZING CHART ON SHEET 12-30110-45 FOR RIPRAP SIZES.
2. THE LEACHATE COLLECTION SYSTEM IN THE BASE LINER DESIGN FOR PHASES 3 AND 4 HAS BEEN MODIFIED BY REPLACING THE DRAINAGE GEOCOMPOSITE WITH A NON-WOVEN GEOTEXTILE AND UTILIZING BOTTOM ASH AS THE LEACHATE COLLECTION LAYER AND PROTECTIVE COVER, PER DETAILS 1/224 AND 2/224. THESE CHANGES HAVE NOT BEEN SPECIFICALLY MADE NOR DEPICTED THROUGHOUT THIS PLAN SET, THEREFORE AEP AND THE CONTRACTOR SHALL BE RESPONSIBLE TO APPLY THESE CHANGES TO OTHER DETAILS WITHIN THE PHASE 3 AND 4 LINER AREAS AS APPLICABLE.




- PENETRATION NOTES:**
1. USE ONE STAINLESS STEEL BAND PER PIPE PENETRATION SEAL.
  2. SKIRT IS TO EXTEND 36 INCHES BEYOND PIPE IN ALL DIRECTIONS.



**5 PERFORATED UNDERDRAIN COLLECTION PIPE (IN FILL)**  
NOT TO SCALE




**PLAN VIEW**




**SECTION VIEW**

**10 VERTICAL CHIMNEY DRAIN**  
NOT TO SCALE


- NOTE:**
1. SEE SHEET 16 FOR ACTUAL NUMBER OF LEACHATE PIPES IN EACH PHASE OF LEACHATE COLLECTION SYSTEM.
  2. COARSE AGGREGATE TO BE NON-CALCAREOUS.
  3. BOTTOM ASH OR SAND FOR CHIMNEY DRAIN TO HAVE A MINIMUM PERMEABILITY OF  $1 \times 10^{-3}$  CM/SEC




**7 TYPICAL PIPE PENETRATION**  
NOT TO SCALE



**11 PERFORATED UNDERDRAIN COLLECTION PIPE (ON DRAINAGE GEOCOMPOSITE)**  
NOT TO SCALE




**6 PIPE CLEANOUT DETAIL**  
NOT TO SCALE




**12 PERFORATED UNDERDRAIN COLLECTION PIPE**  
NOT TO SCALE


- NOTE:**
1. SIZE, NUMBER, AND EXACT LOCATION OF UNDERDRAIN PIPES TO BE DETERMINED BASED ON CONDITIONS ENCOUNTERED IN THE FIELD.



**13 UNDERDRAIN COLLECTION SYSTEM PIPING**  
NOT TO SCALE



**PLAN**



**SECTION**

**12 PERFORATED UNDERDRAIN COLLECTION PIPE**

- NOTE:**
1. LOCATION AND INSTALLATION OF SPRING COLLECTION WILL BE FIELD FIT BASED ON CONDITIONS ENCOUNTERED.

**14 SPRING COLLECTION**  
NOT TO SCALE

DATE	NO.	DESCRIPTION	BY
01/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN REVISION 1	APA
04/16/12	A	ISSUED FOR PERMIT	APA

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
**MITCHELL PLANT**  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL  
**LEACHATE COLLECTION AND UNDERDRAIN DETAILS**

DWG NO: 12-30110-47-B  
CIVIL ENGINEERING

**CEC**  
**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.CECINC.COM

SCALE AS NOTED  
DRAWN BY: DAR CHECKED BY: JSF APPROVED BY: \*APA  
DATE: APRIL 2012 DWG SCALE: AS NOTED PROJECT NO: 110-416

AEP SERVICE CORP.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215











SYSTEM COMPONENT SUMMARY TABLE		
COMPONENT NAME	SYMBOL	REQUIRED MATERIAL PROPERTY SUMMARY (SEE INDIVIDUAL DETAILS AND QCA/QC PLAN FOR DETAILED INFORMATION)
VEGETATIVE COVER		MIN. 6" ORGANIC MATERIAL
FINAL PROTECTIVE COVER		MIN. THICKNESS 24"
DRAINAGE GEOCOMPOSITE		(OMITTED FROM PHASE 3 & 4 LINER AREAS)
COHESIVE SOIL		THICKNESS VARIES
WASTE MATERIAL		
PROTECTIVE COVER		MIN. THICKNESS 16"
LEACHATE COLLECTION		MIN. PERMEABILITY 7x10 <sup>-3</sup> cm/sec.
GEOTEXTILE		
FLEXIBLE MEMBRANE LINER		PVC LINER
GEOSYNTHETIC CLAY LINER (GCL)		
COMPACTED SOIL SUBBASE AND/OR ADDED GEOLOGIC MATERIAL		-SUBBASE TO BE PREPARED PER GCL MANUFACTURER'S RECOMMENDATIONS -ADDED GEOLOGIC MATERIAL USED TO PROVIDE BEDROCK ISOLATION MUST BE A MIN OF 4 FT THICK
STRUCTURAL FILL		MIN. THICKNESS 12"
IN-SITU SOIL		
COARSE AGGREGATE		THICKNESS VARIES
BEDROCK		
ROCK CHANNEL PROTECTION		


**NOTE:**  
 1. THE LEACHATE COLLECTION SYSTEM IN THE BASE LINER DESIGN FOR PHASES 3 AND 4 HAS BEEN MODIFIED BY REPLACING THE DRAINAGE GEOCOMPOSITE WITH A NON-WOVEN GEOTEXTILE AND UTILIZING BOTTOM ASH AS THE LEACHATE COLLECTION LAYER AND PROTECTIVE COVER. PER DETAILS 1/224 AND 2/224. THESE CHANGES HAVE NOT BEEN SPECIFICALLY MADE NOR DEPICTED THROUGHOUT THIS PLAN SET. THEREFORE, AEP AND THE CONTRACTOR SHALL BE RESPONSIBLE TO APPLY THESE CHANGES TO OTHER DETAILS WITHIN THE PHASE 3 AND 4 LINER AREAS AS APPLICABLE.




TYPICAL OUTSIDE LEACHATE STORAGE POND BERM  
NOT TO SCALE




TYPICAL PERIMETER BERM SECTION AT SOUTH POND  
NOT TO SCALE




TYPICAL OUTSIDE SOUTH POND BERM  
NOT TO SCALE




LEACHATE STORAGE POND LINER SYSTEM  
NOT TO SCALE




SOUTH POND BERM  
NOT TO SCALE




TOP VIEW




SECTION A




SECTION C



TOP VIEW




SECTION E



FRONT VIEW

SECTION B



FRONT VIEW

SECTION F


LEACHATE STORAGE POND EMERGENCY OUTLET STRUCTURE  
NOT TO SCALE




SOUTH SEDIMENTATION POND OUTLET STRUCTURES 1 AND 2  
NOT TO SCALE

9/10/2011	B	RUN-ON, RUN-OFF CONTROL PLAN	APA
11/16/2011	A	REVISION 1	APA
DATE	NO.	DESCRIPTION	APPROVED BY
<b>REVISIONS</b>			
THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP. OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST.			
<b>OHIO POWER COMPANY</b>			
<b>MITCHELL PLANT</b>			
MARSHALL COUNTY WEST VIRGINIA			
MITCHELL LANDFILL			
<b>LEACHATE STORAGE POND AND SEDIMENTATION POND DETAILS</b>			
DWG NO: 12-30110-50-B			
CIVIL ENGINEERING			
SCALE: AS NOTED	DRAWN BY: _____		
DATE: _____	CHECKED BY: _____		
DATE: _____	APPROVED BY: _____		
<b>Civil &amp; Environmental Consultants, Inc.</b> 4274 Glendale-Milford Road - Cincinnati, OH 45242 Ph: 513.985.0226 - 800.759.5614 - Fax: 513.985.0228 WWW.CECINC.COM			
DATE: _____	APRIL 2012	DWG SCALE: _____	AS NOTED
PROJECT NO: _____	110-416		
AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215			







**SOUTH POND**



**SECTION A-A'**  
SCALE H:1"=50'; V:1"=50'



**SECTION B-B'**  
SCALE H:1"=50'; V:1"=50'



**SECTION C-C'**  
SCALE H:1"=50'; V:1"=50'

**NOTES:**


- DRAWING REPRESENTS SOUTH POND CONSTRUCTION AS PART OF THE PHASE 1 LANDFILL CONSTRUCTION.
- INTERCEPTOR DRAIN TO FOLLOW EXISTING GROUND ALONG EXISTING CREEK BOTTOM.
- ALL 30" PIPES SHOWN ARE TO BE HDPE SDR-17, ALL 48" PIPES SHOWN ARE TO BE HDPE SDR-21.
- MANHOLE BASES ARE TO BE FOUNDED ON BEDROCK. IF COMPETENT ROCK IS NOT FOUND AT THE BASE ELEVATION OF THE PROPOSED STRUCTURE THE CONTRACTOR SHALL CONTACT CIVIL AND ENVIRONMENTAL CONSULTANTS, INC. FOR RECOMMENDATIONS ON SUBGRADE PREPARATION.
- 4" DIAMETER MANHOLE AND 30" DIAMETER OUTLET PIPE FOR TEMPORARY SEDIMENT POND OUTLET SHALL BE REMOVED ABOVE GROUND, GROUTED AND ABANDONED IN-PLACE BELOW GRADE.

**LEGEND**

- 500' --- EXISTING CONTOURS
- OH-E --- EXISTING STREAM
- --- EXISTING OVERHEAD ELECTRICAL POWER LINES
- --- LIMITS OF EARTHWORK
- --- LIMITS OF WASTE (PHASE 1A)
- --- STABILIZED CHANNEL
- --- PROPOSED ROADWAY
- --- PROPOSED CONTOUR
- --- CROSS SECTION LOCATION IDENTIFIER AND DRAWING NUMBER
- --- PROPOSED HEADWALL
- --- PROPOSED STORM SEWER
- --- STAFF GAUGE
- --- ID --- PROPOSED INTERCEPTOR DRAIN PIPE
- --- LCP --- LEACHATE COLLECTION PIPE
- --- FM --- PROPOSED LEACHATE FORCE MAIN

SOUTH POND		
NAME	VOLUME (CU FT)	ELEVATION (FT)
SEDIMENTATION	206,910	1031.08
CLEANOUT	124,146	1027.63
2-YEAR RUNOFF	319,027	1038.92
PRINCIPAL SPILLWAY*	526,317	1038.92
10-YEAR RUNOFF	334,491	1039.20
EMERGENCY SPILLWAY		1040.08
25-YEAR RUNOFF	357,497	1039.60
100-YEAR RUNOFF	374,723	1039.90
TOP OF BERM*	653,391	1041.08

\* TOTAL VOLUME OF POND INCLUDING SEDIMENT AND STORMWATER STORAGE.



04/16/13	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APPROVED BY
<b>REVISIONS</b>			

"THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP., OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST"

OHIO POWER COMPANY  
**MITCHELL PLANT**  
MARSHALL COUNTY WEST VIRGINIA  
MITCHELL LANDFILL  
**SOUTH POND PLAN**

DWG NO: DR-1-A

SCALE: 1"=50'  
CIVIL ENGINEERING

**C&E**  
**Civil & Environmental Consultants, Inc.**  
4274 Glendale-Milford Road - Cincinnati, OH 45242  
Ph: 513.985.0226 800.759.5614 Fax: 513.985.0228  
WWW.C&E.CONS.COM

DRAWN BY: MTF CHECKED BY: JSF APPROVED BY: APA  
DATE: JANUARY 2013 DWG SCALE: AS NOTED PROJECT NO: 110-416

AEP SERVICE CORP.  
1 RIVERSIDE PLAZA  
COLUMBUS, OH 43215

I:\3000\Projects\2013\10-481-C&E\DWG\110-416\110-416-DR-1-A.dwg (110-416-DR-1-A.dwg) 1/16/2013 10:47:41 AM  
 I:\3000\Projects\2013\10-481-C&E\DWG\110-416\110-416-DR-1-A.dwg (110-416-DR-1-A.dwg) 1/17/2013 8:47 AM



















**LEACHATE STORAGE POND SECTION A-A' PROFILE**  
SCALE H:1"=40'; V:1"=20'




**LEACHATE STORAGE POND SECTION B-B' PROFILE**  
SCALE H:1"=40'; V:1"=20'




- NOTE:
1. STAFF GAUGE CAN BE FABRICATED AS ABOVE OR OBTAINED FROM BEN MEADOWS, MODEL NO. 99005, FIBERGLASS STREAM GAUGE, 4" WIDE, ENGLISH, 16-20" OR OWNER APPROVED EQUAL.
  2. STAFF GAUGE LOCATED IN LEACHATE STORAGE POND SHALL NOT PENETRATE LINER. FOUNDATION TO BE PREFABRICATED PEDESTAL BASE PLATE TO SIT BETWEEN SOIL AND RIP-RAP LAYER.




**LEACHATE STORAGE POND LINER SYSTEM**  
NOT TO SCALE



**LEACHATE POND LINER AT EMERGENCY SPILLWAY CATCH BASIN**  
NOT TO SCALE



**TYPICAL LEACHATE STORAGE POND ANCHOR TRENCH**  
NOT TO SCALE

9/07/20	B	RUN-ON, RUN-OFF CONTROL PLAN	APA
04/16/13	A	ISSUED FOR PERMIT	APA
DATE	NO.	DESCRIPTION	APP'D
<b>REVISIONS</b>			
THIS DRAWING IS THE PROPERTY OF THE AMERICAN ELECTRIC POWER SERVICE CORP. AND IS LOANED UPON CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED, IN WHOLE OR IN PART, OR USED FOR FURNISHING INFORMATION TO ANY PERSON WITHOUT THE WRITTEN CONSENT OF THE AEP SERVICE CORP. OR FOR ANY PURPOSE DETRIMENTAL TO THEIR INTEREST, AND IS TO BE RETURNED UPON REQUEST.			
<b>OHIO POWER COMPANY</b>			
<b>MITCHELL PLANT</b>			
MARSHALL COUNTY		WEST VIRGINIA	
MITCHELL LANDFILL			
<b>LEACHATE STORAGE POND DETAILS</b>			
DWG NO: DR-5-B			
SCALE: N.T.S.	CIVIL ENGINEERING		
DR: _____	APPROVED BY: _____		
CH: _____	DATE: _____		
SUP: _____	PROJECT NO: 110-416		
ENG: _____	AS NOTED		
DATE: _____	PROJECT NO: 110-416		
 <b>Civil &amp; Environmental Consultants, Inc.</b> 4274 Glendale-Milford Road - Cincinnati, OH 45242 Ph: 513.965.0226 - 800.759.5614 - Fax: 513.965.0228 WWW.CECINC.COM			
DRAWN BY: _____		APPROVED BY: _____	
DATE: JANUARY 2013		PROJECT NO: 110-416	
DWG SCALE: _____		AS NOTED	
AEP SERVICE CORP. 1 RIVERSIDE PLAZA COLUMBUS, OH 43215			

I:\311-cad\proj\101191\101191-001\DWG\101191-001-001.dwg (101191-001-001) LEACHATE STORAGE POND DETAILS (101191-001-001) - 1/17/2010 9:46 AM  
 I:\311-cad\proj\101191\101191-001\DWG\101191-001-001.dwg (101191-001-001) LEACHATE STORAGE POND DETAILS (101191-001-001) - 1/17/2010 9:46 AM