

Annual Groundwater Monitoring Report

Appalachian Power Company
Mountaineer Plant
Bottom Ash Pond CCR Management Unit
Letart, WV

January 2021

Prepared by:
American Electric Power Service Corporation
1 Riverside Plaza
Columbus, Ohio 43215



An **AEP** Company

BOUNLESS ENERGYSM

	<u>Table of Contents</u>	<u>Page</u>
I.	Overview.....	1
II.	Groundwater Monitoring Well Locations and Identification Numbers	4
III.	Monitoring Wells Installed or Decommissioned	5
IV.	Groundwater Quality Data and Static Water Elevation Data and Flow Rate	5
V.	Groundwater Quality Data Statistical Analysis	5
VI.	Alternative Source Demonstrations	5
VII.	Discussion About Transition Between Monitoring Requirements or Alternate Monitoring Frequency.....	5
VIII.	Other Information Required.....	6
IX.	Description of Any Problems Encountered in 2020 and Actions Taken	6
X.	A Projection of Key Activities for the Upcoming Year.....	6

Appendix 1 – GW Quality Data, GW Flow Directions, GW Flow Rates

Appendix 2 – GW Quality Data Statistical Analyses

Appendix 3 – Alternative Source Demonstrations – Not Applicable

Appendix 4 – Notices for Monitoring Program Transitions

Appendix 5 – Well Installation / Decommissioning Logs – Not Applicable

I. Overview

This *Annual Groundwater Monitoring and Corrective Action Report* (Report) has been prepared to report the status of activities for the preceding year for the bottom ash pond CCR unit at Appalachian Power Company's, a wholly-owned subsidiary of American Electric Power Company (AEP), Mountaineer Power Plant. The USEPA's CCR rules require that the Annual Groundwater Monitoring and Corrective Action Report be posted to the operating record for the preceding year no later than January 31.

In general, the following activities were completed:

- An assessment monitoring program for Mountaineer Bottom Ash Pond (MT BAP) was established on April 13, 2018.
- Statistically significant level of lithium concentrations above groundwater protection standards were observed on January 8, 2019. An Assessment of Corrective Measures (ACM) was initiated on March 26, 2019. The ACM was completed on June 24, 2019 and the public meeting to discuss the proposed remedies was held on August 22, 2019. The ACM was revised on November 30, 2020 per federal EPA comments received via conference call discussions.
- Two semi-annual progress reports on selecting a remedy pursuant to § 257.97 were completed on March 20, 2020 and September 20, 2020. A remedy has not yet been selected.
- Groundwater samples were collected in March, May, and October 2020 and analyzed for Appendix III and Appendix IV constituents, as specified in 40 CFR 257.95 *et seq.* and AEP's *Groundwater Sampling and Analysis Plan (2016)*.
- Analytical results for groundwater monitoring are included in **Appendix 1** along with groundwater flow rate and direction.
- Groundwater data underwent various validation tests, including tests for completeness, valid values, transcription errors, and consistent units.
- The May 2020 sampling event identified the following:
 - Lithium exceeded the groundwater protection standard (GWPS) at MW-1605D, MW-1605S, MW-1606D, MW-1606S, MW-1607D, and MW-1607S.
 - Statistically significant increase (SSI) for boron above the upper prediction limit was observed at MW-1604D, MW-1604S, MW-1604D, MW-1604S, MW-1605D, MW-1605S, MW-1606D, MW-1606S, MW-1607D, and MW-1607S
 - SSI for calcium above the upper prediction limit was observed at MW-1604D, MW-1604S, MW-1605D, MW-1606D, MW-1606S, and MW-1607D.

- SSI for chloride above the upper prediction limit was observed at MW-1604D, MW-1604S, MW-1605D, MW-1605S, MW-1606D, MW-1606S, MW-1607D, and MW-1607S.
 - SSI for Fluoride above the upper prediction limit was observed at MW-1605S, MW-1606S, and MW-1607D.
 - SSI for Sulfate above the upper prediction limit was observed at MW-1604S, MW-1605D, MW-1606D, and MW-1607D.
 - Statistically significant decrease (SSD) for pH below the lower prediction limit was observed at MW-1607S.
 - SSI for TDS above the upper prediction limit was observed at MW-1604D, MW-1604S, MW-1605D, MW-1605S, MW-1606D, MW-1606S, MW-1607D, and MW-1607S.
- The statistical analysis for the May 2020 assessment monitoring event was completed in October 2020 and is included in **Appendix 2**.
- Notification of a statistically significant level (SSL) of constituent above groundwater protection standard (GWPS) was completed for Lithium.
- The October 2020 data are still undergoing statistical analysis.

The major components of this annual report, to the extent applicable at this time, are presented in sections that follow:

- A map, aerial photograph or a drawing showing the CCR management unit(s), all groundwater monitoring wells and monitoring well identification numbers.
- Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a statement as to why that happened.
- All of the monitoring data collected, including the rate and direction of groundwater flow, plus a summary showing the number of samples collected per monitoring well, the dates the samples were collected and whether the sample was collected as part of detection monitoring or assessment monitoring programs (Attached as **Appendix 1**).
- Statistical comparison of monitoring data to determine if there have been significant increase over background concentrations (Attached as **Appendix 2**, where applicable).
- A discussion of whether any alternate source demonstrations were performed, and the conclusions (Attached as Appendix 3, where applicable). This is not applicable.
- A summary of any transition between monitoring programs or an alternate monitoring frequency, for example the date and circumstances for transitioning from detection

monitoring to assessment monitoring, in addition to identifying the constituents detected at a statistically significant increase over background concentrations (**Appendix 4**).

- Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a statement as to why that happened (Attached as Appendix 5, where applicable). This is not applicable.
- Other information required to be included in the annual report such as alternate source demonstration or assessment of corrective measures, if applicable

In addition, this report summarizes key actions completed, and where applicable, describes any problems encountered and actions taken to resolve those problems. The report includes a projection of key activities for the upcoming year.

II. Groundwater Monitoring Well Locations and Identification Numbers

The figure that follows depicts the PE-certified groundwater monitoring network, the monitoring well locations and their corresponding identification numbers. The total groundwater monitoring network includes 4 up-gradient wells and 8 down-gradient wells. The monitoring well distribution adequately cover down-gradient and up-gradient areas as detailed in the *Ground Water Monitoring Well Network Evaluation* report that was placed in the American Electric Power CCR public internet site on March 9, 2017. Additional wells are shown in the figure that were installed as part of the Nature and Extent Characterization study.

**Monitoring Well Network**

- ✿ Compliance Sampling Location
- ◆ Background Sampling Location
- ◆ Nature and Extent Wells

**Notes**

- Monitoring well coordinates provided by AEP.
- Site features based on information available in Ash Pond System-CCR Groundwater Monitoring Well Network Evaluation (Arcadis, 2016) provided by AEP.

1,000 500 0 1,000
1 Kilometer
1 Mile
1 Foot

Site Layout

CCR Bottom Ash Ponds
AEP Mountaineer Generating Plant
Letart, West Virginia

Geosyntec
consultants

Figure

1

Columbus, Ohio

2020/01/24

III. Monitoring Wells Installed or Decommissioned

No monitoring wells were installed or decommissioned in 2020.

IV. Groundwater Quality Data and Static Water Elevation Data and Flow Rate

Appendix 1 contains tables showing the groundwater quality data collected during the establishment of background quality, detection monitoring, and assessment monitoring. Static water elevation data from each monitoring event also are shown in **Appendix 1**, along with the groundwater velocity calculations, groundwater flow direction and potentiometric maps developed after each sampling event. It is important to note that MW-1928 although installed, was unable to be sampled due to very low groundwater yield the first attempt and the monitoring well being dry and not recovering on the following attempts.

V. Groundwater Quality Data Statistical Analysis

Statistical analysis of the May 2020 257.95(d)(1) (assessment monitoring of all Appendix III and detected Appendix IV parameters) resulted in a SSL above the GWPS for lithium on October 2, 2020. A notice of this SSL was placed in the facility electronic operating record and on the publicly available internet site. The full statistical analysis report for this event is included in **Appendix 2**.

The October 2020 257.95(d)(1) sampling and analysis was completed. The statistical analysis for this data is ongoing and will be completed in early 2021

The notice of statistically significant levels above the groundwater protection standard that were completed in 2020 can be found in **Appendix 4** and on the publicly available internet site at <https://www.aep.com/environment/ccr>.

VI. Alternative Source Demonstrations

No alternative source demonstrations were completed related to the assessment monitoring sampling events and statistical analysis.

VII. Discussion About Transition Between Monitoring Requirements or Alternate Monitoring Frequency

The Mountaineer Bottom Ash Pond CCR Unit transitioned from the Assessment Monitoring program to the Assessment of Corrective Measures program on March 26, 2019 due to the SSL above a GWPS on January 8, 2019. An Assessment of Corrective Measures Report was completed on June 24, 2019. A public meeting was held on August 22, 2019 to present the

assessment of corrective measure options. At this time, the selection of remedy is on-going. Two semi-annual reports describing the progress in selecting and designing the remedy were completed in March and September 2020. Semi-annual assessment monitoring sampling and analysis will continue during the assessment of corrective measures and selection of remedy. The notice for initiating assessment of corrective measures can be found in **Appendix 4** of this report and on the publicly available internet site at <https://www.aep.com/environment/ccr>.

Regarding defining an alternate monitoring frequency, the groundwater velocity and monitoring well production is high enough at this facility that no modification to the monitoring frequency is needed.

VIII. Other Information Required

All required information has been included in this annual groundwater monitoring report.

IX. Description of Any Problems Encountered in 2020 and Actions Taken

No significant problems were encountered. The low flow sampling effort went smoothly and the schedule was met to support this annual groundwater report preparation.

X. A Projection of Key Activities for the Upcoming Year

Key activities for 2021 include:

- Assessment monitoring on a twice per year schedule;
- Continue evaluation of the selection of remedy;
- Prepare a selection of remedy semi-annual progress report;
- Responding to any new data received in light of what the CCR rule requires; and
- Preparation of the next annual groundwater report.

APPENDIX 1

Tables follow that show the groundwater monitoring data collected and rate and direction of groundwater flow. The dates that the samples were collected are also shown.

Table 1 - Groundwater Data Summary: MW-107
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
6/18/2018	Assessment	--	--	--	--	6.8	--	--
4/10/2019	Assessment	0.614	270	71.4	0.21	6.8	518	1,270
6/18/2019	Assessment	0.592	245	71.7	0.22	--	545	1,250
9/10/2019	Assessment	0.696	316	79.7	0.19	7.1	631	1,410
3/10/2020	Assessment	--	--	--	0.25	--	--	--
5/13/2020	Assessment	0.579	239	66.5	0.26	6.7	555	1,240
10/6/2020	Assessment	0.560	179	46.1	0.25	6.6	301	845

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-107
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	< 0.1 U	1.08	68.3	< 0.1 U	0.05 J	0.4 J	1.03	1.854	0.21	0.4 J	0.02 J	< 0.002 U	< 2 U	0.7 J	< 0.5 U
6/18/2019	Assessment	0.03 J	0.44	69.4	< 0.02 U	0.05	0.08 J	1.45	0.2284	0.22	0.04 J	< 0.009 U	< 0.002 U	< 0.4 U	0.6	< 0.1 U
9/10/2019	Assessment	0.02 J	0.44	67.8	< 0.02 U	0.04 J	0.07 J	1.08	3.5	0.19	< 0.05 U	0.00358	< 0.002 U	< 0.4 U	0.8	< 0.1 U
3/10/2020	Assessment	< 0.02 U	0.42	48.2	< 0.02 U	0.03 J	0.1 J	0.741	0.161	0.25	< 0.05 U	0.00410	< 0.002 U	< 0.4 U	0.7	< 0.1 U
5/13/2020	Assessment	0.03 J	0.59	48.1	--	0.07	0.2 J	1.90	0.524	0.26	< 0.05 U	0.00336	--	0.7 J	0.5	< 0.1 U
10/6/2020	Assessment	< 0.02 U	0.34	35.4	--	0.02 J	0.548	0.219	1.111	0.25	< 0.05 U	0.00308	< 0.002 U	< 0.4 U	1.0	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-112
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
6/19/2019	Assessment	0.283	142	37.2	0.24	7.2	255	668
5/13/2020	Assessment	0.246	108	33.3	0.29	6.8	205	533

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-112
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
6/19/2019	Assessment	< 0.02 U	0.40	76.9	< 0.02 U	< 0.01 U	0.2 J	0.02 J	0.0507	0.24	0.02 J	< 0.009 U	< 0.002 U	11.2	1.5	< 0.1 U
5/13/2020	Assessment	< 0.02 U	0.33	59.7	--	< 0.01 U	0.236	0.02 J	0.08899	0.29	< 0.05 U	0.00151	--	5.62	0.9	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-203
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
6/18/2019	Assessment	0.1 J	115	31.4	0.22	7.2	86.8	472
9/11/2019	Assessment	0.104	106	10.1	0.22	7.1	65.5	435
3/11/2020	Assessment	--	--	--	0.25	7.0	--	--
5/13/2020	Assessment	0.094	103	12.6	0.28	7.0	77.1	434
10/6/2020	Assessment	0.085	92.3	12.5	0.32	6.8	60.0	423

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-203
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
6/18/2019	Assessment	< 0.02 U	0.30	34.7	< 0.02 U	< 0.01 U	0.2 J	0.054	0.1139	0.22	0.113	< 0.009 U	< 0.002 U	2 J	1.4	< 0.1 U
9/11/2019	Assessment	0.02 J	0.33	31.6	< 0.02 U	< 0.01 U	0.2 J	0.139	0.381	0.22	0.2 J	0.00230	< 0.002 U	1 J	1.1	< 0.1 U
3/11/2020	Assessment	< 0.02 U	0.25	33.4	< 0.02 U	< 0.01 U	0.217	0.05 J	0.824	0.25	0.1 J	0.00237	< 0.002 U	1 J	1.4	< 0.1 U
5/13/2020	Assessment	< 0.02 U	0.29	31.0	--	< 0.01 U	0.204	0.03 J	0.4071	0.28	< 0.05 U	0.00227	--	1 J	1.1	< 0.1 U
10/6/2020	Assessment	0.03 J	0.28	24.6	--	< 0.01 U	0.360	0.107	1.568	0.32	0.226	0.00205	< 0.002 U	0.9 J	0.8	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1601A
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/28/2016	Background	0.211	141	21.8	0.17	7.6	130	538
11/1/2016	Background	0.170	122	17.3	0.19	7.2	136	534
12/19/2016	Background	0.196	130	20.4	0.18	7.2	141	544
2/20/2017	Background	0.253	117	31.0	0.20	7.2	135	568
3/27/2017	Background	0.515	119	42.1	0.19	7.1	148	530
4/18/2017	Background	0.259	130	55.3	0.19	7.1	169	580
5/15/2017	Background	0.224	159	74.4	0.18	7.7	197	676
6/12/2017	Background	0.285	138	57.7	0.18	6.9	170	586
10/31/2017	Detection	0.224	137	49.4	0.19	7.1	169	564
5/10/2018	Assessment	--	--	--	0.16	7.3	--	--
9/20/2018	Assessment	0.251	148	51.0	0.19	7.1	189	638
4/9/2019	Assessment	0.224	155	44.4	0.1 J	7.1	176	692
6/20/2019	Assessment	0.160	165	48.6	0.16	7.3	207	730
9/11/2019	Assessment	0.153	164	45.8	0.14	7.0	221	749
3/12/2020	Assessment	--	--	--	0.14	6.7	--	--
5/15/2020	Assessment	0.136	185	22.7	0.16	6.7	274	814
10/8/2020	Assessment	0.114	178	18.4	0.13	6.8	252	748

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1601A
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/28/2016	Background	0.05	0.62	46.6	< 0.005 U	0.01 J	0.3	0.116	0.43758	0.17	0.132	0.002	< 0.002 U	2.61	1.3	0.053
11/1/2016	Background	0.05 J	0.61	45.2	< 0.005 U	0.02 J	1.3	0.086	2.011	0.19	0.108	0.001	< 0.002 U	2.36	1.1	0.058
12/19/2016	Background	0.05 J	0.65	47.0	< 0.005 U	0.02 J	0.806	0.282	1.544	0.18	0.383	< 0.0002 U	< 0.002 U	0.93	1.1	0.04 J
2/20/2017	Background	0.03 J	0.55	41.4	< 0.005 U	0.02 J	0.198	0.132	0.313	0.20	0.139	0.005	< 0.002 U	1.42	1.4	0.070
3/27/2017	Background	0.03 J	0.49	40.2	< 0.005 U	0.01 J	0.225	0.097	0.495	0.19	0.069	0.006	< 0.002 U	2.85	1.0	0.03 J
4/18/2017	Background	0.03 J	0.59	47.5	< 0.004 U	0.01 J	0.170	0.093	0.814	0.19	0.052	0.007	0.003 J	1.53	1.5	0.04 J
5/15/2017	Background	0.04 J	0.79	56.9	< 0.004 U	0.02 J	0.166	0.154	1.279	0.18	0.141	< 0.0002 U	< 0.002 U	2.04	1.3	0.04 J
6/12/2017	Background	0.04 J	0.61	49.0	< 0.004 U	0.02 J	0.152	0.098	0.599	0.18	0.063	0.004	< 0.002 U	1.13	1.5	0.04 J
5/10/2018	Assessment	0.03 J	0.55	63.9	< 0.004 U	0.02 J	0.153	0.083	0.767	0.16	0.034	0.004	< 0.002 U	0.99	1.5	0.03 J
9/20/2018	Assessment	0.03 J	0.58	55.3	< 0.004 U	0.02 J	0.131	0.059	0.696	0.19	0.005 J	0.004	< 0.002 U	0.76	1.1	0.04 J
4/9/2019	Assessment	< 0.1 U	0.61	52.0	< 0.1 U	< 0.05 U	0.2 J	0.2 J	1.168	0.1 J	< 0.1 U	0.02 J	< 0.002 U	< 2 U	1.1	< 0.5 U
6/20/2019	Assessment	0.03 J	0.63	63.1	< 0.02 U	0.02 J	0.314	0.03 J	0.45	0.16	0.07 J	< 0.009 U	< 0.002 U	0.9 J	1.3	< 0.1 U
9/11/2019	Assessment	0.03 J	0.62	65.3	< 0.02 U	0.02 J	0.370	0.03 J	1.168	0.14	< 0.05 U	0.00184	< 0.002 U	0.9 J	1.1	< 0.1 U
3/12/2020	Assessment	< 0.02 U	0.58	64.9	< 0.02 U	0.01 J	0.205	0.02 J	1.685	0.14	< 0.05 U	0.00183	< 0.002 U	1 J	1.4	< 0.1 U
5/15/2020	Assessment	0.03 J	0.57	67.8	--	0.02 J	0.1 J	< 0.02 U	0.553	0.16	< 0.05 U	0.00190	--	0.7 J	0.9	< 0.1 U
10/8/2020	Assessment	0.03 J	0.59	61.0	--	0.02 J	0.328	0.04 J	0.0868	0.13	< 0.05 U	0.00168	< 0.002 U	0.7 J	0.9	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1602
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/28/2016	Background	0.141	74.9	7.95	0.17	7.3	167	412
11/1/2016	Background	0.115	71.1	8.70	0.18	6.6	178	424
12/19/2016	Background	0.120	74.7	9.91	0.18	6.9	188	470
2/20/2017	Background	0.093	69.6	9.76	0.19	6.5	193	494
3/27/2017	Background	0.240	86.6	12.0	0.19	6.3	231	504
4/17/2017	Background	0.107	91.1	12.1	0.20	6.7	248	520
5/15/2017	Background	0.115	105	12.6	0.19	7.0	273	598
6/12/2017	Background	0.153	94.0	11.8	0.20	6.8	269	588
10/31/2017	Detection	0.093	78.1	8.41	0.23	6.7	184	468
5/10/2018	Assessment	--	--	--	0.23	7.0	--	--
9/20/2018	Assessment	0.109	81.6	10.5	0.25	7.1	195	502
4/9/2019	Assessment	0.09 J	99.8	11.4	0.20	6.6	221	595
6/20/2019	Assessment	0.1 J	91.2	10.7	0.23	7.0	267	606
9/11/2019	Assessment	0.111	95.1	10.4	0.21	6.7	259	603
3/11/2020	Assessment	--	--	--	0.23	6.4	--	--
5/15/2020	Assessment	0.118	99.2	9.67	0.25	6.4	264	595
10/8/2020	Assessment	0.108	96.7	8.61	0.23	6.5	253	575

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1602
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/28/2016	Background	0.02 J	0.40	27.1	< 0.005 U	0.02 J	0.2	0.217	0.275	0.17	0.255	0.013	< 0.002 U	0.90	0.08 J	0.092
11/1/2016	Background	0.02 J	0.35	28.7	< 0.005 U	0.02 J	0.6	0.108	2.086	0.18	0.070	0.014	< 0.002 U	1.48	0.1	0.116
12/19/2016	Background	0.02 J	0.43	28.9	< 0.005 U	0.01 J	1.65	0.225	0.7053	0.18	0.272	0.008	< 0.002 U	0.56	0.08 J	0.02 J
2/20/2017	Background	< 0.01 U	0.35	26.9	< 0.005 U	0.01 J	0.194	0.052	0.75	0.19	0.052	0.013	< 0.002 U	0.63	0.1	0.02 J
3/27/2017	Background	0.01 J	0.34	29.9	< 0.005 U	0.02 J	0.456	0.059	0.679	0.19	0.063	0.019	< 0.002 U	1.49	0.2	0.01 J
4/17/2017	Background	0.02 J	0.36	32.1	< 0.004 U	0.01 J	0.240	0.049	0.337	0.20	0.087	0.017	0.002 J	0.66	0.1	0.01 J
5/15/2017	Background	0.02 J	0.42	33.2	< 0.004 U	0.02 J	0.136	0.072	1.9116	0.19	0.078	0.009	< 0.002 U	1.28	0.1	0.04 J
6/12/2017	Background	0.03 J	0.36	33.1	< 0.004 U	0.01 J	0.408	0.066	0.2898	0.20	0.061	0.018	< 0.002 U	0.53	0.1	0.02 J
5/10/2018	Assessment	0.02 J	0.34	31.2	0.005 J	0.01 J	0.121	0.036	0.342	0.23	0.038	0.015	< 0.002 U	0.71	0.1	0.03 J
9/20/2018	Assessment	0.01 J	0.32	26.7	< 0.004 U	0.01 J	0.210	0.02 J	0.683	0.25	0.01 J	0.012	< 0.002 U	0.84	0.07 J	0.02 J
4/9/2019	Assessment	< 0.1 U	0.4 J	29.0	< 0.1 U	< 0.05 U	< 0.2 U	< 0.1 U	1.0509	0.20	< 0.1 U	0.02 J	< 0.002 U	3 J	0.2 J	< 0.5 U
6/20/2019	Assessment	0.02 J	0.33	29.5	< 0.02 U	0.01 J	0.2 J	0.03 J	0.1531	0.23	0.07 J	0.01 J	< 0.002 U	0.9 J	0.1 J	< 0.1 U
9/11/2019	Assessment	< 0.02 U	0.31	27.3	< 0.02 U	0.01 J	0.2 J	< 0.02 U	0.451	0.21	< 0.05 U	0.00979	< 0.002 U	1 J	0.1 J	< 0.1 U
3/11/2020	Assessment	< 0.02 U	0.31	28.9	< 0.02 U	< 0.01 U	0.261	< 0.02 U	0.4389	0.23	0.05 J	0.0117	< 0.002 U	1 J	0.2 J	< 0.1 U
5/15/2020	Assessment	0.02 J	0.31	30.0	--	0.01 J	0.2 J	0.04 J	0.5819	0.25	< 0.05 U	0.0126	--	0.9 J	0.09 J	< 0.1 U
10/8/2020	Assessment	0.04 J	0.33	25.7	--	0.01 J	0.311	0.04 J	0.194	0.23	< 0.05 U	0.0104	< 0.002 U	0.9 J	0.08 J	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1603
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/28/2016	Background	0.327	124	15.7	0.07 J	7.3	388	618
11/2/2016	Background	0.334	146	22.8	0.08 J	6.6	483	814
12/19/2016	Background	0.495	164	30.1	0.1 J	7.4	504	908
2/20/2017	Background	0.543	169	27.4	0.1 J	6.8	485	962
3/28/2017	Background	0.781	181	25.2	0.1 J	6.6	476	918
4/17/2017	Background	0.519	170	22.9	0.1 J	6.9	474	910
5/15/2017	Background	0.546	187	24.7	0.1 J	7.4	470	910
6/12/2017	Background	0.535	176	20.5	0.1 J	7.0	482	878
10/31/2017	Detection	0.360	171	13.1	0.1 J	6.6	553	872
5/10/2018	Assessment	--	--	--	0.09 J	6.6	--	--
9/20/2018	Assessment	0.324	167	14.0	0.09	6.6	524	920
4/9/2019	Assessment	0.408	182	15.8	0.11	6.8	429	918
6/20/2019	Assessment	0.299	162	10.9	0.09	7.0	434	878
9/11/2019	Assessment	0.308	156	10.0	0.09	6.7	421	853
3/11/2020	Assessment	--	--	--	0.06	6.4	--	--
5/15/2020	Assessment	0.275	161	10.7	0.09	6.5	387	809
10/8/2020	Assessment	0.221	139	8.86	0.07	6.3	332	692

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1603
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/28/2016	Background	0.02 J	0.36	29.5	< 0.005 U	0.02 J	0.3	0.317	0.0927	0.07 J	0.253	0.021	< 0.002 U	1.21	0.1	0.02 J
11/2/2016	Background	0.02 J	0.36	34.1	< 0.005 U	0.01 J	0.4	0.166	2.593	0.08 J	0.131	0.022	< 0.002 U	2.47	0.4	0.04 J
12/19/2016	Background	0.03 J	0.40	33.1	< 0.005 U	0.01 J	2.37	0.134	0.966	0.1 J	0.084	0.010	< 0.002 U	0.36	0.3	0.063
2/20/2017	Background	0.01 J	0.37	31.7	< 0.005 U	0.01 J	0.229	0.105	0.384	0.1 J	0.077	0.012	< 0.002 U	0.37	0.4	0.02 J
3/28/2017	Background	0.02 J	0.36	32.9	< 0.005 U	0.01 J	0.545	0.093	0.2071	0.1 J	0.080	0.020	< 0.002 U	0.72	0.2	< 0.01 U
4/17/2017	Background	0.03 J	0.52	33.7	0.005 J	0.01 J	0.304	0.377	0.6154	0.1 J	0.308	0.018	0.003 J	0.27	0.2	0.01 J
5/15/2017	Background	0.03 J	0.43	33.0	< 0.004 U	0.01 J	0.415	0.101	1.6052	0.1 J	0.079	0.012	< 0.002 U	0.71	0.1	0.02 J
6/12/2017	Background	0.03 J	0.35	32.0	< 0.004 U	0.01 J	0.963	0.085	0.776	0.1 J	0.059	0.021	< 0.002 U	0.29	0.1	0.01 J
5/10/2018	Assessment	0.02 J	0.31	41.3	0.007 J	0.01 J	0.099	0.054	0.363	0.09 J	0.042	0.021	< 0.002 U	0.14	0.2	0.02 J
9/20/2018	Assessment	0.02 J	0.26	35.9	< 0.004 U	0.01 J	0.102	0.032	0.881	0.09	0.02 J	0.022	< 0.002 U	0.07 J	0.4	0.01 J
4/9/2019	Assessment	< 0.1 U	0.56	32.4	< 0.1 U	< 0.05 U	0.4 J	0.622	2.389	0.11	0.5 J	0.030	< 0.002 U	< 2 U	0.4 J	< 0.5 U
6/20/2019	Assessment	0.03 J	0.41	30.7	< 0.02 U	0.01 J	0.249	0.204	0.2974	0.09	0.176	< 0.009 U	< 0.002 U	0.9 J	0.3	< 0.1 U
9/11/2019	Assessment	0.03 J	0.35	30.9	< 0.02 U	0.01 J	0.205	0.112	1.07	0.09	0.1 J	0.0150	< 0.002 U	0.5 J	0.2	< 0.1 U
3/11/2020	Assessment	< 0.02 U	0.29	30.4	< 0.02 U	0.01 J	0.224	0.061	2.036	0.06	0.08 J	0.0175	< 0.002 U	< 0.4 U	0.2 J	< 0.1 U
5/15/2020	Assessment	< 0.02 U	0.27	30.0	--	0.01 J	0.210	0.094	0.701	0.09	0.07 J	0.0182	--	< 0.4 U	0.2 J	< 0.1 U
10/8/2020	Assessment	0.15	0.41	26.8	--	0.01 J	0.552	0.392	0.0948	0.07	0.310	0.0142	< 0.002 U	< 0.4 U	0.2	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1604D
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/26/2016	Background	3.54	306	111	0.18	7.3	865	1,650
11/1/2016	Background	2.98	277	116	0.19	7.3	866	1,580
12/20/2016	Background	3.07	289	118	0.17	7.4	863	1,630
2/21/2017	Background	3.01	260	111	0.21	7.2	823	1,640
3/28/2017	Background	4.18	293	112	0.19	7.2	814	1,660
4/19/2017	Background	2.97	269	109	0.20	7.2	797	1,570
5/16/2017	Background	2.95	300	112	0.18	7.9	828	1,610
6/13/2017	Background	2.98	283	118	0.18	7.5	856	1,620
10/30/2017	Detection	2.60	295	116	0.20	7.2	833	1,570
1/22/2018	Detection	3.07	291	118	--	7.2	862	1,620
5/9/2018	Assessment	--	--	--	0.21	7.1	--	--
9/19/2018	Assessment	1.33	144	41.3	0.19	7.2	313	838
4/9/2019	Assessment	2.82	236	100	0.15	6.9	539	1,300
6/19/2019	Assessment	1.66	196	93.0	0.14	7.2	461	1,110
9/9/2019	Assessment	2.18	217	82.2	0.17	7.0	551	1,210
3/10/2020	Assessment	--	--	--	0.22	6.4	--	--
5/14/2020	Assessment	4.65	205	113	0.25	6.7	667	1,390
10/9/2020	Assessment	3.58	188	57.9	0.20	6.7	483	1,080

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1604D
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/26/2016	Background	0.14	0.48	29.1	< 0.005 U	0.14	0.4	1.76	1.38	0.18	0.106	0.059	< 0.002 U	19.8	0.9	0.235
11/1/2016	Background	0.15	0.59	28.4	< 0.005 U	0.17	0.5	1.78	1.056	0.19	0.039	0.057	0.036	20.0	1.0	0.261
12/20/2016	Background	0.14	0.57	30.3	< 0.005 U	0.17	0.798	1.92	1.45	0.17	0.02 J	0.045	< 0.002 U	20.8	1.0	0.283
2/21/2017	Background	0.11	0.45	26.2	< 0.005 U	0.13	0.297	1.85	0.824	0.21	0.02 J	0.050	< 0.002 U	17.4	0.7	0.264
3/28/2017	Background	0.13	0.41	28.9	< 0.005 U	0.13	0.416	1.74	0.806	0.19	0.022	0.064	< 0.002 U	18.2	0.7	0.336
4/19/2017	Background	0.12	0.49	27.9	< 0.004 U	0.09	0.323	1.60	1.537	0.20	0.584	0.051	0.003 J	17.4	0.7	0.217
5/16/2017	Background	0.13	0.54	27.5	< 0.004 U	0.10	0.079	1.60	3.489	0.18	0.027	0.052	< 0.002 U	18.1	0.5	0.231
6/13/2017	Background	0.15	0.46	27.9	< 0.008 U	0.15	0.180	1.95	1.058	0.18	0.03 J	0.058	< 0.002 U	18.3	0.8	0.256
5/9/2018	Assessment	0.04 J	0.34	32.0	< 0.004 U	0.04	0.195	0.314	0.687	0.21	0.035	0.024	< 0.002 U	2.05	1.4	0.02 J
9/19/2018	Assessment	0.04 J	0.29	37.0	< 0.004 U	0.03	0.169	0.203	0.316	0.19	0.303	0.016	< 0.002 U	1.57	3.8	0.02 J
4/9/2019	Assessment	< 0.1 U	0.4 J	42.5	< 0.1 U	0.05 J	0.2 J	0.345	0.957	0.15	< 0.1 U	0.038	< 0.002 U	< 2 U	2.0	< 0.5 U
6/19/2019	Assessment	0.04 J	0.28	52.9	< 0.02 U	0.04 J	0.212	0.242	0.1922	0.14	0.07 J	< 0.009 U	< 0.002 U	1 J	3.1	< 0.1 U
9/9/2019	Assessment	0.03 J	0.30	55.6	< 0.02 U	0.03 J	0.345	0.181	0.464	0.17	< 0.05 U	0.0188	< 0.002 U	2 J	3.4	< 0.1 U
3/10/2020	Assessment	0.02 J	0.31	34.2	< 0.02 U	0.03 J	0.311	0.138	0.834	0.22	< 0.05 U	0.0235	< 0.002 U	1 J	0.8	< 0.1 U
5/14/2020	Assessment	0.03 J	0.28	34.1	--	0.03 J	0.729	0.117	0.1393	0.25	< 0.05 U	0.0218	--	1 J	0.7	< 0.1 U
10/9/2020	Assessment	0.03 J	0.29	27.3	--	0.02 J	1.02	0.140	0.123	0.20	0.06 J	0.0190	< 0.002 U	1 J	3.0	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1604S
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/26/2016	Background	2.12	178	83.9	0.20	7.0	602	1,280
11/1/2016	Background	1.90	167	99.4	0.21	7.1	626	1,310
12/20/2016	Background	2.35	165	99.9	0.19	7.2	618	1,300
2/21/2017	Background	3.08	168	112	0.21	7.0	634	1,430
3/28/2017	Background	4.04	180	116	0.20	6.9	663	1,420
4/19/2017	Background	3.68	191	130	0.21	7.0	716	1,500
5/16/2017	Background	3.63	202	122	0.19	7.7	708	1,510
6/13/2017	Background	3.48	182	112	0.20	7.5	685	1,400
10/30/2017	Detection	2.17	167	85.3	0.21	7.1	544	1,150
1/22/2018	Detection	2.36	--	105	--	6.9	602	1,312
5/9/2018	Assessment	--	--	--	0.22	7.4	--	--
9/19/2018	Assessment	2.49	262	109	0.22	7.3	742	1,500
4/9/2019	Assessment	3.50	301	132	0.19	7.1	703	1,650
6/19/2019	Assessment	3.15	278	127	0.16	7.3	741	1,580
9/9/2019	Assessment	3.23	267	128	0.20	7.3	770	1,520
3/10/2020	Assessment	--	--	--	0.24	6.7	--	--
5/14/2020	Assessment	3.68	250	116	0.25	6.9	715	1,520
10/9/2020	Assessment	2.59	265	107	0.21	7.0	635	1,360

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1604S
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/26/2016	Background	0.04 J	0.39	29.4	< 0.005 U	0.03	0.2	0.358	0.136	0.20	0.114	0.034	< 0.002 U	3.20	3.1	0.03 J
11/1/2016	Background	0.04 J	0.46	27.2	< 0.005 U	0.04	0.3	0.307	0.769	0.21	0.065	0.035	< 0.002 U	2.47	2.5	0.02 J
12/20/2016	Background	0.04 J	0.42	26.6	< 0.005 U	0.04	1.97	0.390	0.5256	0.19	0.093	0.023	< 0.002 U	2.71	2.7	0.03 J
2/21/2017	Background	0.03 J	0.42	26.7	< 0.005 U	0.04	0.379	0.501	0.92	0.21	0.140	0.033	< 0.002 U	2.52	2.2	0.03 J
3/28/2017	Background	0.03 J	0.37	31.6	< 0.005 U	0.03	0.692	0.308	0.585	0.20	0.055	0.042	< 0.002 U	2.53	2.2	0.119
4/19/2017	Background	0.03 J	0.44	28.9	< 0.004 U	0.04	0.158	0.317	0.722	0.21	0.051	0.041	0.003 J	2.53	1.7	0.02 J
5/16/2017	Background	0.04 J	0.51	32.2	< 0.004 U	0.04	0.098	0.317	2.577	0.19	0.100	0.033	< 0.002 U	2.54	2.0	0.04 J
6/13/2017	Background	0.03 J	0.41	28.7	< 0.004 U	0.04	0.149	0.308	0.598	0.20	0.033	0.038	< 0.002 U	2.41	2.5	0.02 J
5/9/2018	Assessment	0.13	0.33	28.7	0.024	0.15	0.107	1.83	1.173	0.22	0.034	0.051	< 0.002 U	16.2	1.0	0.220
9/19/2018	Assessment	0.13	0.32	26.6	< 0.004 U	0.15	0.093	1.88	1.159	0.22	0.02 J	0.052	< 0.002 U	15.6	0.8	0.251
4/9/2019	Assessment	0.2 J	0.54	29.1	< 0.1 U	0.27	0.3 J	2.41	1.472	0.19	< 0.1 U	0.061	< 0.002 U	17.8	1.2	< 0.5 U
6/19/2019	Assessment	0.15	0.33	29.0	< 0.02 U	0.21	0.09 J	2.16	1.256	0.16	< 0.02 U	0.032	< 0.002 U	16.6	1.0	0.3 J
9/9/2019	Assessment	0.14	0.34	29.0	< 0.02 U	0.21	0.1 J	2.14	1.15	0.20	< 0.05 U	0.0476	< 0.002 U	16.3	1.0	0.3 J
3/10/2020	Assessment	0.14	0.29	28.9	< 0.02 U	0.12	0.323	1.72	1.662	0.24	< 0.05 U	0.0390	< 0.002 U	13.7	1.2	0.2 J
5/14/2020	Assessment	0.15	0.30	29.1	--	0.19	0.1 J	1.93	1.038	0.25	< 0.05 U	0.0419	--	14.9	1.1	0.2 J
10/9/2020	Assessment	0.16	0.32	28.2	--	0.21	0.798	2.08	9.989	0.21	< 0.05 U	0.0384	< 0.002 U	15.0	0.9	0.3 J

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1605D
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	12.2	462	195	0.18	7.6	1,480	2,650
11/2/2016	Background	9.96	381	195	0.19	7.4	1,500	2,510
12/20/2016	Background	9.35	341	168	0.18	7.4	1,290	2,300
2/21/2017	Background	9.16	318	163	0.20	7.3	1,190	2,290
3/28/2017	Background	11.6	344	169	0.20	7.2	1,200	2,350
4/18/2017	Background	9.06	360	172	0.20	7.5	1,180	2,280
5/16/2017	Background	8.77	374	187	0.20	7.9	1,130	2,240
6/13/2017	Background	9.09	351	196	0.17	--	1,190	2,260
10/31/2017	Detection	7.83	324	198	0.21	7.3	1,170	2,170
1/22/2018	Detection	9.33	321	197	--	7.2	1,070	2,060
5/9/2018	Assessment	--	--	--	0.23	7.5	--	--
9/19/2018	Assessment	9.11	278	188	0.22	7.6	972	1,960
4/9/2019	Assessment	6.90	247	169	0.22	7.3	791	1,710
6/19/2019	Assessment	6.57	265	165	0.19	7.5	877	1,890
9/10/2019	Assessment	8.57	283	168	0.17	7.2	974	2,050
3/10/2020	Assessment	--	--	--	0.19	6.9	--	--
5/19/2020	Assessment	6.92	265	169	0.17	7.0	848	1,670
10/9/2020	Assessment	4.81	247	109	0.20	7.2	682	1,490

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1605D
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.03 J	2.29	31.5	< 0.01 U	0.04	0.1	1.91	1.06	0.18	0.080	0.085	< 0.002 U	54.6	0.2	0.06 J
11/2/2016	Background	0.03 J	2.48	30.6	< 0.01 U	0.04	0.2	1.79	1.925	0.19	0.044	0.078	< 0.002 U	52.4	0.2	0.05 J
12/20/2016	Background	0.03 J	2.26	28.2	< 0.01 U	0.04 J	2.29	1.75	2.662	0.18	0.03 J	0.063	< 0.002 U	54.7	0.3	0.05 J
2/21/2017	Background	0.04 J	2.23	25.9	< 0.005 U	0.03	0.282	1.84	1.033	0.20	0.021	0.071	< 0.002 U	46.8	0.2	0.138
3/28/2017	Background	0.04 J	2.01	27.9	< 0.005 U	0.03	0.556	1.69	0.578	0.20	0.02 J	0.086	< 0.002 U	44.6	0.2	0.090
4/18/2017	Background	0.03 J	2.25	25.8	< 0.008 U	0.02 J	0.127	1.69	0.821	0.20	0.02 J	0.077	0.002 J	43.2	0.2 J	0.04 J
5/16/2017	Background	0.03 J	2.45	26.3	< 0.004 U	0.02 J	0.099	1.63	3.433	0.20	0.01 J	0.075	< 0.002 U	48.1	0.2	0.04 J
6/13/2017	Background	0.04 J	1.99	27.2	< 0.008 U	0.04	0.120	1.86	0.668	0.17	0.02 J	0.081	< 0.002 U	45.5	0.4	0.05 J
5/9/2018	Assessment	0.03 J	2.22	21.6	< 0.004 U	0.01 J	0.067	1.51	0.523	0.23	0.02 J	0.062	< 0.002 U	46.4	0.2	0.04 J
9/19/2018	Assessment	0.04 J	2.51	25.9	< 0.004 U	0.02 J	0.229	1.80	0.759	0.22	0.01 J	0.060	< 0.002 U	47.9	0.3	0.05 J
4/9/2019	Assessment	0.04 J	2.81	26.4	< 0.02 U	0.01 J	0.06 J	1.56	0.543	0.22	0.03 J	0.075	< 0.002 U	40.6	0.2	< 0.1 U
6/19/2019	Assessment	< 0.04 U	2.67	28.6	< 0.04 U	0.02 J	0.2 J	1.65	0.831	0.19	< 0.04 U	0.02 J	< 0.002 U	40.0	0.2 J	< 0.2 U
9/10/2019	Assessment	0.03 J	2.78	33.1	< 0.02 U	0.03 J	0.04 J	1.69	1.641	0.17	< 0.05 U	0.0561	< 0.002 U	39.7	0.3	< 0.1 U
3/10/2020	Assessment	0.03 J	3.01	29.6	< 0.02 U	0.02 J	0.08 J	1.67	0.3851	0.19	< 0.05 U	0.0502	< 0.002 U	32.7	0.2 J	< 0.1 U
5/19/2020	Assessment	0.04 J	2.73	25.7	--	0.01 J	0.1 J	1.45	0.425	0.17	< 0.05 U	0.0495	--	32.8	0.2 J	< 0.1 U
10/9/2020	Assessment	< 0.02 U	3.09	23.0	--	< 0.01 U	0.208	1.43	0.8083	0.20	0.05 J	0.0439	< 0.002 U	35.7	0.09 J	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1605S
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	8.30	224	150	0.24	7.5	965	1,910
11/1/2016	Background	6.55	220	159	0.25	7.3	1,010	1,930
12/20/2016	Background	7.30	279	173	0.22	7.4	1,180	2,160
2/21/2017	Background	9.04	249	179	0.25	7.2	1,110	2,220
3/28/2017	Background	10.8	261	212	0.25	7.1	1,110	2,250
4/18/2017	Background	8.69	244	180	0.23	7.4	1,100	2,120
5/16/2017	Background	8.75	251	217	0.26	7.7	1,060	2,160
6/13/2017	Background	8.80	218	191	0.24	7.8	1,000	1,980
10/31/2017	Detection	5.88	212	222	0.25	7.2	1,040	2,000
1/22/2018	Detection	10.1	231	220	--	7.1	976	1,970
5/9/2018	Assessment	--	--	--	0.30	7.2	--	--
9/19/2018	Assessment	7.75	182	171	0.32	7.4	793	1,650
4/9/2019	Assessment	9.39	164	140	0.33	7.2	599	1,450
6/19/2019	Assessment	7.02	156	140	0.23	7.4	649	1,510
9/10/2019	Assessment	8.05	174	149	0.26	7.2	694	1,470
3/10/2020	Assessment	--	--	--	0.30	6.9	--	--
5/19/2020	Assessment	4.83	154	93.5	0.28	6.9	543	1,160
10/9/2020	Assessment	3.99	163	85.4	0.28	7.0	492	1,150

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1605S
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.16	1.38	49.6	0.02 J	0.13	0.6	3.16	0.777	0.24	2.18	0.086	< 0.002 U	25.8	1.1	0.174
11/1/2016	Background	0.07	0.93	38.2	0.009 J	0.08	0.7	1.26	2.692	0.25	0.793	0.084	< 0.002 U	23.9	0.9	0.055
12/20/2016	Background	0.07 J	0.88	37.0	< 0.01 U	0.08	2.85	0.861	0.337	0.22	0.410	0.076	< 0.002 U	22.9	0.7	0.05 J
2/21/2017	Background	0.04 J	0.86	36.0	0.007 J	0.08	0.390	1.10	0.785	0.25	0.636	0.068	< 0.002 U	17.5	1.1	0.055
3/28/2017	Background	0.03 J	0.63	32.5	< 0.005 U	0.06	0.349	0.448	0.466	0.25	0.181	0.076	< 0.002 U	15.4	1.0	0.102
4/18/2017	Background	0.06 J	0.74	31.9	< 0.008 U	0.08	0.245	0.715	0.827	0.23	0.285	0.067	0.003 J	20.8	3.0	0.04 J
5/16/2017	Background	0.06 J	0.88	33.3	< 0.008 U	0.08	0.585	0.647	2.733	0.26	0.382	0.076	< 0.002 U	18.6	1.7	0.06 J
6/13/2017	Background	0.05 J	0.75	30.8	< 0.008 U	0.08	0.387	0.708	0.611	0.24	0.541	0.071	< 0.002 U	17.8	1.7	0.05 J
5/9/2018	Assessment	0.04 J	0.50	23.5	< 0.004 U	0.06	0.083	0.518	0.3045	0.30	0.056	0.051	< 0.002 U	15.6	2.0	0.04 J
9/19/2018	Assessment	0.04 J	0.49	23.1	< 0.004 U	0.05	0.644	0.360	0.347	0.32	0.093	0.049	< 0.002 U	15.1	1.0	0.04 J
4/9/2019	Assessment	0.05 J	0.64	25.2	< 0.02 U	0.05	0.293	0.631	0.369	0.33	0.331	0.079	< 0.002 U	15.9	0.7	< 0.1 U
6/19/2019	Assessment	0.04 J	0.47	23.6	< 0.02 U	0.05 J	0.1 J	0.279	0.424	0.23	0.08 J	0.040	< 0.002 U	13.6	0.6	< 0.1 U
9/10/2019	Assessment	0.04 J	0.59	29.6	< 0.02 U	0.05 J	0.237	0.379	0.542	0.26	0.202	0.0524	< 0.002 U	14.2	0.4	< 0.1 U
3/10/2020	Assessment	0.08 J	0.62	26.5	< 0.02 U	0.04 J	0.305	0.723	0.842	0.30	0.497	0.0558	< 0.002 U	12.8	0.8	< 0.1 U
5/19/2020	Assessment	0.04 J	0.47	21.1	--	0.03 J	0.1 J	0.208	0.639	0.28	< 0.05 U	0.0523	--	12.3	0.7	< 0.1 U
10/9/2020	Assessment	0.04 J	0.47	24.6	--	0.03 J	0.266	0.195	1.4891	0.28	0.05 J	0.0470	< 0.002 U	11.2	0.5	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1606D
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	4.29	278	190	0.25	7.2	813	1,710
11/2/2016	Background	3.97	252	201	0.28	7.4	796	1,720
12/20/2016	Background	4.96	260	206	0.24	7.5	796	1,690
2/21/2017	Background	5.48	242	190	0.26	7.3	759	1,670
3/28/2017	Background	6.90	247	187	0.26	7.2	739	1,700
4/18/2017	Background	5.46	274	104	0.26	7.4	385	1,690
5/16/2017	Background	5.26	278	218	0.26	8.0	764	1,730
6/13/2017	Background	5.90	262	219	0.24	7.5	752	1,680
10/31/2017	Detection	7.03	287	213	0.24	7.3	770	1,590
1/23/2018	Detection	9.59	322	237	--	7.4	760	1,730
5/9/2018	Assessment	--	--	--	0.26	7.4	--	--
9/19/2018	Assessment	7.27	260	201	0.26	7.2	722	1,610
4/8/2019	Assessment	7.32	265	214	0.26	7.2	682	1,600
6/19/2019	Assessment	7.79	281	231	0.1 J	7.4	693	1,690
9/10/2019	Assessment	6.38	281	244	0.49	7.4	588	1,700
3/10/2020	Assessment	--	--	--	0.27	7.0	--	--
5/19/2020	Assessment	5.92	270	178	0.24	7.0	756	1,600
10/8/2020	Assessment	6.85	273	208	0.23	7.1	694	1,650

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1606D
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.19	0.71	64.0	0.005 J	0.07	0.3	2.20	8.459	0.25	0.522	0.129	< 0.002 U	81.4	1.8	0.123
11/2/2016	Background	0.19	0.84	62.6	< 0.005 U	0.07	0.9	1.92	3.659	0.28	0.491	0.120	< 0.002 U	81.2	4.7	0.092
12/20/2016	Background	0.16	0.63	58.4	< 0.005 U	0.06	0.736	1.52	1.179	0.24	0.164	0.110	< 0.002 U	83.2	3.6	0.094
2/21/2017	Background	0.16	0.51	52.6	< 0.005 U	0.07	0.300	1.33	1.71	0.26	0.082	0.109	< 0.002 U	76.6	4.1	0.119
3/28/2017	Background	0.15	0.44	53.6	< 0.005 U	0.05	0.541	1.17	1.459	0.26	0.087	0.130	< 0.002 U	73.3	3.6	0.113
4/18/2017	Background	0.25	1.38	64.2	0.01 J	0.08	0.853	4.26	1.212	0.26	2.04	0.119	0.004 J	71.5	4.1	0.097
5/16/2017	Background	0.19	0.63	56.7	0.031	0.07	0.163	1.39	3.18	0.26	0.162	0.124	< 0.002 U	79.1	5.9	0.095
6/13/2017	Background	0.16	0.52	52.0	< 0.008 U	0.08	0.153	1.46	1.026	0.24	0.084	0.132	< 0.002 U	77.8	8.1	0.09 J
5/9/2018	Assessment	0.16	0.44	53.0	< 0.004 U	0.07	0.198	1.40	0.972	0.26	0.115	0.112	< 0.002 U	70.3	2.6	0.086
9/19/2018	Assessment	0.15	0.38	48.9	0.004 J	0.07	0.151	1.17	0.4378	0.26	0.01 J	0.107	< 0.002 U	65.3	3.3	0.108
4/8/2019	Assessment	0.15	0.35	47.3	< 0.02 U	0.07	0.1 J	1.25	0.94	0.26	0.03 J	0.124	< 0.002 U	71.8	8.1	< 0.1 U
6/19/2019	Assessment	0.14	0.37	49.4	< 0.02 U	0.09	0.07 J	1.36	0.933	0.1 J	< 0.02 U	0.058	< 0.002 U	68.3	9.6	0.1 J
9/10/2019	Assessment	0.15	0.40	51.4	< 0.02 U	0.08	0.1 J	1.09	2.2714	0.49	< 0.05 U	0.0835	< 0.002 U	68.5	1.0	< 0.1 U
3/10/2020	Assessment	0.14	0.35	45.3	< 0.02 U	0.05	0.2 J	1.11	0.946	0.27	< 0.05 U	0.0700	< 0.002 U	62.5	0.5	< 0.1 U
5/19/2020	Assessment	0.15	0.32	45.6	--	0.06	0.1 J	1.10	0.975	0.24	< 0.05 U	0.0681	--	67.0	0.5	< 0.1 U
10/8/2020	Assessment	0.14	0.36	45.6	--	0.08	0.247	1.54	0.908	0.23	< 0.05 U	0.0633	< 0.002 U	63.6	4.2	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1606S
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	5.25	219	182	0.50	6.0	621	1,470
11/2/2016	Background	4.57	183	183	0.57	7.2	638	1,470
12/20/2016	Background	5.35	200	170	0.46	7.3	621	1,420
2/21/2017	Background	5.03	211	231	0.46	7.1	578	1,500
3/28/2017	Background	6.67	217	226	0.45	7.0	589	1,500
4/18/2017	Background	5.80	228	217	0.43	7.2	615	1,540
5/16/2017	Background	5.72	228	227	0.45	7.7	635	3,230
6/13/2017	Background	6.12	230	230	0.45	7.4	643	1,540
10/31/2017	Detection	9.54	226	187	0.46	7.1	644	1,410
1/23/2018	Detection	6.62	218	184	0.43	7.2	660	1,450
5/9/2018	Assessment	--	--	--	0.44	6.9	--	--
9/19/2018	Assessment	5.87	199	219	0.46	7.1	571	1,370
4/8/2019	Assessment	7.68	229	223	0.54	6.8	592	1,480
6/19/2019	Assessment	6.08	223	232	0.25	7.2	581	1,490
9/10/2019	Assessment	6.19	229	221	0.28	7.3	705	1,460
3/10/2020	Assessment	--	--	--	0.40	6.8	--	--
5/19/2020	Assessment	5.94	207	181	0.38	6.7	646	1,400
10/8/2020	Assessment	6.35	206	172	0.38	6.9	572	1,460

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1606S
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.16	0.88	76.7	< 0.005 U	0.08	0.2	0.466	0.592	0.50	0.234	0.116	< 0.002 U	112	1.2	0.074
11/2/2016	Background	0.17	0.94	69.7	< 0.005 U	0.07	0.4	0.432	1.55	0.57	0.207	0.103	< 0.002 U	112	1.0	0.060
12/20/2016	Background	0.16	0.83	71.6	< 0.005 U	0.07	1.26	0.280	1.656	0.46	0.084	0.102	< 0.002 U	101	0.9	0.063
2/21/2017	Background	0.15	0.88	77.2	< 0.005 U	0.08	0.384	0.372	0.993	0.46	0.158	0.108	< 0.002 U	93.1	0.7	0.086
3/28/2017	Background	0.14	0.78	75.7	< 0.005 U	0.06	0.742	0.258	0.945	0.45	0.096	0.126	< 0.002 U	90.1	0.7	0.100
4/18/2017	Background	0.16	0.86	74.2	< 0.004 U	0.07	0.134	0.234	1.303	0.43	0.070	0.117	0.002 J	92.4	0.8	0.062
5/16/2017	Background	0.16	0.90	74.1	< 0.004 U	0.07	0.093	0.241	2.167	0.45	0.062	0.110	< 0.002 U	90.2	0.9	0.069
6/13/2017	Background	0.16	0.81	77.1	< 0.008 U	0.09	0.178	0.281	1.28	0.45	0.090	0.118	< 0.002 U	95.7	0.9	0.07 J
5/9/2018	Assessment	0.14	0.72	73.2	< 0.004 U	0.08	0.056	0.318	0.3443	0.44	0.040	0.107	< 0.002 U	70.2	2.0	0.076
9/19/2018	Assessment	0.13	0.69	64.8	0.005 J	0.06	0.297	0.260	0.439	0.46	0.02 J	0.096	< 0.002 U	70.6	2.8	0.112
4/8/2019	Assessment	0.15	0.70	63.1	< 0.02 U	0.07	0.08 J	0.320	0.595	0.54	0.107	0.117	< 0.002 U	67.7	1.4	< 0.1 U
6/19/2019	Assessment	0.15	0.63	67.2	< 0.02 U	0.08	0.08 J	0.171	1.0123	0.25	0.111	0.056	< 0.002 U	58.9	1.3	0.1 J
9/10/2019	Assessment	0.13	0.67	70.4	< 0.02 U	0.07	0.08 J	0.312	2.682	0.28	< 0.05 U	0.0877	< 0.002 U	54.9	2.7	< 0.1 U
3/10/2020	Assessment	0.13	0.62	60.9	< 0.02 U	0.07	0.1 J	0.322	0.434	0.40	0.05 J	0.0721	< 0.002 U	51.7	4.4	< 0.1 U
5/19/2020	Assessment	0.14	0.65	59.8	--	0.06	0.1 J	0.435	0.3814	0.38	< 0.05 U	0.0730	--	56.0	5.3	< 0.1 U
10/8/2020	Assessment	0.14	0.68	57.4	--	0.07	0.492	0.148	0.682	0.38	< 0.05 U	0.0701	< 0.002 U	56.4	1.9	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1607D
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	1.64	141	88.3	0.54	6.9	285	744
11/2/2016	Background	1.42	155	103	0.61	7.8	376	856
12/20/2016	Background	1.46	187	118	0.50	7.7	474	1,050
1/23/2017	Background	--	--	--	--	7.5	--	--
2/21/2017	Background	1.54	165	107	0.51	7.6	415	1,010
3/29/2017	Background	1.89	162	106	0.52	7.6	393	938
4/18/2017	Background	1.58	168	104	0.52	7.6	383	904
5/16/2017	Background	1.54	156	102	0.52	8.4	347	876
6/14/2017	Background	1.50	159	104	0.49	7.6	365	872
10/31/2017	Detection	1.76	214	138	0.47	7.6	626	1,290
1/23/2018	Detection	2.34	244	150	0.44	7.5	668	1,380
5/10/2018	Assessment	--	--	--	0.54	7.5	--	--
9/20/2018	Assessment	2.44	222	163	0.52	7.7	662	1,450
4/8/2019	Assessment	3.10	232	162	0.52	7.4	656	1,480
6/19/2019	Assessment	3.14	234	167	0.40	7.8	710	1,600
9/10/2019	Assessment	3.65	233	174	0.56	7.7	699	1,610
3/11/2020	Assessment	--	--	--	0.41	7.1	--	--
5/20/2020	Assessment	3.89	228	181	0.51	7.2	722	1,620
10/8/2020	Assessment	4.16	232	170	0.49	7.3	703	1,650

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1607D
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.04 J	0.91	117	< 0.005 U	0.02 J	0.3	0.439	0.86	0.54	0.179	0.068	< 0.002 U	96.2	0.1	0.05 J
11/2/2016	Background	0.03 J	1.02	155	< 0.005 U	0.02 J	0.7	0.396	3.997	0.61	0.058	0.069	< 0.002 U	91.1	0.07 J	0.04 J
12/20/2016	Background	0.03 J	1.02	168	< 0.005 U	0.005 J	2.07	0.526	1.689	0.50	0.038	0.075	< 0.002 U	89.6	0.03 J	0.04 J
2/21/2017	Background	0.03 J	1.14	133	< 0.005 U	< 0.004 U	0.090	0.481	0.883	0.51	0.041	0.072	< 0.002 U	87.7	0.03 J	0.04 J
3/29/2017	Background	0.05	1.24	140	0.008 J	0.03	0.602	0.805	1.872	0.52	0.628	0.087	0.002 J	85.9	0.5	0.062
4/18/2017	Background	0.03 J	1.00	126	< 0.004 U	< 0.005 U	0.133	0.414	1.535	0.52	0.070	0.079	0.002 J	81.8	0.05 J	0.02 J
5/16/2017	Background	0.03 J	1.11	129	< 0.004 U	< 0.005 U	0.078	0.399	1.265	0.52	0.041	0.087	< 0.002 U	91.2	0.04 J	0.02 J
6/14/2017	Background	0.03 J	0.98	131	< 0.004 U	< 0.005 U	0.141	0.439	1.764	0.49	0.124	0.088	< 0.002 U	90.8	0.03 J	0.04 J
5/10/2018	Assessment	0.03 J	1.15	73.5	< 0.004 U	< 0.005 U	0.051	0.521	1.254	0.54	0.043	0.089	< 0.002 U	80.9	< 0.03 U	0.02 J
9/20/2018	Assessment	0.03 J	1.34	92.3	< 0.004 U	< 0.005 U	0.158	0.769	0.926	0.52	0.044	0.104	< 0.002 U	83.4	< 0.03 U	0.04 J
4/8/2019	Assessment	0.03 J	1.31	75.7	< 0.02 U	< 0.01 U	0.07 J	0.778	1.3269	0.52	0.05 J	0.127	< 0.002 U	79.8	0.05 J	< 0.1 U
6/19/2019	Assessment	0.03 J	1.61	82.3	< 0.02 U	< 0.01 U	0.1 J	0.799	1.31	0.40	0.07 J	0.072	< 0.002 U	81.8	0.06 J	< 0.1 U
9/10/2019	Assessment	0.03 J	1.53	79.3	< 0.02 U	0.01 J	0.05 J	0.848	1.855	0.56	< 0.05 U	0.110	< 0.002 U	82.1	0.09 J	< 0.1 U
3/11/2020	Assessment	< 0.02 U	1.56	68.3	< 0.02 U	< 0.01 U	0.08 J	0.846	2.552	0.41	< 0.05 U	0.108	< 0.002 U	79.6	0.04 J	< 0.1 U
5/20/2020	Assessment	0.03 J	1.42	65.6	--	< 0.01 U	0.2 J	0.913	0.815	0.51	0.05 J	0.104	--	83.5	0.08 J	< 0.1 U
10/8/2020	Assessment	0.03 J	1.80	75.8	--	< 0.01 U	0.244	1.01	1.304	0.49	< 0.05 U	0.0966	< 0.002 U	83.8	0.06 J	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1607S
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	--	--	--	--	7.6	--	--
11/2/2016	Background	1.38	126	90.8	0.32	7.6	214	698
12/21/2016	Background	1.02	129	92.7	0.33	7.7	246	716
2/21/2017	Background	1.27	131	91.9	0.29	7.5	244	746
3/28/2017	Background	1.70	131	93.1	0.28	7.4	233	706
4/18/2017	Background	1.65	135	92.6	0.30	7.6	225	678
5/16/2017	Background	1.64	133	97.5	0.29	8.2	221	746
6/14/2017	Background	1.74	136	96.3	0.27	7.5	229	708
10/31/2017	Detection	1.32	165	100	0.28	7.5	343	860
1/23/2018	Detection	1.49	--	111	--	7.4	--	--
5/10/2018	Assessment	--	--	--	0.29	7.4	--	--
9/20/2018	Assessment	1.71	220	151	0.28	7.6	478	1,160
4/8/2019	Assessment	2.35	226	153	0.26	7.2	504	1,310
6/19/2019	Assessment	2.46	233	154	0.19	7.5	524	1,370
9/10/2019	Assessment	3.21	198	167	0.27	7.7	465	1,350
3/10/2020	Assessment	--	--	--	0.24	6.9	--	--
5/20/2020	Assessment	3.55	190	172	0.23	7.0	407	1,230
10/8/2020	Assessment	3.26	187	148	0.24	7.0	371	1,180

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1607S
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
11/2/2016	Background	0.46	1.86	56.7	0.01 J	0.06	0.8	2.59	2.504	0.32	1.40	0.098	0.003 J	50.4	7.1	0.060
12/21/2016	Background	0.84	11.2	114	0.123	0.22	3.10	20.1	2.81	0.33	11.0	0.088	0.012	45.7	9.4	0.150
2/21/2017	Background	0.42	1.19	63.9	0.007 J	0.03	0.325	1.21	1.974	0.29	0.267	0.091	< 0.002 U	41.3	9.0	0.069
3/28/2017	Background	0.43	1.17	66.8	< 0.005 U	0.02	0.390	0.942	1.153	0.28	0.134	0.110	< 0.002 U	39.2	9.2	0.052
4/18/2017	Background	0.55	1.62	67.6	0.01 J	0.06	0.514	2.60	1.632	0.30	1.25	0.102	0.003 J	45.1	8.9	0.058
5/16/2017	Background	0.50	1.17	63.7	< 0.004 U	0.03	0.226	0.851	2.408	0.29	0.159	0.094	< 0.002 U	48.1	9.1	0.05 J
6/14/2017	Background	0.48	1.10	62.9	< 0.004 U	0.03	0.200	0.936	1.017	0.27	0.138	0.106	< 0.002 U	46.1	9.4	0.05 J
5/10/2018	Assessment	0.44	0.93	71.1	< 0.004 U	0.04	0.121	1.18	1.29	0.29	0.128	0.103	< 0.002 U	43.2	11.4	0.064
9/20/2018	Assessment	0.42	0.90	80.6	< 0.004 U	0.04	0.086	0.840	0.584	0.28	0.094	0.118	< 0.002 U	41.5	8.8	0.089
4/8/2019	Assessment	0.40	0.94	72.7	< 0.02 U	0.04 J	0.376	1.21	0.723	0.26	0.09 J	0.141	< 0.002 U	37.9	7.0	< 0.1 U
6/19/2019	Assessment	0.44	0.96	81.0	< 0.02 U	0.04 J	0.428	0.990	1.121	0.19	0.108	0.075	< 0.002 U	34.6	5.6	< 0.1 U
9/10/2019	Assessment	0.41	0.87	67.7	< 0.02 U	0.05 J	0.357	0.971	2.765	0.27	0.09 J	0.0990	< 0.002 U	35.0	4.3	< 0.1 U
3/10/2020	Assessment	0.41	0.92	69.2	< 0.02 U	0.04 J	0.321	1.23	1.171	0.24	0.06 J	0.110	< 0.002 U	35.5	4.5	< 0.1 U
5/20/2020	Assessment	0.45	0.93	66.8	--	0.04 J	0.249	1.42	0.3123	0.23	0.06 J	0.105	--	35.8	5.7	< 0.1 U
10/8/2020	Assessment	0.48	0.89	64.0	--	0.03 J	0.509	1.27	1.553	0.24	0.2 J	0.0937	< 0.002 U	35.9	3.3	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

- -: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1608
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
9/27/2016	Background	0.150	93.8	6.55	0.27	7.4	70.6	368
11/1/2016	Background	0.113	86.2	6.43	0.30	7.3	64.3	352
12/19/2016	Background	0.118	83.0	4.25	0.26	7.3	58.3	338
2/22/2017	Background	0.156	83.3	4.37	0.25	7.1	94.4	398
3/27/2017	Background	0.238	80.3	5.27	0.24	6.8	112	350
4/17/2017	Background	0.233	101	7.08	0.23	7.0	168	424
5/15/2017	Background	0.200	102	8.62	0.23	7.8	208	475
6/12/2017	Background	0.169	110	8.23	0.21	6.7	204	486
10/31/2017	Detection	0.140	94.7	5.13	0.22	7.1	131	430
5/10/2018	Assessment	--	--	--	0.18	6.8	--	--
9/20/2018	Assessment	0.169	128	6.59	0.21	7.2	256	572
4/9/2019	Assessment	0.156	102	6.82	0.20	6.9	179	451
6/18/2019	Assessment	0.116	86.5	5.06	0.16	6.2	144	416
9/10/2019	Assessment	0.124	92.0	4.01	0.20	7.1	109	369
3/10/2020	Assessment	--	--	--	0.21	6.7	--	--
5/13/2020	Assessment	0.108	92.7	5.22	0.22	6.8	158	440
10/6/2020	Assessment	0.074	83.9	1.57	0.27	6.7	56.4	440

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1608
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
9/27/2016	Background	0.10	0.82	42.0	0.02 J	0.03	0.9	1.21	0.454	0.27	0.881	0.003	< 0.002 U	2.35	1.2	0.03 J
11/1/2016	Background	0.04 J	0.53	33.4	< 0.005 U	0.02 J	0.6	0.254	2.282	0.30	0.232	0.004	< 0.002 U	2.16	1.3	0.081
12/19/2016	Background	0.04 J	0.68	32.2	0.009 J	0.02	2.78	0.588	0.379	0.26	0.405	< 0.0002 U	< 0.002 U	1.94	1.1	0.03 J
2/22/2017	Background	0.03 J	0.52	32.4	< 0.005 U	0.01 J	0.364	0.240	1.235	0.25	0.205	0.003	< 0.002 U	1.40	1.5	0.053
3/27/2017	Background	0.03 J	0.56	31.4	< 0.005 U	0.01 J	0.335	0.330	0.417	0.24	0.274	0.006	< 0.002 U	2.49	1.3	0.04 J
4/17/2017	Background	0.04 J	0.50	35.3	< 0.004 U	0.01 J	0.223	0.196	0.1298	0.23	0.173	0.006	0.002 J	1.89	1.3	0.01 J
5/15/2017	Background	0.04 J	0.49	35.1	< 0.004 U	0.008 J	0.151	0.098	0.857	0.23	0.073	0.006	< 0.002 U	2.08	1.0	0.01 J
6/12/2017	Background	0.03 J	0.49	36.4	< 0.004 U	0.006 J	0.277	0.040	0.146	0.21	0.024	0.016	< 0.002 U	1.57	1.1	0.02 J
5/10/2018	Assessment	0.02 J	0.37	46.6	0.009 J	0.01 J	0.126	0.095	0.565	0.18	0.079	0.0003 J	< 0.002 U	0.53	0.9	0.02 J
9/20/2018	Assessment	0.03 J	0.42	42.6	< 0.004 U	0.008 J	0.264	0.052	0.55	0.21	0.037	0.004	< 0.002 U	1.18	1.2	0.02 J
4/9/2019	Assessment	0.04 J	0.56	41.2	< 0.02 U	0.02 J	0.372	0.597	0.2435	0.20	0.454	0.01 J	< 0.002 U	1 J	1.2	< 0.1 U
6/18/2019	Assessment	0.03 J	0.40	32.0	< 0.02 U	0.01 J	0.306	0.05 J	0.104	0.16	0.06 J	< 0.009 U	< 0.002 U	0.8 J	0.8	< 0.1 U
9/10/2019	Assessment	0.03 J	0.52	26.8	0.05 J	< 0.01 U	0.327	0.056	1.348	0.20	0.06 J	0.00286	< 0.002 U	1 J	1.0	< 0.1 U
3/10/2020	Assessment	< 0.02 U	0.37	30.5	< 0.02 U	< 0.01 U	0.264	0.070	0.67	0.21	0.06 J	0.00229	< 0.002 U	0.6 J	4.3	< 0.1 U
5/13/2020	Assessment	0.04 J	0.36	31.3	--	0.02 J	0.2 J	0.092	0.569	0.22	0.275	0.00241	--	0.7 J	2.1	< 0.1 U
10/6/2020	Assessment	0.09 J	0.66	30.5	--	0.05	0.707	0.659	0.0286	0.27	0.476	0.00241	< 0.002 U	2 J	1.7	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1805
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	4.24	147	146	0.36	7.8	639	1,500
6/19/2019	Assessment	6.38	280	156	0.1 J	7.5	894	1,860
9/11/2019	Assessment	6.00	273	167	0.24	7.4	908	1,880
3/10/2020	Assessment	--	--	--	0.27	7.2	--	--
5/14/2020	Assessment	5.74	254	169	0.24	7.2	923	1,800
10/9/2020	Assessment	5.11	265	131	0.19	7.2	789	1,660

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1805
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	2.14	20.3	54.3	< 0.1 U	< 0.05 U	1.00	3.31	3.12	0.36	1.21	0.043	< 0.002 U	80.1	< 0.3 U	< 0.5 U
6/19/2019	Assessment	< 0.04 U	66.3	42.4	< 0.04 U	< 0.02 U	0.2 J	4.91	1.412	0.1 J	< 0.04 U	0.032	< 0.002 U	96.2	0.1 J	< 0.2 U
9/11/2019	Assessment	0.07 J	70.4	41.9	< 0.02 U	< 0.01 U	0.415	3.39	2.7353	0.24	0.1 J	0.0426	< 0.002 U	78.0	0.1 J	< 0.1 U
3/10/2020	Assessment	0.02 J	11.4	24.3	< 0.02 U	< 0.01 U	0.2 J	0.091	1.409	0.27	< 0.05 U	0.0316	< 0.002 U	10.7	< 0.03 U	< 0.1 U
5/14/2020	Assessment	0.03 J	56.0	41.3	--	< 0.01 U	0.1 J	0.384	0.641	0.24	< 0.05 U	0.0422	--	42.7	0.1 J	< 0.1 U
10/9/2020	Assessment	< 0.02 U	80.9	32.2	--	< 0.01 U	0.326	1.01	1.5	0.19	< 0.05 U	0.0432	< 0.002 U	50.0	0.05 J	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1921
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	0.571	55.9	34.7	0.77	7.6	106	452
6/19/2019	Assessment	0.644	77.7	33.3	0.87	8.2	128	435
9/13/2019	Assessment	0.647	79.6	33.2	0.79	7.6	131	438
3/12/2020	Assessment	--	--	--	0.94	7.4	--	--
5/18/2020	Assessment	0.751	88.3	35.8	0.98	7.4	153	469
10/6/2020	Assessment	0.577	77.2	38.7	0.98	7.2	127	603

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1921
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.1 J	3.36	68.0	< 0.1 U	< 0.05 U	1.13	2.64	1.678	0.77	0.944	0.075	0.002 J	478	0.4 J	< 0.5 U
6/19/2019	Assessment	0.10	1.19	51.2	< 0.02 U	< 0.01 U	0.07 J	0.860	0.276	0.87	0.06 J	0.074	< 0.002 U	502	0.2 J	< 0.1 U
9/13/2019	Assessment	0.1 J	1.25	50.8	< 0.02 U	0.03 J	0.1 J	0.692	1.228	0.79	0.08 J	0.0926	< 0.002 U	500	0.1 J	< 0.1 U
3/12/2020	Assessment	0.08 J	1.21	58.5	< 0.02 U	< 0.01 U	0.230	0.879	3.441	0.94	0.217	0.0995	< 0.002 U	461	0.1 J	< 0.1 U
5/18/2020	Assessment	0.11	1.12	54.1	--	< 0.01 U	0.2 J	0.795	1.053	0.98	0.385	0.0990	--	472	0.1 J	< 0.1 U
10/6/2020	Assessment	0.11	1.18	47.4	--	< 0.01 U	0.524	0.604	0.451	0.98	0.2 J	0.0870	< 0.002 U	472	0.1 J	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1922D
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/9/2019	Assessment	1.00	145	53.5	0.29	7.5	333	908
6/19/2019	Assessment	0.725	121	44.1	0.31	7.6	269	724
9/11/2019	Assessment	0.440	96.5	32.7	0.33	7.6	167	566
3/11/2020	Assessment	--	--	--	0.29	6.9	--	--
5/19/2020	Assessment	0.310	80.0	28.3	0.32	7.0	118	484
10/8/2020	Assessment	0.131	64.5	19.5	0.30	7.1	47.3	389

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1922D
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/9/2019	Assessment	0.88	323	69.3	< 0.1 U	< 0.05 U	0.4 J	1.02	2.64	0.29	0.1 J	0.02 J	< 0.002 U	488	< 0.2 U	< 0.5 U
6/19/2019	Assessment	0.29	716	54.7	< 0.02 U	< 0.01 U	< 0.04 U	0.530	3.332	0.31	< 0.02 U	< 0.009 U	< 0.002 U	515	0.04 J	< 0.1 U
9/11/2019	Assessment	1.04	839	51.0	< 0.02 U	0.01 J	0.08 J	0.492	3.089	0.33	< 0.05 U	0.0126	< 0.002 U	478	0.06 J	< 0.1 U
3/11/2020	Assessment	0.63	1,240	72.3	< 0.02 U	< 0.01 U	0.335	0.267	3.28	0.29	0.07 J	0.0117	< 0.002 U	314	0.05 J	< 0.1 U
5/19/2020	Assessment	0.31	522	66.3	--	< 0.01 U	0.2 J	0.218	1.816	0.32	< 0.05 U	0.0110	--	289	< 0.03 U	< 0.1 U
10/8/2020	Assessment	4.91	1,040	144	--	< 0.01 U	0.351	0.326	2.815	0.30	0.07 J	0.00747	< 0.002 U	109	< 0.03 U	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1922S
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/9/2019	Assessment	7.66	359	171	0.16	7.2	978	2,090
6/20/2019	Assessment	6.95	335	169	0.17	7.4	1,020	2,090
9/11/2019	Assessment	6.34	342	179	0.19	7.3	1,070	2,060
3/11/2020	Assessment	--	--	--	0.1 J	6.9	--	--
5/18/2020	Assessment	6.92	345	160	0.19	6.9	1,060	1,920
10/9/2020	Assessment	4.09	293	126	0.16	7.1	842	1,750

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1922S
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/9/2019	Assessment	< 0.1 U	1.95	30.7	< 0.1 U	< 0.05 U	0.3 J	1.83	2.124	0.16	0.3 J	0.082	< 0.002 U	43.5	< 0.2 U	< 0.5 U
6/20/2019	Assessment	< 0.04 U	1.89	26.9	< 0.04 U	< 0.02 U	0.2 J	1.37	1.156	0.17	0.08 J	0.03 J	< 0.002 U	36.4	0.07 J	< 0.2 U
9/11/2019	Assessment	0.02 J	1.75	26.5	< 0.02 U	< 0.01 U	0.2 J	1.23	2.945	0.19	0.1 J	0.0556	< 0.002 U	33.9	0.08 J	< 0.1 U
3/11/2020	Assessment	< 0.02 U	2.92	28.0	< 0.04 U	< 0.01 U	0.220	1.31	2.028	0.1 J	0.2 J	0.0615	< 0.002 U	32.4	0.09 J	< 0.1 U
5/18/2020	Assessment	< 0.02 U	1.79	27.4	--	< 0.01 U	0.2 J	1.52	0.821	0.19	0.06 J	0.0611	--	34.3	0.1 J	< 0.1 U
10/9/2020	Assessment	0.09 J	3.25	37.7	--	0.11	1.48	2.88	1.844	0.16	1.57	0.0551	0.002 J	30.7	0.3	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1923
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	1.09	113	38.0	0.16	7.6	181	584
6/18/2019	Assessment	0.804	91.4	35.9	0.16	7.3	147	526
9/11/2019	Assessment	0.756	105	38.3	0.13	6.8	159	545
3/12/2020	Assessment	--	--	--	0.18	--	--	--
5/14/2020	Assessment	0.770	103	33.1	0.21	7.3	150	525
10/6/2020	Assessment	1.19	117	34.2	0.27	7.2	253	329

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1923
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.2 J	0.55	77.6	< 0.1 U	< 0.05 U	0.3 J	0.317	0.706	0.16	0.1 J	0.223	< 0.002 U	160	23.8	< 0.5 U
6/18/2019	Assessment	0.21	0.56	72.9	< 0.02 U	0.01 J	0.353	0.657	0.836	0.16	0.255	0.135	< 0.002 U	101	14.4	< 0.1 U
9/11/2019	Assessment	0.24	0.75	86.6	< 0.02 U	0.03 J	0.541	1.01	2.099	0.13	0.543	0.137	< 0.002 U	84.2	14.0	< 0.1 U
3/12/2020	Assessment	0.15	0.58	73.3	< 0.02 U	0.02 J	0.903	0.622	0.935	0.18	0.302	0.115	< 0.002 U	70.1	5.2	< 0.1 U
5/14/2020	Assessment	0.23	0.69	79.8	--	0.02 J	0.484	0.814	0.48	0.21	0.354	0.109	--	70.9	4.1	< 0.1 U
10/6/2020	Assessment	0.18	0.62	86.4	--	0.01 J	2.13	0.747	1.241	0.27	0.434	0.177	< 0.002 U	98.0	17.8	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1924
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	7.49	286	136	0.42	6.9	766	1,700
6/18/2019	Assessment	6.22	243	122	0.38	7.3	721	1,570
9/11/2019	Assessment	4.89	238	109	0.44	7.1	662	1,500
3/12/2020	Assessment	--	--	--	0.44	7.1	--	--
5/14/2020	Assessment	5.28	314	145	0.47	7.0	817	1,730
10/6/2020	Assessment	5.27	301	159	0.40	7.1	851	1,840

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1924
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.2 J	0.91	59.8	< 0.1 U	0.2 J	0.3 J	2.29	0.921	0.42	0.3 J	0.133	< 0.002 U	89.5	1.3	< 0.5 U
6/18/2019	Assessment	0.06 J	0.55	69.5	< 0.02 U	0.05	0.1 J	2.74	1.417	0.38	0.07 J	0.087	< 0.002 U	69.0	3.6	< 0.1 U
9/11/2019	Assessment	0.07 J	0.61	54.5	< 0.02 U	0.06	0.2 J	4.10	1.719	0.44	0.218	0.102	< 0.002 U	76.7	3.5	< 0.1 U
3/12/2020	Assessment	0.09 J	0.72	46.7	< 0.1 U	0.06	0.324	6.80	0.974	0.44	0.394	0.130	< 0.002 U	92.0	1.1	< 0.1 U
5/14/2020	Assessment	0.06 J	0.66	54.5	--	0.06	0.784	3.10	1.785	0.47	0.229	0.104	--	77.6	1.1	< 0.1 U
10/6/2020	Assessment	0.09 J	1.30	55.3	--	0.09	1.64	10.3	1.013	0.40	1.14	0.113	0.003 J	82.7	0.9	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1925
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	4.17	172	128	0.33	7.2	624	1,460
6/19/2019	Assessment	5.21	242	147	0.25	7.6	686	1,520
9/10/2019	Assessment	5.86	249	147	0.26	7.2	683	1,500
3/11/2020	Assessment	--	--	--	0.24	7.0	--	--
5/14/2020	Assessment	4.91	205	119	0.34	7.0	565	1,250
10/6/2020	Assessment	4.31	211	122	0.29	6.8	548	372

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1925
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.2 J	0.88	46.6	< 0.1 U	0.06 J	0.4 J	1.65	2.726	0.33	0.4 J	0.094	< 0.002 U	76.0	6.2	< 0.5 U
6/19/2019	Assessment	0.18	0.35	48.0	< 0.02 U	0.04 J	0.1 J	1.28	1.245	0.25	0.04 J	0.095	< 0.002 U	63.5	6.3	< 0.1 U
9/10/2019	Assessment	0.20	0.41	45.0	< 0.02 U	0.06	0.1 J	1.27	1.041	0.26	0.2 J	0.0947	< 0.002 U	54.6	4.1	< 0.1 U
3/11/2020	Assessment	0.16	0.37	40.4	< 0.02 U	0.05 J	0.1 J	1.21	1.59	0.24	< 0.05 U	0.0926	< 0.002 U	56.2	2.9	< 0.1 U
5/14/2020	Assessment	0.19	0.32	36.8	--	0.04 J	0.08 J	1.07	0.91	0.34	< 0.05 U	0.0853	--	57.9	4.8	< 0.1 U
10/6/2020	Assessment	0.20	0.56	39.5	--	0.04 J	0.428	1.07	0.2096	0.29	0.09 J	0.0776	< 0.002 U	45.8	5.4	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1926
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	0.263	95.4	57.8	0.25	7.2	67.4	506
6/20/2019	Assessment	0.165	82.1	23.2	0.28	7.3	47.8	416
9/13/2019	Assessment	0.145	87.6	8.57	0.24	7.3	26.4	396
3/12/2020	Assessment	--	--	--	0.28	7.0	--	--
5/18/2020	Assessment	0.146	95.3	7.86	0.29	7.0	28.5	354
10/8/2020	Assessment	0.121	87.2	3.49	0.26	7.0	30.0	351

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1926
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.1 J	0.95	28.8	< 0.1 U	0.06 J	0.4 J	5.05	1.327	0.25	0.981	0.01 J	< 0.002 U	9 J	0.3 J	< 0.5 U
6/20/2019	Assessment	0.08 J	0.38	22.9	< 0.02 U	0.05	0.06 J	1.81	0.524	0.28	0.05 J	< 0.009 U	< 0.002 U	7.05	0.3	< 0.1 U
9/13/2019	Assessment	0.07 J	0.37	23.9	< 0.02 U	0.06	0.09 J	1.17	0.4608	0.24	0.07 J	0.00624	< 0.002 U	5.38	0.4	< 0.1 U
3/12/2020	Assessment	0.03 J	0.33	20.3	< 0.02 U	0.04 J	0.206	1.08	1.316	0.28	< 0.05 U	0.00675	< 0.002 U	6.16	0.2	< 0.1 U
5/18/2020	Assessment	0.08 J	0.36	23.7	--	0.05	0.2 J	1.42	0.3552	0.29	< 0.05 U	0.00744	--	5.72	0.3	< 0.1 U
10/8/2020	Assessment	0.05 J	0.32	20.0	--	0.05 J	0.323	1.03	0.379	0.26	< 0.05 U	0.00575	< 0.002 U	5.04	1.0	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1927
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	0.654	151	20.3	0.18	7.3	327	898
6/20/2019	Assessment	0.513	159	15.6	0.13	7.8	335	849
9/13/2019	Assessment	0.498	143	15.2	0.14	7.0	306	839
3/11/2020	Assessment	--	--	--	0.14	6.9	--	--
5/14/2020	Assessment	0.501	143	12.9	0.17	6.8	290	807
10/9/2020	Assessment	0.429	155	11.8	0.14	6.9	277	741

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1927
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	0.3 J	0.4 J	63.4	< 0.1 U	< 0.05 U	< 0.2 U	0.319	1.533	0.18	0.1 J	0.03 J	< 0.002 U	7 J	0.8 J	< 0.5 U
6/20/2019	Assessment	0.15	0.28	61.5	< 0.02 U	0.05 J	0.1 J	0.251	0.866	0.13	0.03 J	< 0.009 U	< 0.002 U	2.82	0.3	< 0.1 U
9/13/2019	Assessment	0.12	0.27	58.7	< 0.02 U	0.05	0.08 J	0.225	1.415	0.14	< 0.05 U	0.00638	< 0.002 U	2 J	0.4	< 0.1 U
3/11/2020	Assessment	0.09 J	0.29	56.2	< 0.02 U	0.06	0.1 J	0.319	0.765	0.14	< 0.05 U	0.00723	< 0.002 U	2 J	0.2 J	< 0.1 U
5/14/2020	Assessment	0.14	0.29	54.4	--	0.06	0.1 J	0.434	1.19	0.17	0.08 J	0.00725	--	2 J	0.1 J	< 0.1 U
10/9/2020	Assessment	0.12	0.44	51.3	--	0.07	0.763	0.602	1.371	0.14	0.441	0.00598	< 0.002 U	2 J	0.3	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 1 - Groundwater Data Summary: MW-1929
Mountaineer - BAP
Appendix III Constituents

Geosyntec Consultants, Inc.

Collection Date	Monitoring Program	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids
		mg/L	mg/L	mg/L	mg/L	SU	mg/L	mg/L
4/10/2019	Assessment	0.243	115	11.7	0.19	7.5	214	574
6/18/2019	Assessment	0.219	97.8	13.6	0.20	7.5	237	541
9/10/2019	Assessment	0.236	113	15.1	0.19	7.6	234	528
3/10/2020	Assessment	--	--	--	0.23	7.2	--	--
5/13/2020	Assessment	0.189	98.0	10.7	0.23	7.2	176	461
10/9/2020	Assessment	0.218	104	10.7	0.22	7.2	198	508

Notes:

mg/L: milligrams per liter

SU: standard unit

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

Table 1 - Groundwater Data Summary: MW-1929
Mountaineer - BAP
Appendix IV Constituents

Collection Date	Monitoring Program	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Combined Radium	Fluoride	Lead	Lithium	Mercury	Molybdenum	Selenium	Thallium
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pCi/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
4/10/2019	Assessment	< 0.1 U	0.80	56.9	< 0.1 U	< 0.05 U	0.5 J	3.03	0.823	0.19	1.15	0.01 J	< 0.002 U	< 2 U	1.3	< 0.5 U
6/18/2019	Assessment	0.02 J	0.37	47.6	< 0.02 U	0.02 J	0.2 J	0.157	0.398	0.20	0.08 J	< 0.009 U	< 0.002 U	0.7 J	1.3	< 0.1 U
9/10/2019	Assessment	0.03 J	0.47	52.1	< 0.02 U	0.01 J	0.280	0.606	2.994	0.19	0.274	0.00480	< 0.002 U	0.7 J	1.7	< 0.1 U
3/10/2020	Assessment	< 0.02 U	0.41	43.8	< 0.02 U	< 0.01 U	0.529	0.214	0.478	0.23	0.1 J	0.00382	< 0.002 U	0.5 J	0.9	< 0.1 U
5/13/2020	Assessment	0.04 J	0.79	52.1	--	0.04 J	0.584	1.81	0.88	0.23	0.870	0.00416	--	0.6 J	1.1	< 0.1 U
10/9/2020	Assessment	0.02 J	0.41	44.6	--	0.01 J	0.416	0.363	0.988	0.22	0.2 J	0.00430	< 0.002 U	0.6 J	1.8	< 0.1 U

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

<: Non-detect value. Parameters which were not detected are shown as less than the method detection limit (MDL) followed by a 'U' flag.

J: Estimated value. Parameter was detected at concentration below the reporting limit

--: Not analyzed

pCi/L: picocuries per liter

Table 2: Residence Time Calculation Summary - Bottom Ash Pond
Mountaineer Bottom Ash Pond


Geosyntec Consultants, Inc.

CCR Management Unit	Monitoring Well	Well Diameter (inches)	2020-03		2020-05		2020-10	
			Groundwater Velocity (ft/year)	Groundwater Residence Time (days)	Groundwater Velocity (ft/year)	Groundwater Residence Time (days)	Groundwater Velocity (ft/year)	Groundwater Residence Time (days)
Bottom Ash Pond	MW-1601A ^[1]	2.0	74	0.8	167	0.4	63	1.0
	MW-1602 ^[1]	2.0	77	0.8	155	0.4	112	0.5
	MW-1603 ^[1]	2.0	179	0.3	197	0.3	556	0.1
	MW-1604D ^[2]	2.0	93	0.7	366	0.2	202	0.3
	MW-1604S ^[2]	2.0	140	0.4	332	0.2	485	0.1
	MW-1605D ^[2]	2.0	69	0.9	367	0.2	286	0.2
	MW-1605S ^[2]	2.0	166	0.4	367	0.2	286	0.2
	MW-1606D ^[2]	2.0	97	0.6	6,660	0.01	287	0.2
	MW-1606S ^[2]	2.0	85	0.7	226	0.3	309	0.2
	MW-1607D ^[2]	2.0	109	0.6	245	0.2	302	0.2
	MW-1607S ^[2]	2.0	136	0.4	313	0.2	236	0.3
	MW-1608 ^[1]	2.0	110	0.6	145	0.4	128	0.5

Notes:

[1] - Background Well

[2] - Downgradient Well



Legend

- CCR Network Monitoring Wells
- Nature and Extent Monitoring Wells
- Piezometer
- Approximate Groundwater Flow Direction
- Groundwater Elevation Contour

Notes

- Monitoring well coordinates and water level data (collected on March 9, 2020) provided by AEP.
- Site features based on information available in Ash Pond System-CCR Groundwater Monitoring Well Network Evaluation (Arcadis, 2016) provided by AEP.
- Groundwater elevation units are feet above mean sea level.
- Water levels from piezometers were inconsistent with other local data and not used to create groundwater contours.
- MW-1805 was not gauged during the March 2020 event. MW-1928 and PZ-09-04 were dry during March 2020.
- MW-1923 and MW-1924 were not used to generate groundwater contours due to anomalous or inconsistent readings.
- Pumping wells for plant activities were not operational during the gauging period. When operational, shallow groundwater beneath the plant flows northeast toward the Ohio River.
- Normal lower pool elevation of the Ohio River at Racine Lock and Dam is 539.5 ft amsl (USACE).

1,000 500 0 1,000
Feet

Potentiometric Surface Map - Uppermost Aquifer
March 2020

AEP Mountaineer Generating Plant - Bottom Ash Ponds
New Haven, West Virginia


Geosyntec
consultants

Figure

2

Columbus, Ohio

2021/01/27



P:\Projects\AEP\Groundwater Statistical Evaluation - CHA8423\Groundwater Mapping\GIS Files\MXD\Mountaineer\2020\AEP-Mountaineer_BAP_GW_2020-05.mxd. ARevezzo. 1/27/2021. CHA8423\07\08.

1,000 500 0 1,000
Feet

Potentiometric Surface Map - Uppermost Aquifer
May 2020

AEP Mountaineer Generating Plant - Bottom Ash Ponds
New Haven, West Virginia


Geosyntec
consultants

Figure

3

Columbus, Ohio

2021/01/27



Legend	
◆	CCR Network Monitoring Wells
◆	Nature and Extent Monitoring Wells
◆	Piezometer
—	Groundwater Elevation Contour
→	Approximate Groundwater Flow Direction

Notes

- Monitoring well coordinates and water level data (collected on October 5, 2020) provided by AEP.
- Site features based on information available in Ash Pond System-CCR Groundwater Monitoring Well Network Evaluation (Arcadis, 2016) provided by AEP.
- Groundwater elevation units are feet above mean sea level.
- Water levels from piezometers were inconsistent with other local data and not used to create groundwater contours.
- MW-1924 was not used in generate groundwater contours due to anomalous or inconsistent reading.
- MW-1805 was not gauged in May 2020. MW-1928 and PZ-09-04 were dry during October 2020.
- Normal lower pool elevation of the Ohio River at Racine Lock and Dam is 539.5 ft amsl (USACE).
- Intermittent usage of pumping wells for plant activities impact water levels in the vicinity. In general, shallow groundwater beneath the plant flows northeast toward the Ohio River.

1,000 500 0 1,000
Feet

Potentiometric Surface Map - Uppermost Aquifer October 2020

AEP Mountaineer Generating Plant - Bottom Ash Ponds
New Haven, West Virginia

Geosyntec
consultants

Figure

4

Columbus, Ohio

2021/01/06

Appendix 2

The groundwater data statistical analyses completed in 2020 follow.

STATISTICAL ANALYSIS SUMMARY

BOTTOM ASH POND

Mountaineer Plant

New Haven, West Virginia

Submitted to



1 Riverside Plaza
Columbus, Ohio 43215-2372

Submitted by



engineers | scientists | innovators

941 Chatham Lane
Suite 103
Columbus, Ohio 43221

October 2, 2020

CHA8500

TABLE OF CONTENTS

SECTION 1 Executive Summary	1
SECTION 2 Bottom Ash Pond Evaluation.....	2-1
2.1 Data Validation & QA/QC	2-1
2.2 Statistical Analysis.....	2-1
2.2.1 Establishment of GWPSSs.....	2-1
2.2.2 Evaluation of Potential Appendix IV SSLs.....	2-2
2.2.3 Evaluation of Potential Appendix III SSIs	2-2
2.3 Conclusions.....	2-3
SECTION 3 References	3-1

LIST OF TABLES

Table 1	Groundwater Data Summary
Table 2	Groundwater Protection Standards
Table 3	Appendix III Data Summary

LIST OF ATTACHMENTS

Attachment A	Certification by Qualified Professional Engineer
Attachment B	Statistical Analysis Output

LIST OF ACRONYMS AND ABBREVIATIONS

AEP	American Electric Power
ASD	Alternative Source Demonstration
BAP	Bottom Ash Pond
CCR	Coal Combustion Residuals
CCV	Continuing Calibration Verification
CFR	Code of Federal Regulations
GWPS	Groundwater Protection Standard
LCL	Lower Confidence Limit
LFB	Laboratory Fortified Blanks
LPL	Lower Prediction Limit
LRB	Laboratory Reagent Blanks
MCL	Maximum Contaminant Level
NELAP	National Environmental Laboratory Accreditation Program
QA	Quality Assurance
QC	Quality Control
SSI	Statistically Significant Increase
SSL	Statistically Significant Level
TDS	Total Dissolved Solids
UPL	Upper Prediction Limit
USEPA	United States Environmental Protection Agency
UTL	Upper Tolerance Limit

SECTION 1

EXECUTIVE SUMMARY

In accordance with the United States Environmental Protection Agency's (USEPA's) regulations regarding the disposal of coal combustion residuals (CCR) in landfills and surface impoundments (40 CFR 257.90-257.98, "CCR rule"), groundwater monitoring has been conducted at the Bottom Ash Pond (BAP), an existing CCR unit at the Mountaineer Power Plant located in New Haven, West Virginia.

Based on detection monitoring conducted in 2017 and 2018, statistically significant increases (SSIs) over background were concluded for boron, calcium, chloride, total dissolved solids (TDS), and sulfate at the BAP. An alternative source was not identified at the time, so the BAP initiated assessment monitoring in April 2018. Groundwater protection standards (GWPS) were set in accordance with 40 CFR 257.95(d)(2) and a statistical evaluation of the assessment monitoring data was conducted. Statistically significant levels were observed for lithium (Geosyntec, 2019). An alternative source was not identified, so the BAP initiated an assessment of corrective measures in accordance with 40 CFR 257.96 and has been completing assessment monitoring since. Two assessment monitoring events were conducted at the BAP in March and May 2020 in accordance with 40 CFR 257.95. The results of these assessment events are documented in this report.

Groundwater data underwent several validation tests, including those for completeness, sample tracking accuracy, transcription errors, and consistent use of measurement units. No data quality issues were identified which would impact data usability.

The monitoring data were submitted to Groundwater Stats Consulting, LLC for statistical analysis. Groundwater protection standards (GWPSs) were re-established for the Appendix IV parameters. Confidence intervals were calculated for Appendix IV parameters at the compliance wells to assess whether Appendix IV parameters were present at a statistically significant level (SSL) above the GWPS. SSLs were identified for lithium. Thus, the unit will continue the assessment of corrective measures process and will monitor the groundwater monitoring network in accordance with the assessment monitoring program as required by 40 CFR 275.96(b). Certification of the selected statistical methods by a qualified professional engineer is documented in Attachment A.

SECTION 2

BOTTOM ASH POND EVALUATION

2.1 Data Validation & QA/QC

During the assessment monitoring program, two sets of samples were collected for analysis from each upgradient and downgradient well to meet the requirements of 40 CFR 257.95(b) (March 2020) and 257.95(d)(1) (May 2020). Samples from the March 2020 event were analyzed for Appendix IV parameters only, whereas samples from the May 2020 sample event were analyzed for all Appendix III and detected Appendix IV parameters based on the results of the March event. A summary of data collected during these assessment monitoring events may be found in Table 1.

Chemical analysis was completed by an analytical laboratory certified by the National Environmental Laboratory Accreditation Program (NELAP). Quality assurance and quality control (QA/QC) samples completed by the analytical laboratory included the use of laboratory reagent blanks (LRBs), continuing calibration verification (CCV) samples, and laboratory fortified blanks (LFBs).

The analytical data were imported into a Microsoft Access database, where checks were completed to assess the accuracy of sample location identification and analyte identification. Where necessary, unit conversions were applied to standardize reported units across all sampling events. Exported data files were created for use with the Sanitas™ v.9.6.26 statistics software. The export file was checked against the analytical data for transcription errors and completeness. No QA/QC issues were noted which would impact data usability.

2.2 Statistical Analysis

Statistical analyses for the BAP were conducted in accordance with the January 2017 *Statistical Analysis Plan* (AEP, 2017), except where noted below. Time series plots and results for all completed statistical tests are provided in Attachment B.

The data obtained in March and May 2020 were screened for potential outliers. No outliers were identified for these events.

2.2.1 Establishment of GWPSs

A GWPS was established for each Appendix IV parameter in accordance with 40 CFR 257.95(h) and the *Statistical Analysis Plan* (AEP, 2017). The established GWPS was determined to be the greater value of the background concentration and the maximum contaminant level (MCL) or risk-based level specified in 40 CFR 257.95(h)(2) for each Appendix IV parameter. To determine background concentrations, an upper tolerance limit (UTL) was calculated using pooled data from the background wells collected during the background monitoring and assessment monitoring events. Tolerance limits were calculated parametrically with 95% coverage and 95% confidence

for arsenic, chromium, cobalt, combined radium, fluoride, lithium, and molybdenum. Non-parametric tolerance limits were calculated for antimony, barium, cadmium, lead, selenium, and thallium due to apparent non-normal distributions and for beryllium and mercury due to a high non-detect frequency. Tolerance limits and the final GWPSs are summarized in Table 2.

2.2.2 Evaluation of Potential Appendix IV SSLs

A confidence interval was constructed for each Appendix IV parameter at each compliance well. Confidence limits were generally calculated parametrically ($\alpha = 0.01$); however, non-parametric confidence limits were calculated in some cases (e.g., when the data did not appear to be normally distributed or when the non-detect frequency was too high). An SSL was concluded if the lower confidence limit (LCL) exceeded the GWPS (i.e., if the entire confidence interval exceeded the GWPS). Calculated confidence limits are shown in Attachment B.

The following SSLs were identified at the Mountaineer BAP:

- The LCL for lithium exceeded the GWPS of 0.400 mg/L at MW-1605D (0.0777 mg/L), MW-1605S (0.0753 mg/L), MW-1606D (0.123 mg/L), MW-1606S (0.114 mg/L), MW-1607D (0.101 mg/L), and MW-1607S (0.112 mg/L).

As a result, the Mountaineer BAP will continue the assessment of corrective measures and continue to monitor the groundwater monitoring network in accordance with the assessment monitoring program per 40 CFR 257.96(b).

2.2.3 Evaluation of Potential Appendix III SSIs

While SSLs were identified, a review of the Appendix III results were also completed to assess whether concentrations of Appendix III parameters at the compliance wells exceeded background concentrations.

Data collected during the May 2020 assessment monitoring event from each compliance well were compared to the prediction limits to evaluate results above background values. The results from this event and the prediction limits are summarized in Table 2. The following exceedances of the upper prediction limits (UPLs) were noted:

- Boron concentrations exceeded the interwell UPL of 0.614 mg/L at MW-1604D (4.65 mg/L), MW-1604S (3.68 mg/L), MW-1605D (6.92 mg/L), MW-1605S (4.83 mg/L), MW-1606D (5.92 mg/L), MW-1606S (5.94 mg/L), MW-1607D (3.89 mg/L), and MW-1607S (3.55 mg/L).
- Calcium concentrations exceeded the interwell UPL of 200 mg/L at MW-1604D (205 mg/L), MW-1604S (250 mg/L), MW-1605D (265 mg/L), MW-1606D (270 mg/L), MW-1606S (207 mg/L), and MW-1607D (228 mg/L).

- Chloride concentrations exceeded the interwell UPL of 68.5 mg/L at MW-1604D (113 mg/L), MW-1604S (116 mg/L), MW-1605D (169 mg/L), MW-1605S (93.5 mg/L), MW-1606D (178 mg/L), MW-1606S (181 mg/L), MW-1607D (181 mg/L), and MW-1607S (172 mg/L).
- Fluoride concentrations exceeded the interwell UPL of 0.271 mg/L at MW-1605S (0.28 mg/L), MW-1606S (0.38 mg/L), and MW-1607D (0.51 mg/L).
- Sulfate concentrations exceeded the interwell UPL of 674 mg/L at MW-1604S (715 mg/L), MW-1605D (848 mg/L), MW-1606D (756 mg/L), and MW-1607D (722 mg/L).
- The pH value at MW-1607S (7.0 SU) was below the intrawell lower prediction limit (LPL) of 7.2 SU.
- TDS concentrations exceeded the interwell UPL of 1040 mg/L at MW-1604D (1390 mg/L), MW-1604S (1520 mg/L), MW-1605D (1670 mg/L), MW-1605S (1160 mg/L), MW-1606D (1600 mg/L), MW-1606S (1400 mg/L), MW-1607D (1620 mg/L), and MW-1607S (1230 mg/L).

While the prediction limits were calculated for a one-of-two retesting procedure, SSIs were conservatively assumed if the May 2020 sample was above the UPL or below the LPL. Based on these results, concentrations of Appendix III constituents appear to be above background levels at compliance wells.

2.3 Conclusions

A semi-annual assessment monitoring event was conducted in accordance with the CCR Rule. The laboratory and field data were reviewed prior to statistical analysis, with no QA/QC issues identified that impacted data usability. A review of outliers identified no potential outliers in the March and May 2020 data. GWPSs were re-established for the Appendix IV parameters. A confidence interval was constructed at each compliance well for each Appendix IV parameter; SSLs were concluded if the entire confidence interval exceeded the GWPS. SSLs were identified for lithium. Appendix III parameters were compared to established prediction limits, with exceedances identified for boron, calcium, chloride, fluoride, pH sulfate, and TDS.

Based on this evaluation, the Mountaineer BAP CCR unit will continue with the assessment of corrective measures and continue to monitor the groundwater monitoring network in accordance with the assessment monitoring program per 40 CFR 257.96b.

SECTION 3

REFERENCES

American Electric Power (AEP). 2017. Statistical Analysis Plan – Mountaineer Plant. January 2017.

Geosyntec Consultants (Geosyntec). 2019. Statistical Analysis Summary – Bottom Ash Pond, Mountaineer Plant. January 8, 2019.

TABLES

Table 1 - Groundwater Data Summary
Mountaineer Plant - Bottom Ash Pond

Parameter	Unit	MW-1601A		MW-1602		MW-1603		MW-1604D		MW-1604S		MW-1605D	
		3/12/2020	5/15/2020	3/11/2020	5/15/2020	3/11/2020	5/15/2020	3/10/2020	5/14/2020	3/10/2020	5/14/2020	3/10/2020	5/19/2020
Antimony	µg/L	0.1 U	0.03 J	0.1 U	0.02 J	0.1 U	0.1 U	0.02 J	0.03 J	0.14	0.15	0.03 J	0.04 J
Arsenic	µg/L	0.58	0.57	0.31	0.31	0.29	0.27	0.31	0.28	0.29	0.30	3.01	2.73
Barium	µg/L	64.9	67.8	28.9	30.0	30.4	30.0	34.2	34.1	28.9	29.1	29.6	25.7
Beryllium	µg/L	0.1 U	-										
Boron	mg/L	-	0.136	-	0.118	-	0.275	-	4.65	-	3.68	-	6.92
Cadmium	µg/L	0.01 J	0.02 J	0.05 U	0.01 J	0.01 J	0.01 J	0.03 J	0.03 J	0.12	0.19	0.02 J	0.01 J
Calcium	mg/L	-	185	-	99.2	-	161	-	205	-	250	-	265
Chloride	mg/L	-	22.7	-	9.67	-	10.7	-	113	-	116	-	169
Chromium	µg/L	0.205	0.1 J	0.261	0.2 J	0.224	0.210	0.311	0.729	0.323	0.1 J	0.08 J	0.1 J
Cobalt	µg/L	0.02 J	0.05 U	0.05 U	0.04 J	0.061	0.094	0.138	0.117	1.72	1.93	1.67	1.45
Combined Radium	pCi/L	1.685	0.553	0.4389	0.5819	2.036	0.701	0.834	0.1393	1.662	1.038	0.3851	0.425
Fluoride	mg/L	0.14	0.16	0.23	0.25	0.06	0.09	0.22	0.25	0.24	0.25	0.19 J	0.17 J
Lead	µg/L	0.2 U	0.2 U	0.05 J	0.2 U	0.08 J	0.07 J	0.2 U					
Lithium	mg/L	0.00183	0.00190	0.0117	0.0126	0.0175	0.0182	0.0235	0.0218	0.0390	0.0419	0.0502	0.0495
Mercury	µg/L	0.005 U	-										
Molybdenum	µg/L	1 J	0.7 J	1 J	0.9 J	2 U	2 U	1 J	1 J	13.7	14.9	32.7	32.8
Selenium	µg/L	1.4	0.9	0.2 J	0.09 J	0.2 J	0.2 J	0.8	0.7	1.2	1.1	0.2 J	0.2 J
Sulfate	mg/L	-	274	-	264	-	387	-	667	-	715	-	848
Thallium	µg/L	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U							
Total Dissolved Solids	mg/L	-	814	-	595	-	809	-	1,390	-	1,520	-	1,670
pH	SU	6.7	6.7	6.4	6.4	6.4	6.5	6.4	6.7	6.7	6.9	6.9	7.0

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

pCi/L: picocuries per liter

SU: standard unit

U: Non-detect value. For statistical analysis, parameters which were not detected were replaced with the reporting limit.

J: Estimated value. Parameter was detected in concentrations below the reporting limit.

--: Not sampled

Table 1 - Groundwater Data Summary
Mountaineer Plant - Bottom Ash Pond

Parameter	Unit	MW-1605S		MW-1606D		MW-1606S		MW-1607D		MW-1607S		MW-1608	
		3/10/2020	5/19/2020	3/10/2020	5/19/2020	3/10/2020	5/19/2020	3/11/2020	5/20/2020	3/10/2020	5/20/2020	3/10/2020	5/13/2020
Antimony	µg/L	0.08 J	0.04 J	0.14	0.15	0.13	0.14	0.1 U	0.03 J	0.41	0.45	0.1 U	0.04 J
Arsenic	µg/L	0.62	0.47	0.35	0.32	0.62	0.65	1.56	1.42	0.92	0.93	0.37	0.36
Barium	µg/L	26.5	21.1	45.3	45.6	60.9	59.8	68.3	65.6	69.2	66.8	30.5	31.3
Beryllium	µg/L	0.1 U	-										
Boron	mg/L	-	4.83	-	5.92	-	5.94	-	3.89	-	3.55	-	0.108
Cadmium	µg/L	0.04 J	0.03 J	0.05	0.06	0.07	0.06	0.05 U	0.05 U	0.04 J	0.04 J	0.05 U	0.02 J
Calcium	mg/L	-	154	-	270	-	207	-	228	-	190	-	92.7
Chloride	mg/L	-	93.5	-	178	-	181	-	181	-	172	-	5.22
Chromium	µg/L	0.305	0.1 J	0.2 J	0.1 J	0.1 J	0.1 J	0.08 J	0.2 J	0.321	0.249	0.264	0.2 J
Cobalt	µg/L	0.723	0.208	1.11	1.10	0.322	0.435	0.846	0.913	1.23	1.42	0.070	0.092
Combined Radium	pCi/L	0.842	0.639	0.946	0.975	0.434	0.3814	2.552	0.815	1.171	0.3123	0.67	0.569
Fluoride	mg/L	0.30	0.28	0.27	0.24	0.40	0.38	0.41	0.51	0.24	0.23	0.21	0.22
Lead	µg/L	0.497	0.2 U	0.2 U	0.2 U	0.05 J	0.2 U	0.2 U	0.05 J	0.06 J	0.06 J	0.06 J	0.275
Lithium	mg/L	0.0558	0.0523	0.0700	0.0681	0.0721	0.0730	0.108	0.104	0.110	0.105	0.00229	0.00241
Mercury	µg/L	0.005 U	-										
Molybdenum	µg/L	12.8	12.3	62.5	67.0	51.7	56.0	79.6	83.5	35.5	35.8	0.6 J	0.7 J
Selenium	µg/L	0.8	0.7	0.5	0.5	4.4	5.3	0.04 J	0.08 J	4.5	5.7	4.3	2.1
Sulfate	mg/L	-	543	-	756	-	646	-	722	-	407	-	158
Thallium	µg/L	0.5 U											
Total Dissolved Solids	mg/L	-	1,160	-	1,600	-	1,400	-	1,620	-	1,230	-	440
pH	SU	6.9	6.9	7.0	7.0	6.8	6.7	7.1	7.2	6.9	7.0	6.7	6.8

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

pCi/L: picocuries per liter

SU: standard unit

U: Non-detect value. For statistical analysis, parameters which were not detected were replaced with the reporting limit.

J: Estimated value. Parameter was detected in concentrations below the reporting limit.

--: Not sampled

Table 2: Groundwater Protection Standards
Mountaineer Plant - Bottom Ash Pond

Geosyntec Consultants, Inc.

Constituent Name	MCL	CCR Rule-Specified	Background Limit
Antimony, Total (mg/L)	0.006		0.0001
Arsenic, Total (mg/L)	0.01		0.00074
Barium, Total (mg/L)	2		0.068
Beryllium, Total (mg/L)	0.004		0.0001
Cadmium, Total (mg/L)	0.005		0.00003
Chromium, Total (mg/L)	0.1		0.0008
Cobalt, Total (mg/L)	n/a	0.006	0.0006
Combined Radium, Total (pCi/L)	5		2.30
Fluoride, Total (mg/L)	4		0.29
Lead, Total (mg/L)	n/a	0.015	0.00088
Lithium, Total (mg/L)	n/a	0.04	0.025
Mercury, Total (mg/L)	0.002		0.000005
Molybdenum, Total (mg/L)	n/a	0.1	0.0028
Selenium, Total (mg/L)	0.05		0.0043
Thallium, Total (mg/L)	0.002		0.0005

Notes:

Grey cell indicates calculated UTL is higher than MCL.

MCL = Maximum Contaminant Level

Calculated UTL (Upper Tolerance Limit) represents site-specific background values.

The higher of the calculated UTL or MCL/Rule-Specified Level is used as the GWPS.

**Table 3: Appendix III Data Summary
Mountaineer Plant - Bottom Ash Pond**

Geosyntec Consultants, Inc.

Analyte	Unit	Description	MW-1604D	MW-1604S	MW-1605D	MW-1605S	MW-1606D	MW-1606S	MW-1607D	MW-1607S
			5/14/2020	5/14/2020	5/19/2020	5/19/2020	5/19/2020	5/19/2020	5/20/2020	5/20/2020
Boron	mg/L	Interwell Background Value (UPL)				0.614				
		Analytical Result	4.65	3.68	6.92	4.83	5.92	5.94	3.89	3.55
Calcium	mg/L	Interwell Background Value (UPL)				200				
		Analytical Result	205	250	265	154	270	207	228	190
Chloride	mg/L	Interwell Background Value (UPL)				68.5				
		Analytical Result	113	116	169	93.5	178	181	181	172
Fluoride	mg/L	Interwell Background Value (UPL)				0.271				
		Analytical Result	0.25	0.25	0.17	0.28	0.24	0.38	0.51	0.23
pH	SU	Intrawell Background Value (UPL)	7.8	7.8	7.9	7.9	7.9	8.1	8.0	7.8
		Intrawell Background Value (LPL)	6.7	6.6	6.9	6.8	6.9	6.1	7.0	7.2
		Analytical Result	6.7	6.9	7.0	6.9	7.0	6.7	7.2	7.0
Sulfate	mg/L	Interwell Background Value (UPL)				674				
		Analytical Result	667	715	848	543	756	646	722	407
Total Dissolved Solids	mg/L	Interwell Background Value (UPL)				1,040				
		Analytical Result	1,390	1,520	1,670	1,160	1,600	1,400	1,620	1,230

Notes:

UPL: Upper prediction limit

LPL: Lower prediction limit

Bold values exceed the background value.

Background values are shaded gray.

ATTACHMENT A

Certification by Qualified Professional Engineer

Certification by Qualified Professional Engineer

I certify that the selected and above described statistical method is appropriate for evaluating the groundwater monitoring data for the Mountaineer Bottom Ash Pond CCR management area and that the requirements of 40 CFR 257.93(f) have been met.

DAVID ANTHONY MILLER

Printed Name of Licensed Professional Engineer

David Anthony Miller


Signature

22663

License Number

WEST VIRGINIA

Licensing State




10.06.2020

Date

ATTACHMENT B

Statistical Analysis Output

GROUNDWATER STATS
CONSULTING



August 28, 2020

Geosyntec Consultants
Attn: Ms. Allison Kreinberg
941 Chatham Lane, #103
Columbus, OH 43221

Re: Mountaineer BAP – Assessment Monitoring Report May 2020

Groundwater Stats Consulting, formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the Assessment Monitoring statistical analysis of groundwater data through May 2020 for American Electric Power Inc.'s Mountaineer Bottom Ash Pond. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals from Electric Utilities (CCR Rule, 2015) as well as with the USEPA Unified Guidance (2009).

Sampling began at the site for the CCR program in 2016. The monitoring well network, as provided by Geosyntec Consultants, consists of the following:

- **Upgradient wells:** MW-1601A, MW-1602, MW-1603, MW-1608; and
- **Downgradient wells:** MW-1604D, MW-1604S, MW-1605D, MW-1605S, MW-1606D, MW-1606S, MW-1607D, MW-1607S.

Data were sent electronically, and the statistical analysis was conducted according to the Statistical Analysis Plan and screening evaluation prepared by GSC and approved by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance, and Senior Advisor to GSC. The analysis was reviewed by Kristina Rayner, Groundwater Statistician and Founder of Groundwater Stats Consulting.

The CCR program consists of the following Assessment Monitoring constituents:

- **Appendix IV** – antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, combined radium 226 + 228, fluoride, lead, lithium, mercury, molybdenum, selenium, and thallium

Time series plots for Appendix IV parameters are provided for all wells and are used to evaluate concentrations over time (Figure A). Additionally, box plots are included for all constituents at upgradient and downgradient wells (Figure B). Values in background which have been flagged as outliers may be seen in a lighter font and as a disconnected symbol on the graph. A summary of these values follows this letter (Figure C). The time series plots are used to initially screen for suspected outliers and trends, while the box plots provide visual representation of variation within individual wells and between all wells.

Evaluation of Appendix IV Parameters – May 2020

Interwell Tolerance limits were used to calculate background limits from all available pooled upgradient well data for Appendix IV parameters to determine the background limit for each constituent (Figure D). Background data were screened for outliers in December 2019 and extreme trending patterns that would lead to artificially elevated statistical limits. In some cases, due to the natural log transformation, Tukey's test did not identify outliers for values which were significantly higher than remaining observations in a given well. For instance, during the December 2016 sample event, high values were reported for chromium in several wells (both upgradient and downgradient). These values were flagged in the database as outliers as they did not appear to represent the population at these wells. Any flagged values may be seen on the Outlier Summary following this letter.

Parametric limits use a target of 95% confidence and 95% coverage. The confidence and coverage levels for nonparametric tolerance limits are dependent upon the number of background samples. These limits were compared to the Maximum Contaminant Levels (MCLs) and CCR-Rule specified levels in the Groundwater Protection Standard (GWPS) table following this letter to determine the highest limit for use as the GWPS in the Confidence Interval comparisons (Figure E).

Confidence intervals were then constructed on downgradient wells for each of the Appendix IV parameters using the highest limit of the MCL, CCR-rule specified, or background as discussed above (Figure F). Only when the entire confidence interval is

above a GWPS is the well/constituent pair considered to exceed its respective standard. No confidence interval exceedances were found except for lithium in wells MW-1605D, MW1605S, MW-1606D, MW-1606S, MW-1607D and MW-1607S. A summary of the confidence interval results follows this letter.

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for the Mountaineer BAP. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,




Easton Rayner
Groundwater Analyst



Kristina L. Rayner
Groundwater Statistician


Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG




Time Series






Sanitas™ v.9.6.26g . UG

Time Series






Sanitas™ v.9.6.26g . UG




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG

Time Series




Sanitas™ v.9.6.26g . UG

Time Series




Sanitas™ v.9.6.26g . UG


Time Series



Time Series




Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Sanitas™ v.9.6.26g . UG

Time Series




Sanitas™ v.9.6.26g . UG

Time Series




Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series



Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.


Time Series



Constituent: Thallium, total Analysis Run 8/26/2020 7:53 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP


Sanitas™ v.9.6.26g . UG
Hollow symbols indicate censored values.

Time Series




Constituent: Thallium, total Analysis Run 8/26/2020 7:53 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP


Box & Whiskers Plot




Box & Whiskers Plot




Box & Whiskers Plot



Box & Whiskers Plot




Box & Whiskers Plot




Constituent: Barium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Barium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Beryllium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Beryllium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Cadmium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Cadmium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Chromium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Chromium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Cobalt, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Cobalt, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Fluoride, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Lead, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Lead, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP


Box & Whiskers Plot




Box & Whiskers Plot




Box & Whiskers Plot



Box & Whiskers Plot




Box & Whiskers Plot




Constituent: Molybdenum, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Molybdenum, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Selenium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot




Constituent: Selenium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot



Constituent: Thallium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Box & Whiskers Plot



Constituent: Thallium, total Analysis Run 8/26/2020 7:55 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Outlier Report

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP Printed 8/26/2020, 8:02 PM

MW-1607S Arsenic, total (mg/L) MW-1607S Barium, total (mg/L) MW-1601A Chromium, total (mg/L) MW-1602 Chromium, total (mg/L) MW-1603 Chromium, total (mg/L) MW-1604S Chromium, total (mg/L) MW-1605D Chromium, total (mg/L) MW-1605S Chromium, total (mg/L) MW-1607D Chromium, total (mg/L) MW-1607S Chromium, total (mg/L)

9/26/2016

9/27/2016

11/1/2016

0.0013 (o)

12/19/2016

0.00165 (o) 0.00237 (o)

12/20/2016

0.00197 (o) 0.00229 (o) 0.00285 (o) 0.00207 (o)

12/21/2016 0.0112 (o) 0.114 (o) 0.0031 (o)

4/18/2017

MW-1608 Chromium, total (mg/L) MW-1607S Cobalt, total (mg/L) MW-1604S Combined Radium 226 + 228 (pCi/L) MW-1606D Combined Radium 226 + 228 (pCi/L) MW-1606D Lead, total (mg/L) MW-1607S Lead, total (mg/L) MW-1607S Mercury, total (mg/L) MW-1604S Molybdenum, total (mg/L)

9/26/2016 0.136 (o) 0.0032 (o)

9/27/2016

8.459 (o)

11/1/2016

12/19/2016 0.00278 (o)

12/20/2016

12/21/2016 0.0201 (o) 0.011 (o) 1.2E-05 (o)

4/18/2017

0.00204 (o)

Upper Tolerance Limits

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP Printed 8/28/2020, 1:24 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Antimony, total (mg/L)	n/a	0.00010	n/a	n/a	n/a	60	16.67	n/a	0.04607	NP Inter(normal...)
Arsenic, total (mg/L)	n/a	0.00074	n/a	n/a	n/a	60	0	sqrt(x)	0.05	Inter
Barium, total (mg/L)	n/a	0.068	n/a	n/a	n/a	60	0	n/a	0.04607	NP Inter(normal...)
Beryllium, total (mg/L)	n/a	0.00010	n/a	n/a	n/a	56	87.5	n/a	0.05656	NP Inter(NDs)
Cadmium, total (mg/L)	n/a	0.000030	n/a	n/a	n/a	60	10	n/a	0.04607	NP Inter(normal...)
Chromium, total (mg/L)	n/a	0.00076	n/a	n/a	n/a	56	1.786	ln(x)	0.05	Inter
Cobalt, total (mg/L)	n/a	0.00062	n/a	n/a	n/a	60	6.667	ln(x)	0.05	Inter
Combined Radium 226 + 228 (pCi/L)	n/a	2.3	n/a	n/a	n/a	60	0	sqrt(x)	0.05	Inter
Fluoride, total (mg/L)	n/a	0.29	n/a	n/a	n/a	64	0	No	0.05	Inter
Lead, total (mg/L)	n/a	0.00088	n/a	n/a	n/a	60	11.67	n/a	0.04607	NP Inter(normal...)
Lithium, total (mg/L)	n/a	0.025	n/a	n/a	n/a	60	10	No	0.05	Inter
Mercury, total (mg/L)	n/a	0.0000050	n/a	n/a	n/a	56	92.86	n/a	0.05656	NP Inter(NDs)
Molybdenum, total (mg/L)	n/a	0.0028	n/a	n/a	n/a	60	6.667	sqrt(x)	0.05	Inter
Selenium, total (mg/L)	n/a	0.0043	n/a	n/a	n/a	60	0	n/a	0.04607	NP Inter(normal...)
Thallium, total (mg/L)	n/a	0.00050	n/a	n/a	n/a	60	35	n/a	0.04607	NP Inter(normal...)

MOUNTAINEER BAP GWPS				
Constituent Name	MCL	CCR Rule-Specified	Background Limit	GWPS
Antimony, Total (mg/L)	0.006		0.0001	0.006
Arsenic, Total (mg/L)	0.01		0.00074	0.01
Barium, Total (mg/L)	2		0.068	2
Beryllium, Total (mg/L)	0.004		0.0001	0.004
Cadmium, Total (mg/L)	0.005		0.00003	0.005
Chromium, Total (mg/L)	0.1		0.00076	0.1
Cobalt, Total (mg/L)	n/a	0.006	0.00062	0.006
Combined Radium, Total (pCi/L)	5		2.3	5
Fluoride, Total (mg/L)	4		0.29	4
Lead, Total (mg/L)	0.015		0.00088	0.015
Lithium, Total (mg/L)	n/a	0.04	0.025	0.04
Mercury, Total (mg/L)	0.002		0.000005	0.002
Molybdenum, Total (mg/L)	n/a	0.1	0.0028	0.1
Selenium, Total (mg/L)	0.05		0.0043	0.05
Thallium, Total (mg/L)	0.002		0.0005	0.002

*MCL = Maximum Contaminant Level

*CCR = Coal Combustion Residual

*GWPS = Groundwater Protection Standard

Confidence Intervals - Significant Results

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP Printed 8/28/2020, 1:32 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Lithium, total (mg/L)	MW-1605D	0.07771	0.05413	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1605S	0.0753	0.05584	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1606D	0.1228	0.09312	0.04	Yes	15	0	x^2	0.01	Param.
Lithium, total (mg/L)	MW-1606S	0.1142	0.08695	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1607D	0.1013	0.07723	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1607S	0.1123	0.09194	0.04	Yes	15	0	No	0.01	Param.

Confidence Intervals - All Results

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP Printed 8/28/2020, 1:32 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Antimony, total (mg/L)	MW-1604D	0.00014	0.00003	0.006	No	15	6.667	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1604S	0.00015	0.00003	0.006	No	15	0	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1605D	0.00004	0.00003	0.006	No	15	6.667	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1605S	0.00007	0.00004	0.006	No	15	0	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1606D	0.00019	0.00014	0.006	No	15	0	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1606S	0.0001575	0.0001398	0.006	No	15	0	No	0.01	Param.
Antimony, total (mg/L)	MW-1607D	0.00004	0.00003	0.006	No	15	6.667	No	0.01	NP (normality)
Antimony, total (mg/L)	MW-1607S	0.0005	0.00041	0.006	No	15	0	No	0.01	NP (normality)
Arsenic, total (mg/L)	MW-1604D	0.0004863	0.000339	0.01	No	15	0	No	0.01	Param.
Arsenic, total (mg/L)	MW-1604S	0.0004424	0.0003402	0.01	No	15	0	No	0.01	Param.
Arsenic, total (mg/L)	MW-1605D	0.002652	0.00224	0.01	No	15	0	No	0.01	Param.
Arsenic, total (mg/L)	MW-1605S	0.0008662	0.0005607	0.01	No	15	0	sqrt(x)	0.01	Param.
Arsenic, total (mg/L)	MW-1606D	0.0006638	0.0003864	0.01	No	15	0	ln(x)	0.01	Param.
Arsenic, total (mg/L)	MW-1606S	0.0008439	0.0006974	0.01	No	15	0	No	0.01	Param.
Arsenic, total (mg/L)	MW-1607D	0.001378	0.001068	0.01	No	15	0	No	0.01	Param.
Arsenic, total (mg/L)	MW-1607S	0.0013	0.00092	0.01	No	14	0	No	0.01	NP (normality)
Barium, total (mg/L)	MW-1604D	0.0425	0.0279	2	No	15	0	No	0.01	NP (normality)
Barium, total (mg/L)	MW-1604S	0.0294	0.0267	2	No	15	0	No	0.01	NP (normality)
Barium, total (mg/L)	MW-1605D	0.02954	0.0257	2	No	15	0	No	0.01	Param.
Barium, total (mg/L)	MW-1605S	0.0359	0.02569	2	No	15	0	No	0.01	Param.
Barium, total (mg/L)	MW-1606D	0.05793	0.0494	2	No	15	0	No	0.01	Param.
Barium, total (mg/L)	MW-1606S	0.07441	0.06635	2	No	15	0	No	0.01	Param.
Barium, total (mg/L)	MW-1607D	0.1321	0.08605	2	No	15	0	No	0.01	Param.
Barium, total (mg/L)	MW-1607S	0.07281	0.06236	2	No	14	0	No	0.01	Param.
Cadmium, total (mg/L)	MW-1604D	0.00015	0.00003	0.005	No	15	0	No	0.01	NP (normality)
Cadmium, total (mg/L)	MW-1604S	0.00021	0.00003	0.005	No	15	0	No	0.01	NP (normality)
Cadmium, total (mg/L)	MW-1605D	0.00004	0.00001	0.005	No	15	0	No	0.01	NP (normality)
Cadmium, total (mg/L)	MW-1605S	0.00008153	0.0000498	0.005	No	15	0	sqrt(x)	0.01	Param.
Cadmium, total (mg/L)	MW-1606D	0.00007679	0.00006188	0.005	No	15	0	No	0.01	Param.
Cadmium, total (mg/L)	MW-1606S	0.00007784	0.00006616	0.005	No	15	0	No	0.01	Param.
Cadmium, total (mg/L)	MW-1607D	0.00003	0.00002	0.005	No	15	66.67	No	0.01	NP (normality)
Cadmium, total (mg/L)	MW-1607S	0.00006	0.00003	0.005	No	15	0	No	0.01	NP (normality)
Chromium, total (mg/L)	MW-1604D	0.0004814	0.0002058	0.1	No	15	0	No	0.01	Param.
Chromium, total (mg/L)	MW-1604S	0.0002823	0.000112	0.1	No	14	0	ln(x)	0.01	Param.
Chromium, total (mg/L)	MW-1605D	0.000229	0.00007653	0.1	No	14	0	sqrt(x)	0.01	Param.
Chromium, total (mg/L)	MW-1605S	0.0005047	0.0002122	0.1	No	14	0	No	0.01	Param.
Chromium, total (mg/L)	MW-1606D	0.0004075	0.0001311	0.1	No	15	0	ln(x)	0.01	Param.
Chromium, total (mg/L)	MW-1606S	0.0003306	0.0000952	0.1	No	15	0	ln(x)	0.01	Param.
Chromium, total (mg/L)	MW-1607D	0.0002451	0.00007562	0.1	No	14	0	ln(x)	0.01	Param.
Chromium, total (mg/L)	MW-1607S	0.0004683	0.0002164	0.1	No	14	0	No	0.01	Param.
Cobalt, total (mg/L)	MW-1604D	0.00185	0.000181	0.006	No	15	0	No	0.01	NP (normality)
Cobalt, total (mg/L)	MW-1604S	0.00214	0.000308	0.006	No	15	0	No	0.01	NP (normality)
Cobalt, total (mg/L)	MW-1605D	0.001787	0.0001611	0.006	No	15	0	No	0.01	Param.
Cobalt, total (mg/L)	MW-1605S	0.001067	0.0003993	0.006	No	15	0	x^(1/3)	0.01	Param.
Cobalt, total (mg/L)	MW-1606D	0.00192	0.000111	0.006	No	15	0	No	0.01	NP (normality)
Cobalt, total (mg/L)	MW-1606S	0.0003695	0.0002575	0.006	No	15	0	No	0.01	Param.
Cobalt, total (mg/L)	MW-1607D	0.000846	0.000414	0.006	No	15	0	No	0.01	NP (normality)
Cobalt, total (mg/L)	MW-1607S	0.00142	0.000851	0.006	No	14	0	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	MW-1604D	1.418	0.4796	5	No	15	0	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1604S	1.438	0.7428	5	No	14	0	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1605D	1.54	0.5881	5	No	15	0	x^(1/3)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1605S	0.842	0.347	5	No	15	0	No	0.01	NP (normality)
Combined Radium 226 + 228 (pCi/L)	MW-1606D	1.975	0.8706	5	No	14	0	x^(1/3)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1606S	1.562	0.621	5	No	15	0	No	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1607D	2.036	1.072	5	No	15	0	sqrt(x)	0.01	Param.
Combined Radium 226 + 228 (pCi/L)	MW-1607S	2.061	0.9794	5	No	15	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1604D	0.2067	0.172	4	No	16	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1604S	0.2199	0.1926	4	No	16	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1605D	0.2071	0.1829	4	No	16	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1605S	0.2847	0.2415	4	No	16	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1606D	0.27	0.24	4	No	16	0	No	0.01	NP (normality)
Fluoride, total (mg/L)	MW-1606S	0.4858	0.3946	4	No	17	0	x^2	0.01	Param.
Fluoride, total (mg/L)	MW-1607D	0.5373	0.4721	4	No	17	0	No	0.01	Param.
Fluoride, total (mg/L)	MW-1607S	0.2996	0.2541	4	No	16	0	No	0.01	Param.
Lead, total (mg/L)	MW-1604D	0.000303	0.000022	0.015	No	15	26.67	No	0.01	NP (Cohens/xfrm)
Lead, total (mg/L)	MW-1604S	0.0002	0.000034	0.015	No	15	33.33	No	0.01	NP (Cohens/xfrm)
Lead, total (mg/L)	MW-1605D	0.0002	0.00001	0.015	No	15	26.67	No	0.01	NP (normality)
Lead, total (mg/L)	MW-1605S	0.0006277	0.0001621	0.015	No	15	6.667	x^(1/3)	0.01	Param.

Confidence Intervals - All Results


Page 2

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP Printed 8/28/2020, 1:32 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Compliance</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Lead, total (mg/L)	MW-1606D	0.000491	0.000082	0.015	No	14	28.57	No	0.01	NP (Cohens/xfrm)
Lead, total (mg/L)	MW-1606S	0.0001613	0.00006921	0.015	No	15	13.33	No	0.01	Param.
Lead, total (mg/L)	MW-1607D	0.0002	0.000041	0.015	No	15	13.33	No	0.01	NP (normality)
Lead, total (mg/L)	MW-1607S	0.000267	0.00009	0.015	No	14	0	No	0.01	NP (normality)
Lithium, total (mg/L)	MW-1604D	0.05284	0.03047	0.04	No	15	6.667	x^2	0.01	Param.
Lithium, total (mg/L)	MW-1604S	0.04673	0.03373	0.04	No	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1605D	0.07771	0.05413	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1605S	0.0753	0.05584	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1606D	0.1228	0.09312	0.04	Yes	15	0	x^2	0.01	Param.
Lithium, total (mg/L)	MW-1606S	0.1142	0.08695	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1607D	0.1013	0.07723	0.04	Yes	15	0	No	0.01	Param.
Lithium, total (mg/L)	MW-1607S	0.1123	0.09194	0.04	Yes	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1604D	0.0198	0.001	0.1	No	15	6.667	No	0.01	NP (normality)
Molybdenum, total (mg/L)	MW-1604S	0.0163	0.00252	0.1	No	14	0	No	0.01	NP (normality)
Molybdenum, total (mg/L)	MW-1605D	0.04924	0.04009	0.1	No	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1605S	0.0203	0.01466	0.1	No	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1606D	0.07752	0.06885	0.1	No	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1606S	0.09517	0.06703	0.1	No	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1607D	0.08915	0.08224	0.1	No	15	0	No	0.01	Param.
Molybdenum, total (mg/L)	MW-1607S	0.04547	0.03823	0.1	No	15	0	No	0.01	Param.
Selenium, total (mg/L)	MW-1604D	0.0031	0.0007	0.05	No	15	0	No	0.01	NP (normality)
Selenium, total (mg/L)	MW-1604S	0.002257	0.001236	0.05	No	15	0	No	0.01	Param.
Selenium, total (mg/L)	MW-1605D	0.0003	0.0002	0.05	No	15	0	No	0.01	NP (normality)
Selenium, total (mg/L)	MW-1605S	0.001526	0.0007164	0.05	No	15	0	sqrt(x)	0.01	Param.
Selenium, total (mg/L)	MW-1606D	0.006	0.0022	0.05	No	15	0	No	0.01	Param.
Selenium, total (mg/L)	MW-1606S	0.002242	0.0009155	0.05	No	15	0	ln(x)	0.01	Param.
Selenium, total (mg/L)	MW-1607D	0.00009	0.00003	0.05	No	15	13.33	No	0.01	NP (normality)
Selenium, total (mg/L)	MW-1607S	0.009157	0.006363	0.05	No	15	0	No	0.01	Param.
Thallium, total (mg/L)	MW-1604D	0.0005	0.000217	0.002	No	15	33.33	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1604S	0.0003	0.00002	0.002	No	15	6.667	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1605D	0.0005	0.00004	0.002	No	15	33.33	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1605S	0.0005	0.00004	0.002	No	15	33.33	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1606D	0.0005	0.000092	0.002	No	15	26.67	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1606S	0.0005	0.000063	0.002	No	15	26.67	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1607D	0.0005	0.00002	0.002	No	15	33.33	No	0.01	NP (normality)
Thallium, total (mg/L)	MW-1607S	0.0005	0.00005	0.002	No	15	33.33	No	0.01	NP (normality)


Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Chromium, total Analysis Run 8/28/2020 1:30 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Cobalt, total Analysis Run 8/28/2020 1:30 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Combined Radium 226 + 228 Analysis Run 8/28/2020 1:30 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.



Constituent: Fluoride, total Analysis Run 8/28/2020 1:30 PM
Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Lead, total Analysis Run 8/28/2020 1:31 PM

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Lithium, total Analysis Run 8/28/2020 1:31 PM

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Molybdenum, total Analysis Run 8/28/2020 1:31 PM

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Selenium, total Analysis Run 8/28/2020 1:31 PM

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.



Constituent: Thallium, total Analysis Run 8/28/2020 1:31 PM

Mountaineer BAP Client: Geosyntec Data: Mountaineer BAP

Appendix 3

No alternative source demonstrations were completed in 2020.

Appendix 4

The notifications of an SSL above a GWPS that were posted in 2020, as determined by statistical analysis following each assessment monitoring event, and the notice of initiation the assessment monitoring program and subsequently the Assessment of Corrective Measures program follow.

Mountaineer Plant

Notice of Assessment Monitoring Program Establishment

Bottom Ash Pond

On January 15, 2018, it was determined that Mountaineer Plant's Bottom Ash Pond had statistically significant increases over background for Boron, Calcium, Chloride, Fluoride, Sulfate, and Total Dissolved Solids (TDS). An alternative source demonstration was not successful within the 90 day period as allowed for in 257.94(e)(2) prompting the initiation of an assessment monitoring program, which was established on April 13, 2018. Therefore this notice is being placed in the operating record in accordance with the requirement of 257.94(e)(3).

Mountaineer Plant

Notice for Initiating an Assessment of Corrective Measures

CCR Unit – Bottom Ash Pond

This notice is being provided, as required by 40 CFR 257.95(g)(5), that an Assessment of Corrective Measures was initiated on March 26, 2019 for Mountaineer Plant's Bottom Ash Pond due to the statistically significant concentrations detected above the established groundwater protection standard for lithium.

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-107	Antimony, Sb	0.02J	ug/L
BAP-MW-107	Arsenic, As	0.44	ug/L
BAP-MW-107	Barium, Ba	67.8	ug/L
BAP-MW-107	Beryllium, Be	<0.02U	ug/L
BAP-MW-107	Boron, B	0.696	mg/L
BAP-MW-107	Cadmium, Cd	0.04J	ug/L
BAP-MW-107	Calcium, Ca	316	mg/L
BAP-MW-107	Chloride, Cl	79.7	mg/L
BAP-MW-107	Chromium, Cr	0.07J	ug/L
BAP-MW-107	Cobalt, Co	1.08	ug/L
BAP-MW-107	Combined Radium	3.5	pCi/L
BAP-MW-107	Fluoride, F	0.19	mg/L
BAP-MW-107	Lead, Pb	<0.05U	ug/L
BAP-MW-107	Lithium, Li	0.00358	mg/L
BAP-MW-107	Mercury, Hg	<0.002U	ug/L
BAP-MW-107	Molybdenum, Mo	<0.4U	ug/L
BAP-MW-107	pH	7.1	STD
BAP-MW-107	Residue, Filterable, TDS	1410	mg/L
BAP-MW-107	Selenium, Se	0.8	ug/L
BAP-MW-107	Sulfate, SO4	631	mg/L
BAP-MW-107	Thallium, Tl	<0.1U	ug/L
BAP-MW-1601A	Antimony, Sb	0.03J	ug/L
BAP-MW-1601A	Arsenic, As	0.62	ug/L
BAP-MW-1601A	Barium, Ba	65.3	ug/L
BAP-MW-1601A	Beryllium, Be	<0.02U	ug/L
BAP-MW-1601A	Boron, B	0.153	mg/L
BAP-MW-1601A	Cadmium, Cd	0.02J	ug/L
BAP-MW-1601A	Calcium, Ca	164	mg/L
BAP-MW-1601A	Chloride, Cl	45.8	mg/L
BAP-MW-1601A	Chromium, Cr	0.370	ug/L
BAP-MW-1601A	Cobalt, Co	0.03J	ug/L
BAP-MW-1601A	Combined Radium	1.168	pCi/L
BAP-MW-1601A	Fluoride, F	0.14	mg/L
BAP-MW-1601A	Lead, Pb	<0.05U	ug/L
BAP-MW-1601A	Lithium, Li	0.00184	mg/L
BAP-MW-1601A	Mercury, Hg	<0.002U	ug/L
BAP-MW-1601A	Molybdenum, Mo	0.9J	ug/L
BAP-MW-1601A	pH	7	STD
BAP-MW-1601A	Residue, Filterable, TDS	749	mg/L
BAP-MW-1601A	Selenium, Se	1.1	ug/L
BAP-MW-1601A	Sulfate, SO4	221	mg/L
BAP-MW-1601A	Thallium, Tl	<0.1U	ug/L
BAP-MW-1602	Antimony, Sb	<0.02U	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1602	Arsenic, As	0.31	ug/L
BAP-MW-1602	Barium, Ba	27.3	ug/L
BAP-MW-1602	Beryllium, Be	<0.02U	ug/L
BAP-MW-1602	Boron, B	0.111	mg/L
BAP-MW-1602	Cadmium, Cd	0.01J	ug/L
BAP-MW-1602	Calcium, Ca	95.1	mg/L
BAP-MW-1602	Chloride, Cl	10.4	mg/L
BAP-MW-1602	Chromium, Cr	0.2J	ug/L
BAP-MW-1602	Cobalt, Co	<0.02U	ug/L
BAP-MW-1602	Combined Radium	0.451	pCi/L
BAP-MW-1602	Fluoride, F	0.21	mg/L
BAP-MW-1602	Lead, Pb	<0.05U	ug/L
BAP-MW-1602	Lithium, Li	0.00979	mg/L
BAP-MW-1602	Mercury, Hg	<0.002U	ug/L
BAP-MW-1602	Molybdenum, Mo	1J	ug/L
BAP-MW-1602	pH	6.7	STD
BAP-MW-1602	Residue, Filterable, TDS	603	mg/L
BAP-MW-1602	Selenium, Se	0.1J	ug/L
BAP-MW-1602	Sulfate, SO4	259	mg/L
BAP-MW-1602	Thallium, Tl	<0.1U	ug/L
BAP-MW-1603	Antimony, Sb	0.03J	ug/L
BAP-MW-1603	Arsenic, As	0.35	ug/L
BAP-MW-1603	Barium, Ba	30.9	ug/L
BAP-MW-1603	Beryllium, Be	<0.02U	ug/L
BAP-MW-1603	Boron, B	0.308	mg/L
BAP-MW-1603	Cadmium, Cd	0.01J	ug/L
BAP-MW-1603	Calcium, Ca	156	mg/L
BAP-MW-1603	Chloride, Cl	10.0	mg/L
BAP-MW-1603	Chromium, Cr	0.205	ug/L
BAP-MW-1603	Cobalt, Co	0.112	ug/L
BAP-MW-1603	Combined Radium	1.07	pCi/L
BAP-MW-1603	Fluoride, F	0.09	mg/L
BAP-MW-1603	Lead, Pb	0.1J	ug/L
BAP-MW-1603	Lithium, Li	0.0150	mg/L
BAP-MW-1603	Mercury, Hg	<0.002U	ug/L
BAP-MW-1603	Molybdenum, Mo	0.5J	ug/L
BAP-MW-1603	pH	6.7	STD
BAP-MW-1603	Residue, Filterable, TDS	853	mg/L
BAP-MW-1603	Selenium, Se	0.2	ug/L
BAP-MW-1603	Sulfate, SO4	421	mg/L
BAP-MW-1603	Thallium, Tl	<0.1U	ug/L
BAP-MW-1604D	Antimony, Sb	0.03J	ug/L
BAP-MW-1604D	Arsenic, As	0.30	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1604D	Barium, Ba	55.6	ug/L
BAP-MW-1604D	Beryllium, Be	<0.02U	ug/L
BAP-MW-1604D	Boron, B	2.18	mg/L
BAP-MW-1604D	Cadmium, Cd	0.03J	ug/L
BAP-MW-1604D	Calcium, Ca	217	mg/L
BAP-MW-1604D	Chloride, Cl	82.2	mg/L
BAP-MW-1604D	Chromium, Cr	0.345	ug/L
BAP-MW-1604D	Cobalt, Co	0.181	ug/L
BAP-MW-1604D	Combined Radium	0.464	pCi/L
BAP-MW-1604D	Fluoride, F	0.17	mg/L
BAP-MW-1604D	Lead, Pb	<0.05U	ug/L
BAP-MW-1604D	Lithium, Li	0.0188	mg/L
BAP-MW-1604D	Mercury, Hg	<0.002U	ug/L
BAP-MW-1604D	Molybdenum, Mo	2J	ug/L
BAP-MW-1604D	pH	7	STD
BAP-MW-1604D	Residue, Filterable, TDS	1210	mg/L
BAP-MW-1604D	Selenium, Se	3.4	ug/L
BAP-MW-1604D	Sulfate, SO4	551	mg/L
BAP-MW-1604D	Thallium, Tl	<0.1U	ug/L
BAP-MW-1604S	Antimony, Sb	0.14	ug/L
BAP-MW-1604S	Arsenic, As	0.34	ug/L
BAP-MW-1604S	Barium, Ba	29.0	ug/L
BAP-MW-1604S	Beryllium, Be	<0.02U	ug/L
BAP-MW-1604S	Boron, B	3.23	mg/L
BAP-MW-1604S	Cadmium, Cd	0.21	ug/L
BAP-MW-1604S	Calcium, Ca	267	mg/L
BAP-MW-1604S	Chloride, Cl	128	mg/L
BAP-MW-1604S	Chromium, Cr	0.1J	ug/L
BAP-MW-1604S	Cobalt, Co	2.14	ug/L
BAP-MW-1604S	Combined Radium	1.15	pCi/L
BAP-MW-1604S	Fluoride, F	0.20	mg/L
BAP-MW-1604S	Lead, Pb	<0.05U	ug/L
BAP-MW-1604S	Lithium, Li	0.0476	mg/L
BAP-MW-1604S	Mercury, Hg	<0.002U	ug/L
BAP-MW-1604S	Molybdenum, Mo	16.3	ug/L
BAP-MW-1604S	pH	7.3	STD
BAP-MW-1604S	Residue, Filterable, TDS	1520	mg/L
BAP-MW-1604S	Selenium, Se	1.0	ug/L
BAP-MW-1604S	Sulfate, SO4	770	mg/L
BAP-MW-1604S	Thallium, Tl	0.3J	ug/L
BAP-MW-1605D	Antimony, Sb	0.03J	ug/L
BAP-MW-1605D	Arsenic, As	2.78	ug/L
BAP-MW-1605D	Barium, Ba	33.1	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1605D	Beryllium, Be	<0.02U	ug/L
BAP-MW-1605D	Boron, B	8.57	mg/L
BAP-MW-1605D	Cadmium, Cd	0.03J	ug/L
BAP-MW-1605D	Calcium, Ca	283	mg/L
BAP-MW-1605D	Chloride, Cl	168	mg/L
BAP-MW-1605D	Chromium, Cr	0.04J	ug/L
BAP-MW-1605D	Cobalt, Co	1.69	ug/L
BAP-MW-1605D	Combined Radium	1.641	pCi/L
BAP-MW-1605D	Fluoride, F	0.17	mg/L
BAP-MW-1605D	Lead, Pb	<0.05U	ug/L
BAP-MW-1605D	Lithium, Li	0.0561	mg/L
BAP-MW-1605D	Mercury, Hg	<0.002U	ug/L
BAP-MW-1605D	Molybdenum, Mo	39.7	ug/L
BAP-MW-1605D	pH	7.2	STD
BAP-MW-1605D	Residue, Filterable, TDS	2050	mg/L
BAP-MW-1605D	Selenium, Se	0.3	ug/L
BAP-MW-1605D	Sulfate, SO4	974	mg/L
BAP-MW-1605D	Thallium, Tl	<0.1U	ug/L
BAP-MW-1605S	Antimony, Sb	0.04J	ug/L
BAP-MW-1605S	Arsenic, As	0.59	ug/L
BAP-MW-1605S	Barium, Ba	29.6	ug/L
BAP-MW-1605S	Beryllium, Be	<0.02U	ug/L
BAP-MW-1605S	Boron, B	8.05	mg/L
BAP-MW-1605S	Cadmium, Cd	0.05J	ug/L
BAP-MW-1605S	Calcium, Ca	174	mg/L
BAP-MW-1605S	Chloride, Cl	149	mg/L
BAP-MW-1605S	Chromium, Cr	0.237	ug/L
BAP-MW-1605S	Cobalt, Co	0.379	ug/L
BAP-MW-1605S	Combined Radium	0.542	pCi/L
BAP-MW-1605S	Fluoride, F	0.26	mg/L
BAP-MW-1605S	Lead, Pb	0.202	ug/L
BAP-MW-1605S	Lithium, Li	0.0524	mg/L
BAP-MW-1605S	Mercury, Hg	<0.002U	ug/L
BAP-MW-1605S	Molybdenum, Mo	14.2	ug/L
BAP-MW-1605S	pH	7.2	STD
BAP-MW-1605S	Residue, Filterable, TDS	1470	mg/L
BAP-MW-1605S	Selenium, Se	0.4	ug/L
BAP-MW-1605S	Sulfate, SO4	694	mg/L
BAP-MW-1605S	Thallium, Tl	<0.1U	ug/L
BAP-MW-1606D	Antimony, Sb	0.15	ug/L
BAP-MW-1606D	Arsenic, As	0.40	ug/L
BAP-MW-1606D	Barium, Ba	51.4	ug/L
BAP-MW-1606D	Beryllium, Be	<0.02U	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1606D	Boron, B	6.38	mg/L
BAP-MW-1606D	Cadmium, Cd	0.08	ug/L
BAP-MW-1606D	Calcium, Ca	281	mg/L
BAP-MW-1606D	Chloride, Cl	244	mg/L
BAP-MW-1606D	Chromium, Cr	0.1J	ug/L
BAP-MW-1606D	Cobalt, Co	1.09	ug/L
BAP-MW-1606D	Combined Radium	2.2714	pCi/L
BAP-MW-1606D	Fluoride, F	0.49	mg/L
BAP-MW-1606D	Lead, Pb	<0.05U	ug/L
BAP-MW-1606D	Lithium, Li	0.0835	mg/L
BAP-MW-1606D	Mercury, Hg	<0.002U	ug/L
BAP-MW-1606D	Molybdenum, Mo	68.5	ug/L
BAP-MW-1606D	pH	7.4	STD
BAP-MW-1606D	Residue, Filterable, TDS	1700	mg/L
BAP-MW-1606D	Selenium, Se	1.0	ug/L
BAP-MW-1606D	Sulfate, SO4	588	mg/L
BAP-MW-1606D	Thallium, Tl	<0.1U	ug/L
BAP-MW-1606S	Antimony, Sb	0.13	ug/L
BAP-MW-1606S	Arsenic, As	0.67	ug/L
BAP-MW-1606S	Barium, Ba	70.4	ug/L
BAP-MW-1606S	Beryllium, Be	<0.02U	ug/L
BAP-MW-1606S	Boron, B	6.19	mg/L
BAP-MW-1606S	Cadmium, Cd	0.07	ug/L
BAP-MW-1606S	Calcium, Ca	229	mg/L
BAP-MW-1606S	Chloride, Cl	221	mg/L
BAP-MW-1606S	Chromium, Cr	0.08J	ug/L
BAP-MW-1606S	Cobalt, Co	0.312	ug/L
BAP-MW-1606S	Combined Radium	2.682	pCi/L
BAP-MW-1606S	Fluoride, F	0.28	mg/L
BAP-MW-1606S	Lead, Pb	<0.05U	ug/L
BAP-MW-1606S	Lithium, Li	0.0877	mg/L
BAP-MW-1606S	Mercury, Hg	<0.002U	ug/L
BAP-MW-1606S	Molybdenum, Mo	54.9	ug/L
BAP-MW-1606S	pH	7.3	STD
BAP-MW-1606S	Residue, Filterable, TDS	1460	mg/L
BAP-MW-1606S	Selenium, Se	2.7	ug/L
BAP-MW-1606S	Sulfate, SO4	705	mg/L
BAP-MW-1606S	Thallium, Tl	<0.1U	ug/L
BAP-MW-1607D	Antimony, Sb	0.03J	ug/L
BAP-MW-1607D	Arsenic, As	1.53	ug/L
BAP-MW-1607D	Barium, Ba	79.3	ug/L
BAP-MW-1607D	Beryllium, Be	<0.02U	ug/L
BAP-MW-1607D	Boron, B	3.65	mg/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1607D	Cadmium, Cd	0.01J	ug/L
BAP-MW-1607D	Calcium, Ca	233	mg/L
BAP-MW-1607D	Chloride, Cl	174	mg/L
BAP-MW-1607D	Chromium, Cr	0.05J	ug/L
BAP-MW-1607D	Cobalt, Co	0.848	ug/L
BAP-MW-1607D	Combined Radium	1.855	pCi/L
BAP-MW-1607D	Fluoride, F	0.56	mg/L
BAP-MW-1607D	Lead, Pb	<0.05U	ug/L
BAP-MW-1607D	Lithium, Li	0.110	mg/L
BAP-MW-1607D	Mercury, Hg	<0.002U	ug/L
BAP-MW-1607D	Molybdenum, Mo	82.1	ug/L
BAP-MW-1607D	pH	7.7	STD
BAP-MW-1607D	Residue, Filterable, TDS	1610	mg/L
BAP-MW-1607D	Selenium, Se	0.09J	ug/L
BAP-MW-1607D	Sulfate, SO4	699	mg/L
BAP-MW-1607D	Thallium, Tl	<0.1U	ug/L
BAP-MW-1607S	Antimony, Sb	0.41	ug/L
BAP-MW-1607S	Arsenic, As	0.87	ug/L
BAP-MW-1607S	Barium, Ba	67.7	ug/L
BAP-MW-1607S	Beryllium, Be	<0.02U	ug/L
BAP-MW-1607S	Boron, B	3.21	mg/L
BAP-MW-1607S	Cadmium, Cd	0.05J	ug/L
BAP-MW-1607S	Calcium, Ca	198	mg/L
BAP-MW-1607S	Chloride, Cl	167	mg/L
BAP-MW-1607S	Chromium, Cr	0.357	ug/L
BAP-MW-1607S	Cobalt, Co	0.971	ug/L
BAP-MW-1607S	Combined Radium	2.765	pCi/L
BAP-MW-1607S	Fluoride, F	0.27	mg/L
BAP-MW-1607S	Lead, Pb	0.09J	ug/L
BAP-MW-1607S	Lithium, Li	0.0990	mg/L
BAP-MW-1607S	Mercury, Hg	<0.002U	ug/L
BAP-MW-1607S	Molybdenum, Mo	35.0	ug/L
BAP-MW-1607S	pH	7.7	STD
BAP-MW-1607S	Residue, Filterable, TDS	1350	mg/L
BAP-MW-1607S	Selenium, Se	4.3	ug/L
BAP-MW-1607S	Sulfate, SO4	465	mg/L
BAP-MW-1607S	Thallium, Tl	<0.1U	ug/L
BAP-MW-1608	Antimony, Sb	0.03J	ug/L
BAP-MW-1608	Arsenic, As	0.52	ug/L
BAP-MW-1608	Barium, Ba	26.8	ug/L
BAP-MW-1608	Beryllium, Be	0.05J	ug/L
BAP-MW-1608	Boron, B	0.124	mg/L
BAP-MW-1608	Cadmium, Cd	< 0.01U	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1608	Calcium, Ca	92.0	mg/L
BAP-MW-1608	Chloride, Cl	4.01	mg/L
BAP-MW-1608	Chromium, Cr	0.327	ug/L
BAP-MW-1608	Cobalt, Co	0.056	ug/L
BAP-MW-1608	Combined Radium	1.348	pCi/L
BAP-MW-1608	Fluoride, F	0.20	mg/L
BAP-MW-1608	Lead, Pb	0.06J	ug/L
BAP-MW-1608	Lithium, Li	0.00286	mg/L
BAP-MW-1608	Mercury, Hg	<0.002U	ug/L
BAP-MW-1608	Molybdenum, Mo	1J	ug/L
BAP-MW-1608	pH	7.1	STD
BAP-MW-1608	Residue, Filterable, TDS	369	mg/L
BAP-MW-1608	Selenium, Se	1.0	ug/L
BAP-MW-1608	Sulfate, SO4	109	mg/L
BAP-MW-1608	Thallium, Tl	<0.1U	ug/L
BAP-MW-1805	Antimony, Sb	0.07J	ug/L
BAP-MW-1805	Arsenic, As	70.4	ug/L
BAP-MW-1805	Barium, Ba	41.9	ug/L
BAP-MW-1805	Beryllium, Be	<0.02U	ug/L
BAP-MW-1805	Boron, B	6.00	mg/L
BAP-MW-1805	Cadmium, Cd	<0.01U	ug/L
BAP-MW-1805	Calcium, Ca	273	mg/L
BAP-MW-1805	Chloride, Cl	167	mg/L
BAP-MW-1805	Chromium, Cr	0.415	ug/L
BAP-MW-1805	Cobalt, Co	3.39	ug/L
BAP-MW-1805	Combined Radium	2.7353	pCi/L
BAP-MW-1805	Fluoride, F	0.24	mg/L
BAP-MW-1805	Lead, Pb	0.1J	ug/L
BAP-MW-1805	Lithium, Li	0.0426	mg/L
BAP-MW-1805	Mercury, Hg	<0.002U	ug/L
BAP-MW-1805	Molybdenum, Mo	78.0	ug/L
BAP-MW-1805	pH	7.4	STD
BAP-MW-1805	Residue, Filterable, TDS	1880	mg/L
BAP-MW-1805	Selenium, Se	0.1J	ug/L
BAP-MW-1805	Sulfate, SO4	908	mg/L
BAP-MW-1805	Thallium, Tl	<0.1U	ug/L
BAP-MW-1921	Antimony, Sb	0.1J	ug/L
BAP-MW-1921	Arsenic, As	1.25	ug/L
BAP-MW-1921	Barium, Ba	50.8	ug/L
BAP-MW-1921	Beryllium, Be	<0.02U	ug/L
BAP-MW-1921	Boron, B	0.647	mg/L
BAP-MW-1921	Cadmium, Cd	0.03J	ug/L
BAP-MW-1921	Calcium, Ca	79.6	mg/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1921	Chloride, Cl	33.2	mg/L
BAP-MW-1921	Chromium, Cr	0.1J	ug/L
BAP-MW-1921	Cobalt, Co	0.692	ug/L
BAP-MW-1921	Combined Radium	1.228	pCi/L
BAP-MW-1921	Fluoride, F	0.79	mg/L
BAP-MW-1921	Lead, Pb	0.08J	ug/L
BAP-MW-1921	Lithium, Li	0.0926	mg/L
BAP-MW-1921	Mercury, Hg	<0.002U	ug/L
BAP-MW-1921	Molybdenum, Mo	500	ug/L
BAP-MW-1921	pH	7.6	STD
BAP-MW-1921	Residue, Filterable, TDS	438	mg/L
BAP-MW-1921	Selenium, Se	0.1J	ug/L
BAP-MW-1921	Sulfate, SO4	131	mg/L
BAP-MW-1921	Thallium, Tl	<0.1U	ug/L
BAP-MW-1922D	Antimony, Sb	1.04	ug/L
BAP-MW-1922D	Arsenic, As	839	ug/L
BAP-MW-1922D	Barium, Ba	51.0	ug/L
BAP-MW-1922D	Beryllium, Be	<0.02U	ug/L
BAP-MW-1922D	Boron, B	0.440	mg/L
BAP-MW-1922D	Cadmium, Cd	0.01J	ug/L
BAP-MW-1922D	Calcium, Ca	96.5	mg/L
BAP-MW-1922D	Chloride, Cl	32.7	mg/L
BAP-MW-1922D	Chromium, Cr	0.08J	ug/L
BAP-MW-1922D	Cobalt, Co	0.492	ug/L
BAP-MW-1922D	Combined Radium	3.089	pCi/L
BAP-MW-1922D	Fluoride, F	0.33	mg/L
BAP-MW-1922D	Lead, Pb	<0.05U	ug/L
BAP-MW-1922D	Lithium, Li	0.0126	mg/L
BAP-MW-1922D	Mercury, Hg	<0.002U	ug/L
BAP-MW-1922D	Molybdenum, Mo	478	ug/L
BAP-MW-1922D	pH	7.6	STD
BAP-MW-1922D	Residue, Filterable, TDS	566	mg/L
BAP-MW-1922D	Selenium, Se	0.06J	ug/L
BAP-MW-1922D	Sulfate, SO4	167	mg/L
BAP-MW-1922D	Thallium, Tl	<0.1U	ug/L
BAP-MW-1922S	Antimony, Sb	0.02J	ug/L
BAP-MW-1922S	Arsenic, As	1.75	ug/L
BAP-MW-1922S	Barium, Ba	26.5	ug/L
BAP-MW-1922S	Beryllium, Be	<0.02U	ug/L
BAP-MW-1922S	Boron, B	6.34	mg/L
BAP-MW-1922S	Cadmium, Cd	<0.01U	ug/L
BAP-MW-1922S	Calcium, Ca	342	mg/L
BAP-MW-1922S	Chloride, Cl	179	mg/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1922S	Chromium, Cr	0.2J	ug/L
BAP-MW-1922S	Cobalt, Co	1.23	ug/L
BAP-MW-1922S	Combined Radium	2.945	pCi/L
BAP-MW-1922S	Fluoride, F	0.19	mg/L
BAP-MW-1922S	Lead, Pb	0.1J	ug/L
BAP-MW-1922S	Lithium, Li	0.0556	mg/L
BAP-MW-1922S	Mercury, Hg	<0.002U	ug/L
BAP-MW-1922S	Molybdenum, Mo	33.9	ug/L
BAP-MW-1922S	pH	7.3	STD
BAP-MW-1922S	Residue, Filterable, TDS	2060	mg/L
BAP-MW-1922S	Selenium, Se	0.08J	ug/L
BAP-MW-1922S	Sulfate, SO4	1070	mg/L
BAP-MW-1922S	Thallium, Tl	<0.1U	ug/L
BAP-MW-1923	Antimony, Sb	0.24	ug/L
BAP-MW-1923	Arsenic, As	0.75	ug/L
BAP-MW-1923	Barium, Ba	86.6	ug/L
BAP-MW-1923	Beryllium, Be	<0.02U	ug/L
BAP-MW-1923	Boron, B	0.756	mg/L
BAP-MW-1923	Cadmium, Cd	0.03J	ug/L
BAP-MW-1923	Calcium, Ca	105	mg/L
BAP-MW-1923	Chloride, Cl	38.3	mg/L
BAP-MW-1923	Chromium, Cr	0.541	ug/L
BAP-MW-1923	Cobalt, Co	1.01	ug/L
BAP-MW-1923	Combined Radium	2.099	pCi/L
BAP-MW-1923	Fluoride, F	0.13	mg/L
BAP-MW-1923	Lead, Pb	0.543	ug/L
BAP-MW-1923	Lithium, Li	0.137	mg/L
BAP-MW-1923	Mercury, Hg	<0.002U	ug/L
BAP-MW-1923	Molybdenum, Mo	84.2	ug/L
BAP-MW-1923	pH	6.8	STD
BAP-MW-1923	Residue, Filterable, TDS	545	mg/L
BAP-MW-1923	Selenium, Se	14.0	ug/L
BAP-MW-1923	Sulfate, SO4	159	mg/L
BAP-MW-1923	Thallium, Tl	<0.1U	ug/L
BAP-MW-1924	Antimony, Sb	0.07J	ug/L
BAP-MW-1924	Arsenic, As	0.61	ug/L
BAP-MW-1924	Barium, Ba	54.5	ug/L
BAP-MW-1924	Beryllium, Be	<0.02U	ug/L
BAP-MW-1924	Boron, B	4.89	mg/L
BAP-MW-1924	Cadmium, Cd	0.06	ug/L
BAP-MW-1924	Calcium, Ca	238	mg/L
BAP-MW-1924	Chloride, Cl	109	mg/L
BAP-MW-1924	Chromium, Cr	0.2J	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1924	Cobalt, Co	4.10	ug/L
BAP-MW-1924	Combined Radium	1.719	pCi/L
BAP-MW-1924	Fluoride, F	0.44	mg/L
BAP-MW-1924	Lead, Pb	0.218	ug/L
BAP-MW-1924	Lithium, Li	0.102	mg/L
BAP-MW-1924	Mercury, Hg	<0.002U	ug/L
BAP-MW-1924	Molybdenum, Mo	76.7	ug/L
BAP-MW-1924	pH	7.1	STD
BAP-MW-1924	Residue, Filterable, TDS	1500	mg/L
BAP-MW-1924	Selenium, Se	3.5	ug/L
BAP-MW-1924	Sulfate, SO4	662	mg/L
BAP-MW-1924	Thallium, Tl	<0.1U	ug/L
BAP-MW-1925	Antimony, Sb	0.20	ug/L
BAP-MW-1925	Arsenic, As	0.41	ug/L
BAP-MW-1925	Barium, Ba	45.0	ug/L
BAP-MW-1925	Beryllium, Be	<0.02U	ug/L
BAP-MW-1925	Boron, B	5.86	mg/L
BAP-MW-1925	Cadmium, Cd	0.06	ug/L
BAP-MW-1925	Calcium, Ca	249	mg/L
BAP-MW-1925	Chloride, Cl	147	mg/L
BAP-MW-1925	Chromium, Cr	0.1J	ug/L
BAP-MW-1925	Cobalt, Co	1.27	ug/L
BAP-MW-1925	Combined Radium	1.041	pCi/L
BAP-MW-1925	Fluoride, F	0.26	mg/L
BAP-MW-1925	Lead, Pb	0.2J	ug/L
BAP-MW-1925	Lithium, Li	0.0947	mg/L
BAP-MW-1925	Mercury, Hg	<0.002U	ug/L
BAP-MW-1925	Molybdenum, Mo	54.6	ug/L
BAP-MW-1925	pH	7.2	STD
BAP-MW-1925	Residue, Filterable, TDS	1500	mg/L
BAP-MW-1925	Selenium, Se	4.1	ug/L
BAP-MW-1925	Sulfate, SO4	683	mg/L
BAP-MW-1925	Thallium, Tl	<0.1U	ug/L
BAP-MW-1926	Antimony, Sb	0.07J	ug/L
BAP-MW-1926	Arsenic, As	0.37	ug/L
BAP-MW-1926	Barium, Ba	23.9	ug/L
BAP-MW-1926	Beryllium, Be	<0.02U	ug/L
BAP-MW-1926	Boron, B	0.145	mg/L
BAP-MW-1926	Cadmium, Cd	0.06	ug/L
BAP-MW-1926	Calcium, Ca	87.6	mg/L
BAP-MW-1926	Chloride, Cl	8.57	mg/L
BAP-MW-1926	Chromium, Cr	0.09J	ug/L
BAP-MW-1926	Cobalt, Co	1.17	ug/L

Mountaineer Plant

Bottom Ash Pond

Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice

Report Date: 9/30/2019 - 10/2/2019

Sample Location	Parameters	Result	Reporting Units
BAP-MW-1926	Combined Radium	0.4608	pCi/L
BAP-MW-1926	Fluoride, F	0.24	mg/L
BAP-MW-1926	Lead, Pb	0.07J	ug/L
BAP-MW-1926	Lithium, Li	0.00624	mg/L
BAP-MW-1926	Mercury, Hg	<0.002U	ug/L
BAP-MW-1926	Molybdenum, Mo	5.38	ug/L
BAP-MW-1926	pH	7.3	STD
BAP-MW-1926	Residue, Filterable, TDS	396	mg/L
BAP-MW-1926	Selenium, Se	0.4	ug/L
BAP-MW-1926	Sulfate, SO4	26.4	mg/L
BAP-MW-1926	Thallium, Tl	<0.1U	ug/L
BAP-MW-1927	Antimony, Sb	0.12	ug/L
BAP-MW-1927	Arsenic, As	0.27	ug/L
BAP-MW-1927	Barium, Ba	58.7	ug/L
BAP-MW-1927	Beryllium, Be	<0.02U	ug/L
BAP-MW-1927	Boron, B	0.498	mg/L
BAP-MW-1927	Cadmium, Cd	0.05	ug/L
BAP-MW-1927	Calcium, Ca	143	mg/L
BAP-MW-1927	Chloride, Cl	15.2	mg/L
BAP-MW-1927	Chromium, Cr	0.08J	ug/L
BAP-MW-1927	Cobalt, Co	0.225	ug/L
BAP-MW-1927	Combined Radium	1.415	pCi/L
BAP-MW-1927	Fluoride, F	0.14	mg/L
BAP-MW-1927	Lead, Pb	<0.05U	ug/L
BAP-MW-1927	Lithium, Li	0.00638	mg/L
BAP-MW-1927	Mercury, Hg	<0.002U	ug/L
BAP-MW-1927	Molybdenum, Mo	2J	ug/L
BAP-MW-1927	pH	7	STD
BAP-MW-1927	Residue, Filterable, TDS	839	mg/L
BAP-MW-1927	Selenium, Se	0.4	ug/L
BAP-MW-1927	Sulfate, SO4	306	mg/L
BAP-MW-1927	Thallium, Tl	<0.1U	ug/L
BAP-MW-1929	Antimony, Sb	0.03J	ug/L
BAP-MW-1929	Arsenic, As	0.47	ug/L
BAP-MW-1929	Barium, Ba	52.1	ug/L
BAP-MW-1929	Beryllium, Be	<0.02U	ug/L
BAP-MW-1929	Boron, B	0.236	mg/L
BAP-MW-1929	Cadmium, Cd	0.01J	ug/L
BAP-MW-1929	Calcium, Ca	113	mg/L
BAP-MW-1929	Chloride, Cl	15.1	mg/L
BAP-MW-1929	Chromium, Cr	0.280	ug/L
BAP-MW-1929	Cobalt, Co	0.606	ug/L
BAP-MW-1929	Combined Radium	2.994	pCi/L

Mountaineer Plant			
Bottom Ash Pond			
Assessment Monitoring - 257.105(h)(6) Results Operating Record Notice			
Report Date: 9/30/2019 - 10/2/2019			
Sample Location	Parameters	Result	Reporting Units
BAP-MW-1929	Fluoride, F	0.19	mg/L
BAP-MW-1929	Lead, Pb	0.274	ug/L
BAP-MW-1929	Lithium, Li	0.00480	mg/L
BAP-MW-1929	Mercury, Hg	<0.002U	ug/L
BAP-MW-1929	Molybdenum, Mo	0.7J	ug/L
BAP-MW-1929	pH	7.6	STD
BAP-MW-1929	Residue, Filterable, TDS	528	mg/L
BAP-MW-1929	Selenium, Se	1.7	ug/L
BAP-MW-1929	Sulfate, SO4	234	mg/L
BAP-MW-1929	Thallium, Tl	<0.1U	ug/L
BAP-MW-203	Antimony, Sb	0.02J	ug/L
BAP-MW-203	Arsenic, As	0.33	ug/L
BAP-MW-203	Barium, Ba	31.6	ug/L
BAP-MW-203	Beryllium, Be	<0.02U	ug/L
BAP-MW-203	Boron, B	0.104	mg/L
BAP-MW-203	Cadmium, Cd	<0.01U	ug/L
BAP-MW-203	Calcium, Ca	106	mg/L
BAP-MW-203	Chloride, Cl	10.1	mg/L
BAP-MW-203	Chromium, Cr	0.2J	ug/L
BAP-MW-203	Cobalt, Co	0.139	ug/L
BAP-MW-203	Combined Radium	0.381	pCi/L
BAP-MW-203	Fluoride, F	0.22	mg/L
BAP-MW-203	Lead, Pb	0.2J	ug/L
BAP-MW-203	Lithium, Li	0.00230	mg/L
BAP-MW-203	Mercury, Hg	<0.002U	ug/L
BAP-MW-203	Molybdenum, Mo	1J	ug/L
BAP-MW-203	pH	7.1	STD
BAP-MW-203	Residue, Filterable, TDS	435	mg/L
BAP-MW-203	Selenium, Se	1.1	ug/L
BAP-MW-203	Sulfate, SO4	65.5	mg/L
BAP-MW-203	Thallium, Tl	<0.1U	ug/L

**Groundwater Data Summary
Mountaineer Plant - Bottom Ash Pond**

Geosyntec Consultants

Parameter	Unit	MW-1601A		MW-1602		MW-1603		MW-1604D		MW-1604S		MW-1605D	
		3/12/2020	5/15/2020	3/11/2020	5/15/2020	3/11/2020	5/15/2020	3/10/2020	5/14/2020	3/10/2020	5/14/2020	3/10/2020	5/19/2020
Antimony	µg/L	0.1 U	0.03 J	0.1 U	0.02 J	0.1 U	0.1 U	0.02 J	0.03 J	0.14	0.15	0.03 J	0.04 J
Arsenic	µg/L	0.58	0.57	0.31	0.31	0.29	0.27	0.31	0.28	0.29	0.30	3.01	2.73
Barium	µg/L	64.9	67.8	28.9	30.0	30.4	30.0	34.2	34.1	28.9	29.1	29.6	25.7
Beryllium	µg/L	0.1 U	-										
Boron	mg/L	-	0.136	-	0.118	-	0.275	-	4.65	-	3.68	-	6.92
Cadmium	µg/L	0.01 J	0.02 J	0.05 U	0.01 J	0.01 J	0.01 J	0.03 J	0.03 J	0.12	0.19	0.02 J	0.01 J
Calcium	mg/L	-	185	-	99.2	-	161	-	205	-	250	-	265
Chloride	mg/L	-	22.7	-	9.67	-	10.7	-	113	-	116	-	169
Chromium	µg/L	0.205	0.1 J	0.261	0.2 J	0.224	0.210	0.311	0.729	0.323	0.1 J	0.08 J	0.1 J
Cobalt	µg/L	0.02 J	0.05 U	0.05 U	0.04 J	0.061	0.094	0.138	0.117	1.72	1.93	1.67	1.45
Combined Radium	pCi/L	1.685	0.553	0.4389	0.5819	2.036	0.701	0.834	0.1393	1.662	1.038	0.3851	0.425
Fluoride	mg/L	0.14	0.16	0.23	0.25	0.06	0.09	0.22	0.25	0.24	0.25	0.19 J	0.17 J
Lead	µg/L	0.2 U	0.2 U	0.05 J	0.2 U	0.08 J	0.07 J	0.2 U					
Lithium	mg/L	0.00183	0.00190	0.0117	0.0126	0.0175	0.0182	0.0235	0.0218	0.0390	0.0419	0.0502	0.0495
Mercury	µg/L	0.005 U	-										
Molybdenum	µg/L	1 J	0.7 J	1 J	0.9 J	2 U	2 U	1 J	1 J	13.7	14.9	32.7	32.8
Selenium	µg/L	1.4	0.9	0.2 J	0.09 J	0.2 J	0.2 J	0.8	0.7	1.2	1.1	0.2 J	0.2 J
Sulfate	mg/L	-	274	-	264	-	387	-	667	-	715	-	848
Thallium	µg/L	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U							
Total Dissolved Solids	mg/L	-	814	-	595	-	809	-	1,390	-	1,520	-	1,670
pH	SU	6.7	6.7	6.4	6.4	6.4	6.5	6.4	6.7	6.7	6.9	6.9	7.0

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

pCi/L: picocuries per liter

SU: standard unit

U: Non-detect value. For statistical analysis, parameters which were not detected were replaced with the reporting limit.

J: Estimated value. Parameter was detected in concentrations below the reporting limit.

--: Not sampled

**Groundwater Data Summary
Mountaineer Plant - Bottom Ash Pond**

Geosyntec Consultants

Parameter	Unit	MW-1605S		MW-1606D		MW-1606S		MW-1607D		MW-1607S		MW-1608	
		3/10/2020	5/19/2020	3/10/2020	5/19/2020	3/10/2020	5/19/2020	3/11/2020	5/20/2020	3/10/2020	5/20/2020	3/10/2020	5/13/2020
Antimony	µg/L	0.08 J	0.04 J	0.14	0.15	0.13	0.14	0.1 U	0.03 J	0.41	0.45	0.1 U	0.04 J
Arsenic	µg/L	0.62	0.47	0.35	0.32	0.62	0.65	1.56	1.42	0.92	0.93	0.37	0.36
Barium	µg/L	26.5	21.1	45.3	45.6	60.9	59.8	68.3	65.6	69.2	66.8	30.5	31.3
Beryllium	µg/L	0.1 U	-										
Boron	mg/L	-	4.83	-	5.92	-	5.94	-	3.89	-	3.55	-	0.108
Cadmium	µg/L	0.04 J	0.03 J	0.05	0.06	0.07	0.06	0.05 U	0.05 U	0.04 J	0.04 J	0.05 U	0.02 J
Calcium	mg/L	-	154	-	270	-	207	-	228	-	190	-	92.7
Chloride	mg/L	-	93.5	-	178	-	181	-	181	-	172	-	5.22
Chromium	µg/L	0.305	0.1 J	0.2 J	0.1 J	0.1 J	0.1 J	0.08 J	0.2 J	0.321	0.249	0.264	0.2 J
Cobalt	µg/L	0.723	0.208	1.11	1.10	0.322	0.435	0.846	0.913	1.23	1.42	0.070	0.092
Combined Radium	pCi/L	0.842	0.639	0.946	0.975	0.434	0.3814	2.552	0.815	1.171	0.3123	0.67	0.569
Fluoride	mg/L	0.30	0.28	0.27	0.24	0.40	0.38	0.41	0.51	0.24	0.23	0.21	0.22
Lead	µg/L	0.497	0.2 U	0.2 U	0.2 U	0.05 J	0.2 U	0.2 U	0.05 J	0.06 J	0.06 J	0.06 J	0.275
Lithium	mg/L	0.0558	0.0523	0.0700	0.0681	0.0721	0.0730	0.108	0.104	0.110	0.105	0.00229	0.00241
Mercury	µg/L	0.005 U	-										
Molybdenum	µg/L	12.8	12.3	62.5	67.0	51.7	56.0	79.6	83.5	35.5	35.8	0.6 J	0.7 J
Selenium	µg/L	0.8	0.7	0.5	0.5	4.4	5.3	0.04 J	0.08 J	4.5	5.7	4.3	2.1
Sulfate	mg/L	-	543	-	756	-	646	-	722	-	407	-	158
Thallium	µg/L	0.5 U											
Total Dissolved Solids	mg/L	-	1,160	-	1,600	-	1,400	-	1,620	-	1,230	-	440
pH	SU	6.9	6.9	7.0	7.0	6.8	6.7	7.1	7.2	6.9	7.0	6.7	6.8

Notes:

µg/L: micrograms per liter

mg/L: milligrams per liter

pCi/L: picocuries per liter

SU: standard unit

U: Non-detect value. For statistical analysis, parameters which were not detected were replaced with the reporting limit.

J: Estimated value. Parameter was detected in concentrations below the reporting limit.

--: Not sampled

Appendix 5

No monitoring wells were installed or decommissioned in 2020.